

Correction to: First-Principles Calculation of the Air-Water Second Virial Coefficient

Allan H. Harvey^{1,2}

¹Applied Chemicals and Materials Division, National Institute of Standards and Technology, 325 Broadway, Boulder, Colorado 80305, U.S.A. [ORCID 0000-0002-0072-2332]

²E-mail: allan.harvey@nist.gov

Contribution of the National Institute of Standards and Technology, not subject to copyright in the United States

September 2020, submitted to *Int. J. Thermophysics*

Correction to: International Journal of Thermophysics (2007) 28, 556

<https://doi.org/10.1007/s10765-007-0197-8>

In the original article [1], an incorrect expression was written for the calculation of the expanded uncertainty of B_{aw} , $U(B_{aw})$, from the uncertainties of the individual components. Equation (4) should be written as

$$U(B_{aw}) = \left(\sum_{i=N_2, O_2, Ar} [x_i U(B_{iw})]^2 \right)^{0.5}. \quad (4)$$

The uncertainty values reported in the paper were calculated with the correct expression.

We thank Robert Hellmann for noticing this error during the course of his work on Ref. [2], which to a large extent supersedes Ref. [1].

REFERENCES

1. A.H. Harvey and P.H. Huang, First-Principles Calculation of the Air-Water Second Virial Coefficient, *Int. J. Thermophys.* **28**, 556 (2007). <https://doi.org/10.1007/s10765-007-0197-8>.
2. R. Hellmann, Reference Values for the Cross Second Virial Coefficients and Dilute Gas Binary Diffusion Coefficients of the Systems (H₂O + O₂) and (H₂O + Air) from First Principles, *J. Chem. Eng. Data* **65**, 4130 (2020). <https://doi.org/10.1021/acs.jced.0c00465>.