

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

SRM Number: 1819a
SRM Name: Sulfur in Lubricating Base Oil
SRM Parts: Level I, Level II, Level III, Level IV, Level V
Other Means of Identification: Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is intended for use as an analytical standard in the determination of total sulfur in lubricating base oils or materials of similar composition. A unit of SRM 1819a consists of five ampoules containing 20 g of lubricating base oil at different sulfur concentrations.

Company Information

National Institute of Standards and Technology
 Standard Reference Materials Program
 100 Bureau Drive, Stop 2300
 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200
 FAX: 301-948-3730
 E-mail: SRMMSDS@nist.gov
 Website: <http://www.nist.gov/srm>

Emergency Telephone ChemTrec:
 1-800-424-9300 (North America)
 +1-703-527-3887 (International)

2. HAZARDS IDENTIFICATION

Classification

Physical Hazard: Not classified.
Health Hazard: Not classified.

Label Elements

Symbol
 No Symbol/No Pictogram.

Signal Word
 No signal word.

Hazard Statement(s): Not applicable.

Precautionary Statement(s): Not applicable.

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Lubricating base oil containing different sulfur concentrations

Other Designations: Hydrotreated lubricating oil

Components are listed in compliance with OSHA's 29 CFR 1910.1200.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Lubricating base oil	varies	varies	100

4. FIRST AID MEASURES

Description of First Aid Measures

Inhalation: If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.

Skin Contact: Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention, if needed. Thoroughly clean and dry contaminated clothing and shoes before reuse.

Eye Contact: Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

Ingestion: If a large amount is swallowed, get medical attention.

Most Important Symptoms/Effects, Acute and Delayed: Exposure may irritate the eyes, skin, and respiratory system.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek immediate medical attention.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Minimal fire hazard; oil must be preheated before ignition will occur. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media

Suitable: Use extinguishing agents appropriate to surrounding fire.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: Not applicable.

Special Protective Equipment and Precautions for Fire-Fighters: Move container from fire area if it can be done without personal risk. Avoid inhalation of material or combustion by-products. Wear full protective clothing and NIOSH-approved self-contained breathing apparatus (SCBA).

NFPA Ratings (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 1 Fire = 0 Reactivity = 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection".

Methods and Materials for Containment and Clean up: Do not touch spilled material. Absorb with sand or other non-combustible material and collect in appropriate container for proper disposal.

7. HANDLING AND STORAGE

Safe Handling Precautions: Use suitable personal protection equipment (PPE). See Section 8, "Exposure Controls and Personal Protection".

Storage and Incompatible Materials: Store and handle in accordance with all current regulations and standards. Keep separated from incompatible substances.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits: There are no occupational exposure limits established for lubricating base oil. The exposure limits for mineral oil (CAS No. 8012-95-1) are provided below as a reference.

OSHA (PEL): 5 mg/m³ (TWA)

NIOSH (REL): 5 mg/m³ (TWA)

10 mg/m³ (STEL)

2.5 g/m³ (IDLH)

ACGIH (TLV): 5 mg/m³ (TWA, excluding metal working fluids, highly and severely refined, inhalable fractions)

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection Measures: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate PPE to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye Protection: Splash resistant safety goggles and emergency eyewash are recommended.

Skin and Body Protection: Chemical resistant clothing and gloves are recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Descriptive Properties	Lubricating base oil
Molar Mass (g/mol)	varies
Molecular Formula	varies
Appearance (physical state, color, etc.)	straw yellow liquid
Odor	petroleum odor
Odor threshold	not available
pH	not available
Evaporation rate	not available
Melting point/freezing point	not available
Density (kg/L at 15 °C)^(a)	Level I (0.8703); Level II (0.8650); Level III (0.8725); Level IV (0.8773); Level V (0.8768)
Vapor Pressure	not available
Vapor Density (air = 1)	not available
Kinematic Viscosity (cSt at 40 °C)^(a)	Level I (49.93); Level II (24.85); Level III (30.85); Level IV (63.00); Level V (38.84)
Solubilities	insoluble to almost insoluble in water.
Partition coefficient (n-octanol/water)	not available
Thermal Stability Properties	
Autoignition Temperature	not available
Thermal Decomposition	not available
Initial boiling point and boiling range	not available
Explosive Limits, LEL (Volume %)	not available
Explosive Limits, UEL (Volume %)	not available
Flash Point (°C)^(a)	Level I (232); Level II (207); Level III (207); Level IV (249); Level V (235)
Flammability (solid, gas)	not available

^(a) Physical properties listed in the NIST Certificate of Analysis. Values are not certified.

10. STABILITY AND REACTIVITY

Reactivity: Stable at normal temperatures and pressure.

Stability: X Stable Unstable

Possible Hazardous Reactions: Not applicable.

Conditions to Avoid: Avoid heat, flames, sparks, and other ignition sources. Avoid contact with incompatible materials.

Incompatible Materials: Oxidizing materials.

Hazardous Decomposition: Oxides of carbon.

Hazardous Polymerization: Will Occur X Will Not Occur

11. TOXICOLOGICAL INFORMATION

Route of Exposure: Inhalation Skin Ingestion

Symptoms Related to the Physical, Chemical and Toxicological Characteristics: Exposure may irritate the eyes, skin, and respiratory system.

Potential Health Effects (Acute, Chronic, and Delayed)

Inhalation: Inhalation of oil mists may cause respiratory tract irritation.

Skin Contact: Contact may cause irritation. Oil folliculitis may arise as a result of chemical irritation and mechanical plugging of the hair follicles.

Eye Contact: Contact may cause irritation. Chronic exposure may result in conjunctivitis.

Ingestion: Ingestion may cause gastrointestinal disturbances such as nausea, vomiting, and diarrhea.

Numerical Measures of Toxicity

Acute Toxicity: Not classified; no data available.

Skin Corrosion/Irritation: Not classified; no data available.

Serious Eye Damage/Eye Irritation: Not classified; no data available.

Respiratory sensitization: Not classified; no data available.

Skin Sensitization: Not classified; no data available.

Germ Cell Mutagenicity: No data available.

Carcinogenicity: Not classified.

Listed as a Carcinogen/Potential Carcinogen Yes No

This material is a lubricating base oil (hydrotreated). Highly-refined mineral oil is listed as Group 3 (*not classifiable*) by IARC. NTP does not evaluate treated or refined mineral oil. Mineral oil (treated) is not listed by OSHA.

Reproductive Toxicity: Not classified; no data available.

Specific Target Organ Toxicity, Single Exposure: Not classified; no data available.

Specific Target Organ Toxicity, Repeated Exposure: Not classified; no data available.

Aspiration hazard: Not classified; kinematic viscosity is greater than 14 mm²/s at 40 °C.

12. ECOLOGICAL INFORMATION

Hydrotreated middle distillate data are provided as a reference.

Ecotoxicity Data:

Fish: Fathead minnow (*Pimephales promelas*) LC [flow-through]: 5035 mg/L (96 h)

Fathead minnow (*Pimephales promelas*) LC50 [static]: >10000 mg/L (96 h)

Persistence and Degradability: No data available.

Bioaccumulative Potential: 45.81

Mobility in Soil: No data available.

Other Adverse effects: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose in accordance with all applicable federal, state, and local regulations.

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: Not regulated by DOT and IATA.

15. REGULATORY INFORMATION

U.S. Regulations

CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Not regulated.

OSHA Process Safety (29 CFR 1910.119): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21)

ACUTE HEALTH: No

CHRONIC HEALTH: No

FIRE: No

REACTIVE: No

PRESSURE: No

State Regulations

California Proposition 65: Not listed.

U.S. TSCA Inventory: Listed.

TSCA 12(b), Export Notification: Not listed.

Canadian Regulations: WHMIS Information is not provided for this material.

16. OTHER INFORMATION

Issue Date: 23 September 2014

Sources: ChemADVISOR, Inc., SDS *Oil Mist, Mineral*, 19 June 2014.

ChemADVISOR, Inc., SDS *Lubricating Oil Base Stocks*, 19 June 2014.

ChemADVISOR, Inc., SDS *Hydrotreated Heavy Paraffinic Distillate*, 19 June 2014.

NTP, 12th Report on Carcinogens (RoC), *Mineral Oils: Untreated and Mildly Treated*; available at <http://ntp.niehs.nih.gov/pubhealth/roc/roc12/index.html> (accessed Sep 2014).

IARC, *Mineral Oils (IARC Summary & Evaluation, Volume 33, 1984)*; available at <http://www.inchem.org/documents/iarc/vol33/mineraloils.html> (accessed Sep 2014).

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
CFR	Code of Federal Regulations	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	REL	Recommended Exposure Limit
EINECS	European Inventory of Existing Commercial Chemical Substances	RQ	Reportable Quantity
EPCRA	Emergency Planning and Community Right-to-Know Act	RTECS	Registry of Toxic Effects of Chemical Substances
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transportation Agency	SCBA	Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
LC50	Lethal Concentration	STOT	Specific Target Organ Toxicity
LD50	Median Lethal Dose or Lethal Dose, 50 %	STEL	Short Term Exposure Limit
LEL	Lower Explosive Limit	TLV	Threshold Limit Value
MSDS	Material Safety Data Sheet	TPQ	Threshold Planning Quantity
NFPA	National Fire Protection Association	TSCA	Toxic Substances Control Act
NIOSH	National Institute for Occupational Safety and Health	TWA	Time Weighted Average
NIST	National Institute of Standards and Technology	UEL	Upper Explosive Limit
n.o.s.	Not Otherwise Specified	WHMIS	Workplace Hazardous Materials Information System

Disclaimer: Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of the material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The values for this material are given in the NIST Certificate of Analysis.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srmmsds@nist.gov; or via the Internet at <http://www.nist.gov/srm>.