

## SAFETY DATA SHEET

### 1. SUBSTANCE AND SOURCE IDENTIFICATION

**Product Identifier**

**SRM Number:** 2556  
**SRM Name:** Used Auto Catalyst (Pellets)  
**Other Means of Identification:** Not applicable.

**Recommended Use of This Material and Restrictions of Use**

This Standard Reference Material (SRM) is intended for use in evaluating chemical and instrumental methods for the analysis of platinum group metals and lead. A unit of SRM 2556 consists of a glass bottle containing 70 g of used auto catalyst as a fine powder [ $<74 \mu\text{m}$  (200 mesh)].

**Company Information**

National Institute of Standards and Technology  
 Standard Reference Materials Program  
 100 Bureau Drive, Stop 2300  
 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200  
 E-mail: SRMMSDS@nist.gov  
 Website: <http://www.nist.gov/srm>

Emergency Telephone ChemTrec:  
 1-800-424-9300 (North America)  
 +1-703-527-3887 (International)

### 2. HAZARDS IDENTIFICATION

**Classification**

**Physical Hazard:** Not classified.  
**Health Hazard:** Carcinogenicity Category 2

**Label Elements**

**Symbol**



**Signal Word**

WARNING

**Hazard Statement(s):**

H351 Suspected of causing cancer (inhalation).

**Precautionary Statement(s):**

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P281 Use personal protective equipment as required.  
 P308+P313 If exposed or concerned: Get medical attention.  
 P405 Store locked up.  
 P501 Dispose of contents and container in accordance with local regulations.

**Hazards Not Otherwise Classified:** Not applicable.

**Ingredients(s) with Unknown Acute Toxicity:** Not applicable.

---

### 3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

---

**Substance:** Used auto catalyst

**Other Designations:** Recycled pellet auto catalyst

This material is a complex mixture that has not been tested as a whole. SRM 2556 contains trace amounts of compounds that do not require individual SDS information. The components listed below are in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the NIST Certificate of Analysis.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Lead oxide (PbO)	1317-36-8	215-267-0	0.7
<b>Non-Hazardous Component(s)</b>			
Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> )	1344-28-1	215-691-6	76
Unknown component	not applicable	not applicable	23.3

---

### 4. FIRST AID MEASURES

---

**Description of First Aid Measures:**

**Inhalation:** If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

**Skin Contact:** Wash skin with soap and water for at least 15 minutes. Thoroughly clean and dry contaminated clothing before reuse.

**Eye Contact:** Flush eyes with water for at least 15 minutes. If necessary, seek medical attention.

**Ingestion:** If a large amount is swallowed, get medical attention.

**Most Important Symptoms/Effects, Acute and Delayed:** Irritation, cancer inhalation hazard.

**Indication of any immediate medical attention and special treatment needed, if necessary:** If any of the above symptoms are present, seek medical attention if needed.

---

### 5. FIRE FIGHTING MEASURES

---

**Fire and Explosion Hazards:** Negligible fire hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

**Extinguishing Media:**

Suitable: Use extinguishing agents appropriate for surrounding fire.

Unsuitable: None listed.

**Specific Hazards Arising from the Chemical:** None listed.

**Special Protective Equipment and Precautions for Fire-Fighters:** Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

**NFPA Ratings** (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 1                  Fire = 0                  Reactivity = 0

---

### 6. ACCIDENTAL RELEASE MEASURES

---

**Personal Precautions, Protective Equipment and Emergency Procedures:** Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection".

**Methods and Materials for Containment and Clean up:** Collect spilled material in appropriate container for disposal. Avoid generating dust.

---

### 7. HANDLING AND STORAGE

---

**Safe Handling Precautions:** Minimize dust generation. See Section 8, "Exposure Controls and Personal Protection".

**Storage:** Store and handle in accordance with all current regulations and standards. Keep separated from incompatible substances (See Section 10, "Stability and Reactivity").

---

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

---

### Exposure Limits:

Component: Lead oxide

ACGIH (TLV):	0.05 mg/m <sup>3</sup> TWA as Lead (related to lead inorganic compounds)
NIOSH (REL):	0.05 mg/m <sup>3</sup> TWA as Lead (related to lead compounds)
	100 mg/m <sup>3</sup> IDLH as Lead (related to lead compounds)
OSHA (PEL):	50 µg/m <sup>3</sup> TWA as Lead (related to lead inorganic compounds)

Component: Aluminum oxide

ACGIH (TLV):	1 mg/m <sup>3</sup> (TWA, respirable fraction, related to aluminum insoluble compounds)
NIOSH (REL):	No occupational exposure limits available.
OSHA (PEL):	15 mg/m <sup>3</sup> (TWA, total dust)
	5 mg/m <sup>3</sup> (TWA, respirable fraction)

**Engineering Controls:** Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

**Personal Protection:** In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

**Respiratory Protection:** If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

**Eye/Face Protection:** Wear splash resistant safety goggles with a face shield. An eye wash station should be readily available near areas of use.

**Skin and Body Protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

### Descriptive Properties

<b>Appearance</b> (physical state, color, etc.):	white to gray powder
<b>Molecular Formula:</b>	not applicable
<b>Molar Mass (g/mol):</b>	not applicable
<b>Odor:</b>	odorless
<b>Odor threshold:</b>	not available
<b>pH (solution):</b>	not available
<b>Evaporation rate:</b>	not applicable
<b>Melting point/freezing point (°C):</b>	not available
<b>Density (g/cc):</b>	
<b>Relative density (water=1):</b>	not available
<b>Vapor Pressure:</b>	not available
<b>Vapor Density (air = 1):</b>	not applicable
<b>Viscosity (cP):</b>	not applicable
<b>Solubility(ies):</b>	not available
<b>Partition coefficient</b> (n-octanol/water):	not available
<b>Particle Size:</b>	<74 µm

### Thermal Stability Properties

Autoignition Temperature (°C):	not available
Thermal Decomposition (°C):	not available
Initial boiling point (°C):	not available
Explosive Limits, LEL (Volume %):	not applicable
Explosive Limits, UEL (Volume %):	not applicable
Flash Point (°C):	not applicable
Flammability (solid, gas):	not applicable

---

## 10. STABILITY AND REACTIVITY

---

**Reactivity:** Stable at normal temperatures and pressure.

**Stability:**  Stable  Unstable

**Possible Hazardous Reactions:** None listed.

**Conditions to Avoid:** Avoid generating dust.

**Incompatible Materials:** Halo carbons, halogens, combustible materials.

**Fire/Explosion Information:** See Section 5, "Fire Fighting Measures".

**Hazardous Decomposition:** Thermal decomposition will produce oxides of lead, and miscellaneous byproducts.

**Hazardous Polymerization:**  Will Occur  Will Not Occur

---

## 11. TOXICOLOGICAL INFORMATION

---

**Route of Exposure:**  Inhalation  Skin  Ingestion

**Symptoms Related to the Physical, Chemical and Toxicological Characteristics:** Exposure may cause irritation; inhalation may cause cancer.

### Potential Health Effects (Acute, Chronic and Delayed):

**Inhalation:** Acute: Inhalation of high concentrations of aluminum oxide dust may cause coughing, shortness of breath, respiratory tract irritation due to mechanical action, unpleasant deposits in the nasal passages, and exacerbation of symptoms in persons with impaired pulmonary function. Chronic: same as acute, difficulty breathing, may cause cancer. Lead is a cumulative toxin and repeated exposure can cause high levels to build up in body tissues resulting in adverse effects on the blood, nervous system, heart, immune, kidney, reproductive systems, and is a possible carcinogen.

**Skin Contact:** Acute: Irritation dermatitis accompanied by pruritus; chronic: lead may result in sensitization dermatitis.

**Eye Contact:** Dust may cause mechanical irritation with redness and possibly swelling of the conjunctiva.

**Ingestion:** Ingestion of aluminum compounds may result in constipation. Chronic ingestion of lead or lead compounds may result in accumulation in body tissues resulting in adverse effects on the blood, nervous system, heart, immune, kidney, reproductive systems, and possibly cancer.

### Numerical Measures of Toxicity:

**Acute Toxicity:** Not classified.

Aluminum oxide, Rat, Oral LD50: >5000 mg/kg

Lead oxide, Rat, Oral LD50: >10 000 mg/kg

**Skin Corrosion/Irritation:** Not classified.

Aluminum oxide: No data available.

Lead oxide, Rabbit: 100 mg (24 h), mild

**Serious Eye damage/Eye irritation:** Not classified; no data available.

**Respiratory Sensitization:** Not classified; no data available.

**Skin Sensitization:** Not classified; no data available.

**Germ Cell Mutagenicity:** Not classified.

Lead oxide, Hamster: 50 µmol/L

**Carcinogenicity:** Category 2.

**Listed as a Carcinogen/Potential Carcinogen**   X   Yes        No

Lead oxide is listed by IARC as Group 2A (*probably carcinogenic to humans*), and by NTP as “Reasonably anticipated to be a human carcinogen (related to lead compounds)”.

Aluminum oxide is not listed by OSHA, IARC, or NTP as a carcinogen/potential carcinogen.

Tumorigenic: Rat, Implant. TDLo: 200 mg/kg

**Reproductive Toxicity:** Not classified.

Mouse, Oral TDLo: 1750 mg/kg (5 wk)

**Specific Target Organ Toxicity, Single Exposure:** Not classified; no data available.

**Specific Target Organ Toxicity, Repeated Exposure:** Not classified; no data available.

**Aspiration Hazard:** Not classified; no data available.

---

## 12. ECOLOGICAL INFORMATION

---

**Ecotoxicity Data:**

Lead oxide: Fish: Fathead minnow (*Pimephales promelas*): 0.298 mg/L (static)

**Persistence and Degradability:** No data available.

**Bioaccumulative Potential:** No data available.

**Mobility in Soil:** No data available.

**Other Adverse effects:** No data available.

---

## 13. DISPOSAL CONSIDERATIONS

---

**Waste Disposal:** Dispose of waste in accordance with all applicable federal, state, and local regulations.

---

## 14. TRANSPORTATION INFORMATION

---

**U.S. DOT and IATA:** Not regulated by DOT or IATA.

---

## 15. REGULATORY INFORMATION

---

**U.S. Regulations:**

CERCLA Sections 102a/103 (40 CFR 302.4): Auto catalyst is not regulated. Lead oxide is regulated (as Pb).

SARA Title III Section 302 (40 CFR 355.30): Auto catalyst is not regulated. Lead oxide is regulated (as Pb).

SARA Title III Section 304 (40 CFR 355.40): Auto catalyst is not regulated. Lead oxide is regulated (as Pb).

SARA Title III Section 313 (40 CFR 372.65): Regulated: lead oxide, 0.1 % notification limit (related to lead inorganic compounds.); Aluminum oxide: 1 % de minimis concentration (fibrous forms)

OSHA Process Safety (29 CFR 1910.119): Auto catalyst is not regulated. Lead oxide is regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: No.

CHRONIC HEALTH: Yes.

FIRE: No.

REACTIVE: No.

PRESSURE: No.

**State Regulations:**

California Proposition 65: WARNING! This product contains a chemical (lead oxide) known to the state of California to cause cancer and reproductive/developmental effects.

**U.S. TSCA Inventory:** Aluminum oxide and lead oxide are listed.

**TSCA 12(b), Export Notification:** Not listed.

**Canadian Regulations:**

WHMIS Information: Not provided for this material.

---

## 16. OTHER INFORMATION

---

**Issue Date:** 21 September 2021

**Sources:** ChemADVISOR, Inc., SDS *Aluminum Oxide*, 09 December 2015.

ChemADVISOR, Inc., SDS *Lead Oxide*, 09 December 2015

### Key of Acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists	NIOSH	National Institute for Occupational Safety and Health
ALI	Annual Limit on Intake	NIST	National Institute of Standards and Technology
CAS	Chemical Abstracts Service	NRC	Nuclear Regulatory Commission
CEN	European Committee for Standardization	NTP	National Toxicology Program
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	OSHA	Occupational Safety and Health Administration
CFR	Code of Federal Regulations	PEL	Permissible Exposure Limit
CPSU	Coal Mine Dust Personal Sample Unit	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	REL	Recommended Exposure Limit
EC50	Effective Concentration, 50 %	RM	Reference Material
EINECS	European Inventory of Existing Commercial Chemical Substances	RQ	Reportable Quantity
EPCRA	Emergency Planning and Community Right-to-Know Act	RTECS	Registry of Toxic Effects of Chemical Substances
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transport Association	SCBA	Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
ISO	International Organization for Standardization	STEL	Short Term Exposure Limit
LC50	Lethal Concentration, 50 %	TDL <sub>o</sub>	Toxic Dose Low
LD50	Lethal Dose, 50 %	TLV	Threshold Limit Value
LEL	Lower Explosive Limit	TPQ	Threshold Planning Quantity
MSDS	Material Safety Data Sheet	TSCA	Toxic Substances Control Act
NFPA	National Fire Protection Association	TWA	Time Weighted Average
MSHA	Mine Safety and Health Administration	UEL	Upper Explosive Limit
		WHMIS	Workplace Hazardous Materials Information System

**Disclaimer:** The NIST SDS information is specific to the NIST product and is believed to be correct, based upon our current knowledge. The SDS may not necessarily be all inclusive and should be used only as a guide. NIST does not guarantee the accuracy or completeness of this information. The only official source for specific values and uncertainties is the certificate or report.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; e-mail [srmmsds@nist.gov](mailto:srmmsds@nist.gov); or via the Internet at <https://www.nist.gov/srm>.