

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

SRM Number: 3148a

SRM Name: Scandium (Sc) Standard Solution **Other Means of Identification:** Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is intended for use as a primary calibration standard for the quantitative determination of scandium. A unit of SRM 3148a consists of five 10 mL sealed borosilicate glass ampoules of an acidified aqueous solution prepared gravimetrically from high-purity scandium oxide to contain a known mass fraction of scandium. The solution contains nitric acid at a volume fraction of approximately 10 %, equivalent to an amount-of-substance concentration (molarity) of approximately 1.6 mol/L.

Company Information

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200 Emergency Telephone ChemTrec: E-mail: SRMMSDS@nist.gov 1-800-424-9300 (North America) Website: https://www.nist.gov/srm +1-703-527-3887 (International)

2. HAZARDS IDENTIFICATION

Classification

Physical Hazard: Not classified.

Health Hazard: Skin Corrosion/Irritation Category 1B

Serious Eye Damage/Eye Irritation Category 1

Label Elements Symbol



Signal Word

DANGER

Hazard Statement(s)

H314 Causes severe skin burns and eye damage.

Precautionary Statement(s)

P260 Do not breathe fume, mists, vapors, or spray. P264 Wash hands thoroughly after handling.

P280 Wear protective gloves, protective clothing, and eye protection.

P301 + P330 + P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 If on skin (or hair): Remove immediately all contaminated clothing. Rinse skin with

water.

P304 + P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

SRM 3148a Page 1 of 7

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents and container according to local regulations.

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Scandium oxide in nitric acid solution

Other Designations:

Nitric acid (Aqua fortis; hydrogen nitrate; azotic acid; engraver's acid) Scandium nitrate [Scandium trinitrate; hexahydrate, scandium (3+) salt (3:1)]

NOTE: Scandium oxide in nitric acid solution forms a solvated scandium nitrate salt.

Components are listed in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the NIST Certificate of Analysis.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Nitric acid	7697-37-2	231-714-2	10
Scandium nitrate	13465-60-6	236-701-5	5.1
Non-Hazardous Component(s) Water	7732-18-5	231-791-2	>84

4. FIRST AID MEASURES

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get immediate medical attention. Thoroughly clean and dry contaminated clothing before reuse. Destroy contaminated shoes.

Eye Contact: Immediately flush eyes, including under the eyelids with copious amounts of water for at least 15 minutes. Seek immediate medical attention.

Ingestion: Contact a poison control center immediately for instructions. Do not induce vomiting. Give water to rinse out mouth. Never give liquids to a person with reduced awareness or becoming unconscious. If vomiting occurs, keep head lower than hips to prevent aspiration. If not breathing, give artificial respiration by qualified personnel. Seek immediate medical attention.

Most Important Symptoms/Effects, Acute and Delayed: Acid burns to skin, eyes, and lungs.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek immediate medical attention.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Negligible fire hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:

Suitable: Use extinguishing media appropriate to the surrounding fire.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: Thermal decomposition will form oxides of nitrogen and scandium.

Special Protective Equipment and Precautions for Fire-Fighters: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

SRM 3148a Page 2 of 7

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection".

Methods and Materials for Containment and Clean up: Do not touch spilled material. Notify safety personnel of spills. Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal. Isolate hazard area and deny entry.

7. HANDLING AND STORAGE

Safe Handling Precautions: See Section 8, "Exposure Controls and Personal Protection". Handle glass ampoules with care.

Storage: Store and handling in accordance with all current regulations and standards. Keep separated from incompatible substances (See Section 10 "Stability and Reactivity").

8. Exposure Controls and Personal Protection

Exposure Limits:

Component: Nitric acid

NIOSH (REL): $5 \text{ mg/m}^3 (2 \text{ ppm}) \text{ TWA}$

10 mg/m³ (4 ppm) STEL 65 mg/m³(25 ppm) IDLH

ACGIH (TLV): 5 mg/m³ (2 ppm) TWA

10 mg/m³ (4 ppm) STEL

OSHA (PEL): 5 mg/m³ (2 ppm) TWA

Component: Scandium nitrate; No occupational limits established.

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear splash resistant safety goggles with a face shield. An eyewash station should be readily available near areas of use.

Skin and Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

SRM 3148a Page 3 of 7

9. PHYSICAL AND CHEMICAL PROPERTIES

NOTE: The physical and chemical data provided are for the pure components. No physical or chemical data are available for this solution of scandium nitrate and nitric acid. The actual behavior of the solution may differ from the individual components.

marvidual components.			
Descriptive Properties:			
Appearance	colorless to yellow		
(physical state, color, etc.):	liquid		
Molecular Formula:	not available not available not available not available acidic		
Molar Mass (g/mol):			
Odor:			
Odor threshold:			
рН:			
Evaporation rate:	not available		
Melting point/freezing point (°C):	not available		
Relative Density (g/L) as specific gravity (water = 1):	not available		
Vapor Pressure:	not available		
Vapor Density (air = 1):	not available not available miscible with water		
Viscosity (cP):			
Solubility(ies):			
Partition coefficient (n-octanol/water):	not available		
Thermal Stability Properties:			
Autoignition Temperature (°C):	not applicable		
Thermal Decomposition (°C):	not applicable not available		
Initial boiling point and boiling range (°C):			
Explosive Limits, LEL (Volume %):	not applicable		
Explosive Limits, UEL (Volume %):	not applicable not applicable		
Flash Point (°C)			
Flammability (solid, gas):	not applicable		
10. STABILITY AND REACTIVITY			
Reactivity: Stable at normal temperatures and pressure			
Stability: X Stable Uns	table		
Possible Hazardous Reactions: None listed.			
Conditions to Avoid: Contact with combustible or inco	ompatible materials. Keep out of water supplies and sewers.		
Incompatible Materials: Acids, combustible material halogens, metal salts, metal oxides, reducing agents, per	ls, halo carbons, amines, bases, oxidizing materials, metals oxides, metal carbide, cyanides.		
Fire/Explosion Information: See Section 5, "Fire Figh	nting Measures".		
Hazardous Decomposition: Thermal decomposition w	rill produce oxides of nitrogen and scandium.		

SRM 3148a Page 4 of 7

Hazardous Polymerization: _____ Will Occur ___ X Will Not Occur

11. TOXICOLOGICAL INFORMATION X Skin X Ingestion X Inhalation **Route of Exposure:** Symptoms Related to the Physical, Chemical and Toxicological Characteristics: Burning pain and severe skin corrosion, eye and lung damage. Potential Health Effects (Acute, Chronic and Delayed): **Inhalation:** Inhalation of nitric acid can damage the mucous membranes and upper respiratory tract. Short term exposure may cause irritation and inflammation of the upper respiratory tract, coughing, choking, sore throat, shortness of breath, headache, dizziness, and nausea. Long term exposure to acid fumes may cause damage to teeth, bronchial irritation, chronic cough, bronchial pneumonia, and gastrointestinal disturbances. Exposure to the vapors of some rare earth salts such as scandium nitrate has been reported to result in sensitivity to heat, itching, and an increased awareness of odor and taste. Skin Contact: Nitric acid can cause severe skin burns. Severity of the damage depends on the concentration and duration of exposure. Effects of acid burns may be delayed. Eye Contact: Nitric acid can cause severe eye irritation, corneal burns, permanent eye damage, or blindness. Severity of the damage depends on the concentration and duration of exposure. In rabbit eyes, some rare earth salts have caused irritation of the conjunctiva with ulcers; on denuded corneas, permanent opacity has occurred. Ingestion: Ingestion of this material is unlikely under normal conditions of use. If ingested, nitric acid can cause severe burns and damage to the gastrointestinal tract. **Numerical Measures of Toxicity:** Acute Toxicity: Not classified. Nitric acid, Rat, Inhalation LC50: 130 mg/m³ (4 h) Scandium nitrate, Mouse, Oral LD50: No data available. Skin Corrosion/Irritation: This SRM contains >1 % of nitric acid and it is classified as Category 1B. Serious Eye damage/Eye irritation: This SRM contains > 1 % nitric acid and it is classified as Category 1. **Respiratory Sensitization:** Not classified; no data available. **Skin Sensitization:** Not classified; no data available. **Germ Cell Mutagenicity:** Not classified; no data available. Carcinogenicity: Not classified. Listed as a Carcinogen/Potential Carcinogen Yes Nitric acid and scandium nitrate are not listed by NTP, IARC or OSHA as a carcinogen. Reproductive Toxicity: Not classified; no data available. Specific Target Organ Toxicity, Single Exposure: Not classified; no data available. Specific Target Organ Toxicity, Repeated Exposure: Not classified; no data available. **Aspiration Hazard:** No data available. 12. ECOLOGICAL INFORMATION **Ecotoxicity Data:**

Nitric acid: Starfish (Asterias rubens) LC50 [renewal/aerated water]: 100 mg/L to 300 mg/L (48 h)

Scandium nitrate: No data available.

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse effects: No data available.

SRM 3148a Page 5 of 7

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of waste in accordance with all applicable federal, state, and local regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262, Waste Numbers: D001, D002.

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: UN1760, Corrosive liquid, n.o.s. (contains nitric acid), Hazard Class 8, Packing Group II, Excepted Quantities E2.

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Nitric acid, 1000 lbs (454 kg) final RQ SARA Title III Section 302 (40 CFR 355.30): Nitric acid, 1000 lbs (454 kg) final TPQ SARA Title III Section 304 (40 CFR 355.40): Nitric acid, 1000 lbs (454 kg) EPCRA RQ SARA Title III Section 313 (40 CFR 372.65): Nitric acid, 1 % de minimis concentration

OSHA Process Safety (29 CFR 1910.119): Regulated for nitric acid at higher concentrations

500 lbs TQ (≥94.5 % by weight)

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: Yes.
CHRONIC HEALTH: Yes.
FIRE: No.
REACTIVE: No.
PRESSURE: No.

State Regulations:

California Proposition 65: Not listed.

U.S. TSCA Inventory: Nitric acid and scandium nitrate are listed.

TSCA 12(b), Export Notification: Not listed.

Canadian Regulations:

WHMIS Information: Not provided for this material.

16. OTHER INFORMATION

Issue Date: 20 May 2022

Sources: ChemAdvisor, Inc., MSDS Nitric Acid, 09 December 2015.

ChemAdvisor, Inc., MSDS Scandium Trinitrate, 09 December 2015.

National Library of Medicine's PubChem, Nitric Acid CAS No. 7697-37-2; available at

https://pubchem.ncbi.nlm.nih.gov/compound/944 (accessed May 2022).

SRM 3148a Page 6 of 7

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists	NRC	Nuclear Regulatory Commission
ALI	Annual Limit on Intake	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response,	PEL	Permissible Exposure Limit
CLRCLII	Compensation, and Liability Act	LLL	Termissione Exposure Emit
CFR	Code of Federal Regulations	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	REL	Recommended Exposure Limit
EC50	Effective Concentration, 50 %	RM	Reference Material
EINECS	European Inventory of Existing Commercial	RQ	Reportable Quantity
	Chemical Substances		
EPCRA	Emergency Planning and Community Right-to-Know	RTECS	Registry of Toxic Effects of Chemical Substances
	Act		
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transportation Agency	SCBA	Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
LC50	Lethal Concentration, 50 %	STEL	Short Term Exposure Limit
LD50	Lethal Dose, 50 %	STOT	Specific Target Organ Toxicity
LEL	Lower Explosive Limit	TLV	Threshold Limit Value
MSDS	Material Safety Data Sheet	TPQ	Threshold Planning Quantity
NIOSH	National Institute for Occupational Safety and Health	TSCA	Toxic Substances Control Act
NIST	National Institute of Standards and Technology	TWA	Time Weighted Average
n.o.s.	Not Otherwise Specified	UEL	Upper Explosive Limit
	•	WHMIS	Workplace Hazardous Materials Information System

Disclaimer: The NIST SDS information is specific to the NIST product and is believed to be correct, based upon our current knowledge. The SDS may not necessarily be all inclusive and should be used only as a guide. NIST does not guarantee the accuracy or completeness of this information. The only official source for specific values and uncertainties is the certificate or report.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; e-mail srmmsds@nist.gov; or via the Internet at https://www.nist.gov/srm.

SRM 3148a Page 7 of 7