

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

SRM Number: 185i

SRM Name: Potassium Hydrogen Phthalate

pH Standard

Other Means of Identification: Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is intended for use in preparing solutions for calibrating electrodes for pH measuring systems. SRM 185i Potassium Hydrogen Phthalate (KHC $_8$ H $_4$ O $_4$) was prepared to ensure high purity and uniformity. However, this SRM is certified **ONLY** as a pH standard [pH(S)] not as a pure substance. A unit of SRM 185i consists of 60 g of potassium hydrogen phthalate.

Company Information

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200 FAX: 301-948-3730 E-mail: SRMMSDS@nist.gov Website: http://www.nist.gov/srm

Emergency Telephone ChemTrec: 1-800-424-9300 (North America) +1-703-527-3887 (International)

2. HAZARDS IDENTIFICATION

Classification

Physical Hazard: Not classified. Health Hazard: Not classified.

Label Elements

Symbol: No Symbol

Signal Word: No Signal Word **Hazard Statement(s):** Not applicable.

Precautionary Statement(s): Not applicable.

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Potassium Hydrogen Phthalate

Other Designations: Potassium biphthalate; acid potassium phthalate; phthalic acid potassium salt; 1,2-benzenedicarboxilic acid monopotassium salt.

Components are listed in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the Certificate of Analysis.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Potassium Hydrogen Phthalate	877-24-7	212-889-4	100

SRM 185i Page 1 of 5

4. FIRST AID MEASURES

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Wash skin with soap and water for at least 15 minutes. If necessary, seek medical attention.

Eye Contact: Flush eyes with water for at least 15 minutes. If necessary, seek medical attention.

Ingestion: Contact local poison control center or physician immediately. Never make an unconscious person vomit or drink fluids. When vomiting occurs, keep head lower than hips to help prevent aspiration. If person is unconscious, turn head to side. Get medical attention.

Most Important Symptoms/Effects, Acute and Delayed: No data available; generated dust may result in irritation.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek medical attention if needed.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Avoid generating dust; sufficient concentrations of fine dust dispersed in air, and in the presence of an ignition source is a potential hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:

Suitable: Regular dry chemical, carbon dioxide, water, regular foam.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: None listed.

Special Protective Equipment and Precautions for Fire-Fighters: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA). Move container from fire area if it can be done without risk. Stay upwind and keep out of low areas.

NFPA Ratings (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 2

Fire = 1

Reactivity = 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Keep unnecessary personnel away. Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection".

Methods and Materials for Containment and Clean up: Notify safety personnel of spills. Collect spilled material in appropriate container for disposal. Isolate hazard area and deny entry.

7. HANDLING AND STORAGE

Safe Handling Precautions: Avoid generating dust. See Section 8, "Exposure Controls and Personal Protection".

Storage: Store and handling in accordance with all current regulations and standards. Keep separated from incompatible substances.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits: No occupational exposure limits have been established for this material. The exposure limits for Particulates Not Otherwise Regulated are applicable.

OSHA (PEL): 15 mg/m³ (TWA, total particulates) 5 mg/m³ (TWA, respirable particulates)

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

SRM 185i Page 2 of 5

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear splash resistant safety goggles with a face shield. An eyewash station should be readily available near areas of use.

Skin and Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

9. PHYSICAL AND CHEMICAL PROPERTIES

Descriptive Properties:					
Appearance	white to colorless, crystals				
(physical state, color, etc.):	, ,				
Molecular Formula:	$KH_5C_8O_4$				
Molar Mass (g/mol):	204.22				
Odor:	odorless				
Odor threshold:	not available				
pH:	4 (0.05 M)				
Evaporation rate:	not applicable				
Melting point/freezing point (°C):	decomposes				
Relative Density (g/L):	1.6 (water = 1)				
Vapor Pressure (mmHg):	not applicable				
Vapor Density (air = 1):	not applicable				
Viscosity (cP):	not applicable				
Solubility(ies):	soluble in water (10 %) and alcohol				
Partition coefficient (n-octanol/water):	not available				
Particle Size (if relevant)	not available				
Thermal Stability Properties:					
Autoignition Temperature (°C):	not available				
Thermal Decomposition (°C):	not available				
Initial boiling point and boiling range (°C):	decomposes				
Explosive Limits, LEL (Volume %):	not available				
Explosive Limits, UEL (Volume %):	not available				
Flash Point (°C)	combustible				
Flammability (solid, gas):	not available				
10. STABILITY AND REACTIVITY					
Reactivity: Stable at normal temperatures and pressure.					
Stability: X Stable Unstab	le				
Possible Hazardous Reactions: No data available.					
Conditions to Avoid: Generating dust, heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.					
Incompatible Materials: Oxidizing materials.					
Fire/Explosion Information: See Section 5, "Fire Fighti	ng Measures".				
Hazardous Decomposition: Oxides of carbon.					
Hazardous Polymerization: Will Occur	X Will Not Occur				

SRM 185i Page 3 of 5

11. TOXICOLOGICAL INFORMATION X Skin **Route of Exposure:** X Inhalation Ingestion Symptoms Related to the Physical, Chemical and Toxicological Characteristics: Exposure may result in irritation. **Potential Health Effects (Acute, Chronic and Delayed): Inhalation:** No data available; exposure may result in respiratory tract irritation. Skin Contact: Skin exposure may result in mechanical irritation. Repeated or prolonged contact may cause dermatitis. **Eye Contact:** Direct contact may cause irritation, redness and pain. Chronic exposure may cause conjunctivitis. **Ingestion:** May cause nausea, vomiting and diarrhea. **Numerical Measures of Toxicity:** Acute Toxicity: Not classified. Rat, Oral LD50: >3200 mg/m³ Guinea pig, Skin LD50: >1 g/kg **Skin Corrosion/Irritation:** Not classified; no data available. **Serious Eye damage/ Eye irritation:** Not classified; no data available. **Respiratory Sensitization:** Not classified; no data available. **Skin Sensitization:** Not classified; no data available. Germ Cell Mutagenicity: Not classified; no data available. Carcinogenicity: Not classified. Listed as a Carcinogen/Potential Carcinogen Yes Potassium hydrogen phthalate is not listed by NTP, IARC or OSHA as a carcinogen. **Reproductive Toxicity:** Not classified; no data available. **Specific Target Organ Toxicity, Single Exposure:** Not classified; no data available. Specific Target Organ Toxicity, Repeated Exposure: Not classified; no data available. **Aspiration Hazard:** Not classified; no data available. 12. ECOLOGICAL INFORMATION **Ecotoxicity Data:** No data available. **Persistence and Degradability:** No data available. Bioaccumulative Potential: No data available. Mobility in Soil: No data available. Other Adverse effects: No data available. 13. DISPOSAL CONSIDERATIONS Waste Disposal: Dispose of waste in accordance with all applicable federal, state, and local regulations. 14. Transportation Information **U.S. DOT and IATA:** Not regulated by DOT or IATA. 15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SRM 185i Page 4 of 5

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Not regulated.

OSHA Process Safety (29 CFR 1910.119): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: Yes.
CHRONIC HEALTH: No.
FIRE: No.
REACTIVE: No.
PRESSURE: No.

State Regulations:

California Proposition 65: Not listed.

U.S. TSCA Inventory: Listed.

TSCA 12(b), Export Notification: Not listed.

Canadian Regulations:

WHMIS Information: Not provided for this material.

16. OTHER INFORMATION

Issue Date: 07 August 2013

Sources: ChemAdvisor, Inc., MSDS Potassium Hydrogen Phthalate, 13 March 2013.

CDC; NIOSH; NIOSH Pocket Guide to Chemical Hazards; Department of Health and Human Services (DHHS), Centers for Disease Control and Prevention (CDC), National Institute for Safety and Health; Particulates not otherwise regulated, 4 April 2011; available at

http://www.cdc.gov/niosh/npg/npgd0480.html (accessed Aug 2013).

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial	NRC	Nuclear Regulatory Commission
	Hygienists		
ALI	Annual Limit on Intake	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response,	PEL	Permissible Exposure Level
	Compensation, and Liability Act		
CFR	Code of Federal Regulations	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	REL	Recommended Exposure Limit
EC50	Effective Concentration, 50 %	RM	Reference Material
EINECS	European Inventory of Existing Commercial	RQ	Reportable Quantity
	Chemical Substances		
EPCRA	Emergency Planning and Community Right-to-Know	RTECS	Registry of Toxic Effects of Chemical Substances
	Act		
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transportation Agency	SCBA	Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
LC50	Lethal Concentration, 50 %	STEL	Short Term Exposure Level
LD50	Lethal Dose, 50 %	TLV	Threshold Limit Value
LEL	Lower Explosive Limit	TPQ	Threshold Planning Quantity
MSDS	Material Safety Data Sheet	TSCA	Toxic Substances Control Act
NFPA	National Fire Protection Association	TWA	Time Weighted Average
NIOSH	National Institute for Occupational Safety and Health	UEL	Upper Explosive Limit
NIST	National Institute of Standards and Technology	WHMIS	Workplace Hazardous Materials Information System

Disclaimer: Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of the material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The certified values for this material are given in the NIST Certificate of Analysis.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srmmsds@nist.gov; or via the Internet at http://www.nist.gov/srm.

SRM 185i Page 5 of 5