



DATE: 29 September 2023

**Product Identifier**

**SRM Number:** 1950

**SRM Name:** Metabolites in Frozen Human Plasma

Under the U.S. Department of Labor, Occupational Safety and Health Administration (OSHA) 29 CFR 1910.1200, this Standard Reference Material (SRM) is NOT classified as a physical hazard or a health hazard, a simple asphyxiant, combustible dust, pyrophoric gas, or hazard not otherwise classified. There are no hazard pictograms, hazard statements or signal word associated with it. Safety Data Sheet information is not required. This document may be used in conjunction with your hazard communication program. Biological hazards are exempted per 1910.1200(b)(6)(xii).

**Description:** This SRM is intended primarily for validation of methods for determining metabolites such as fatty acids, electrolytes, vitamins, hormones, and amino acids in human plasma and similar materials. This SRM can also be used for comparison of measurement technologies used in metabolomic studies and for quality assurance when assigning values to in-house reference materials. A unit of SRM 1950 consists of five vials of one material. Each vial contains approximately 1 mL of frozen human plasma.

**Additional Notes for Biomaterials:** SRM 1950 IS INTENDED FOR RESEARCH USE. This is a human-source material. SRM 1950 is a Biosafety Level 2 material and should be handled according to applicable federal, state, and/or local regulations and according to policies and procedures of recipient's organization. The supplier has reported that each donor unit of plasma used in the preparation of this product was tested by FDA-licensed tests and found to be negative for human immunodeficiency virus (HIV), HIV-1 antigen, hepatitis B, surface antigen, and hepatitis C.

**Disposal:** SRM 1950 components and derived solutions should be disposed of in accordance with local, state, and federal regulations.

**Transport Information:** This material is not regulated by the U.S. Department of Transportation (DOT) and/or International Air Transport Association (IATA).

**Disclaimer:** The NIST information in this document is specific to the NIST product and is believed to be correct, based upon our current knowledge. This document may not necessarily be all inclusive and should be used only as a guide. NIST does not guarantee the accuracy or completeness of this information. The only official source for specific values and uncertainties is the certificate or report.

Users of this SRM should ensure that this document and the corresponding Certificate of Analysis in their possession are current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; e-mail [srmmsds@nist.gov](mailto:srmmsds@nist.gov); or via the Internet at <https://www.nist.gov/srm>.