

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

SRM Number: 2034
SRM Name: Holmium Oxide Solution Wavelength Standard (240 nm to 650 nm)
Other Means of Identification: Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is a certified transfer standard intended for the verification and calibration of the wavelength scale of ultraviolet and visible absorption spectrophotometers having nominal spectral bandwidths not exceeding 3 nm. A unit of SRM 2034 consists of an aqueous solution containing 4 % (mass fraction) holmium oxide (Ho₂O₃) in 10 % (volume fraction) perchloric acid (HClO₄). The solution is contained in a flame-sealed, nonfluorescent, fused-silica cuvette of optical quality (parallel to ≈ 0.9 mrad and flat to ≈ 1 μm).

Company Information

National Institute of Standards and Technology
 Standard Reference Materials Program
 100 Bureau Drive, Stop 2300
 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200
 FAX: 301-948-3730
 E-mail: SRMMSDS@nist.gov
 Website: <http://www.nist.gov/srm>

Emergency Telephone ChemTrec:
 1-800-424-9300 (North America)
 +1-703-527-3887 (International)

2. HAZARDS IDENTIFICATION

Classification

Physical Hazard: Not classified.
Health Hazard: Skin Corrosion/Irritation Category 1B
 Serious Eye Damage/Irritation Category 1

Label Elements

Symbol



Signal Word
 DANGER

Hazard Statement(s)
 H314 Causes severe skin burns and eye damage.

Precautionary Statement(s)
 P260 Do not breathe fumes, mists, vapors, spray.
 P264 Wash hands thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P280 Wear protective gloves, protective clothing, eye protection.
 P301 + P330 + P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
 P303 + P361 + P353 If on skin (or hair): Remove immediately all contaminated clothing. Rinse skin with water.
 P304 + P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.
 P305 + P351 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310	Immediately call a doctor.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents and container according to local regulations.

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Perchloric acid/holmium oxide solution

Other Designations:

Perchloric acid (dioxonium perchlorate; perchloric acid solution; perchloric acid; HClO₄)

Holmium oxide (Ho₂O₃; diholmium trioxide; holmium (3+) oxide; holmium sesquioxide; holmium trioxide)

Components are listed in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the Certificate of Analysis.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Perchloric acid	7601-90-3	231-512-4	7
Holmium oxide	12055-62-8	234-015-3	4
Non-Hazardous Component(s)			
Water	7732-18-5	231-791-2	89

4. FIRST AID MEASURES

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get immediate medical attention. Thoroughly clean and dry contaminated clothing before reuse. Destroy contaminated shoes.

Eye Contact: Immediately flush eyes, including under the eyelids with copious amounts of water for at least 15 minutes. Seek immediate medical attention.

Ingestion: Contact a poison control center immediately for instructions. Do not induce vomiting. Give water to rinse out mouth. Never give liquids to a person with reduced awareness or becoming unconscious. If vomiting occurs, keep head lower than hips to prevent aspiration. If not breathing, give artificial respiration by qualified personnel. Seek immediate medical attention.

Most Important Symptoms/Effects, Acute and Delayed: Acid burns to skin, eyes, and lungs.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek immediate medical attention.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Negligible fire hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:

Suitable: Use extinguishing media appropriate to the surrounding fire.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: Thermal decomposition will form hydrogen chloride and oxides of chlorinated compounds.

Special Protective Equipment and Precautions for Fire-Fighters: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

NFPA Ratings (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 3 Fire = 0 Reactivity = 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment; see Section 8, “Exposure Controls and Personal Protection”.

Methods and Materials for Containment and Clean up: Do not touch spilled material. Notify safety personnel of spills. Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal. Isolate hazard area and deny entry.

7. HANDLING AND STORAGE

Safe Handling Precautions: See Section 8, “Exposure Controls and Personal Protection”. Handle glass ampoules with care.

Storage: Store and handle in accordance with all current regulations and standards. Keep separated from incompatible substances (See Section 10, “Stability and Reactivity”).

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits: No occupational exposure limits established for the main components (perchloric acid; holmium oxide) or the solution.

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear splash resistant safety goggles with a face shield. An eyewash station should be readily available near areas of use.

Skin and Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

9. PHYSICAL AND CHEMICAL PROPERTIES

NOTE: The physical and chemical data provided are for the pure components. No physical or chemical data are available for this solution. The actual behavior of the solution may differ from the individual components.

Descriptive Properties:	Perchloric Acid (7 % mass fraction)	Holmium Oxide (4 % mass fraction)
Appearance (physical state, color, etc.):	clear, colorless solution	off-white to orange solid; hygroscopic
Molecular Formula:	HClO ₄	Ho ₂ O ₃
Molar Mass (g/mol):	100.46	377.86
Odor:	odorless	odorless
Odor threshold:	not available	not available
pH:	acidic	not available
Evaporation rate:	not available	not available
Melting point/freezing point:	−4 °C (24.8 °F)	2360 °C (4280 °F)
Relative Density (g/L) as specific gravity (water = 1):	1.764 at 22 °C	8.4
Vapor Pressure (mmHg):	not available	not available
Vapor Density (air = 1):	3.46	not available
Viscosity (cP):	not available	not available
Solubility(ies):	soluble in water	insoluble in water
Partition coefficient (n-octanol/water):	not available	not available

Thermal Stability Properties:	Perchloric Acid (7 % mass fraction)	Holmium Oxide (4 % mass fraction)
Autoignition Temperature (°C):	not available	not available
Thermal Decomposition (°C):	not available	not available
Initial boiling point and boiling range:	39 °C at 56 mmHg	not available
Explosive Limits, LEL (Volume %):	not available	not available
Explosive Limits, UEL (Volume %):	not available	not available
Flash Point (°C):	not available	not available
Flammability (solid, gas):	not applicable	not available

10. STABILITY AND REACTIVITY

Reactivity: Stable at normal temperatures and pressure.

Stability: X Stable Unstable

Possible Hazardous Reactions: None listed.

Conditions to Avoid: Contact with combustible or incompatible materials.

Incompatible Materials: Incompatible with acids, combustible materials, halo carbons, bases, oxidizing materials, metals, halogens, metal salts, metal oxides.

Fire/Explosion Information: See Section 5, "Fire Fighting Measures".

Hazardous Decomposition: Thermal decomposition will form hydrogen chloride and oxides of chlorinated compounds.

Hazardous Polymerization: Will Occur X Will Not Occur

11. TOXICOLOGICAL INFORMATION

Route of Exposure: X Inhalation X Skin X Ingestion

Symptoms Related to the Physical, Chemical and Toxicological Characteristics: Burning pain and severe skin corrosion and eye damage.

Potential Health Effects (Acute, Chronic and Delayed):

Inhalation: Inhalation of perchloric acid may damage the mucous membranes and upper respiratory tract. Short term exposure may cause irritation, headache, dizziness, and nausea. Long term exposure to acid fumes may cause damage to teeth, bronchial irritation, chronic cough, bronchial pneumonia, and gastrointestinal disturbances.

Skin Contact: Perchloric acid may cause skin burns and irritation. Severity of the damage depends on the concentration and duration of exposure. Effects of acid burns may be delayed.

Eye Contact: Perchloric acid may cause eye irritation or corneal burns. Severity of the damage depends on the concentration and duration of exposure.

Ingestion: Ingestion of this material is unlikely under normal conditions of use. If ingested, perchloric acid can cause burns and damage to the gastrointestinal tract.

Numerical Measures of Toxicity:

Acute Toxicity: Not classified.

Perchloric acid, Rat, Oral LD50: 1100 mg/kg;

Skin Corrosion/Irritation: This SRM contains >1 % of perchloric acid and it is classified as Category 1B.

Serious Eye Damage/Irritation: This SRM contains >1 % of perchloric acid and it is classified as Category 1.

Respiratory Sensitization: No data available; not classified.

Skin Sensitization: No data available; not classified.

Germ Cell Mutagenicity: No data available; not classified.

Carcinogenicity: Not classified.

Listed as a Carcinogen/Potential Carcinogen _____ Yes _____ X No

Perchloric acid and holmium oxide are not classified as either a carcinogen or potential carcinogen by OSHA, IARC, or NTP.

Reproductive Toxicity: No data available; not classified.

Specific Target Organ Toxicity, Single Exposure: No data available; not classified.

Specific Target Organ Toxicity, Repeated Exposure: No data available; not classified.

Aspiration Hazard: No data available; not classified.

12. ECOLOGICAL INFORMATION

Ecotoxicity Data: No data available.

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse effects: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of waste in accordance with all applicable federal, state, and local regulations. Perchloric acid is subject to disposal regulations: U.S. EPA 40 CFR 262: D001 and D003.

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: UN1760, Corrosive liquid, n.o.s. (contains perchloric acid), Hazard Class 8, Packing Group II, Excepted Quantities E2.

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Not regulated.

OSHA Process Safety (29 CFR 1910.119): Perchloric acid, 5000 lbs TQ (≥ 60 % by weight)

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH:	Yes
CHRONIC HEALTH:	No
FIRE:	No
REACTIVE:	No
PRESSURE:	No

State Regulations:

California Proposition 65: Not listed.

U.S. TSCA Inventory: Perchloric acid and holmium oxide are listed.

TSCA 12(b), Export Notification: Not listed.

Canadian Regulations: WHMIS Information is not provided for this material.

16. OTHER INFORMATION

Issue Date: 12 April 2016

Sources: ChemAdvisor, Inc., SDS *Perchloric Acid*, 09 December 2015.

ChemAdvisor, Inc., SDS *Holmium Oxide*, 09 December 2015.

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists	NRC	Nuclear Regulatory Commission
ALI	Annual Limit on Intake	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
CFR	Code of Federal Regulations	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	REL	Recommended Exposure Limit
EC50	Effective Concentration, 50%	RM	Reference Material
EINECS	European Inventory of Existing Commercial Chemical Substances	RQ	Reportable Quantity
EPCRA	Emergency Planning and Community Right-to-Know Act	RTECS	Registry of Toxic Effects of Chemical Substances
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transport Agency	SCBA	Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
LC50	Lethal Concentration, 50 %	STEL	Short Term Exposure Limit
LD50	Lethal Dose, 50 %	TLV	Threshold Limit Value
LEL	Lower Explosive Limit	TPQ	Threshold Planning Quantity
MSDS	Material Safety Data Sheet	TSCA	Toxic Substances Control Act
NFPA	National Fire Protection Association	TWA	Time Weighted Average
NIOSH	National Institute for Occupational Safety and Health	UEL	Upper Explosive Limit
NIST	National Institute of Standards and Technology	WHMIS	Workplace Hazardous Materials Information System
n.o.s.	Not Otherwise Specified		

Disclaimer: Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of the material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The certified values for this material are given in the NIST Certificate of Analysis.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srmmsds@nist.gov; or via the Internet at <http://www.nist.gov/srm>.