

# SAFETY DATA SHEET

# **1. SUBSTANCE AND SOURCE IDENTIFICATION**

# **Product Identifier**

SRM Number:2585SRM Name:Organic Contaminants in House DustOther Means of Identification:Not applicable.

### **Recommended Use of This Material and Restrictions of Use**

This Standard Reference Material (SRM) is intended for use in evaluating analytical methods for the determination of selected polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyl (PCB) congeners, chlorinated pesticides, and polybrominated diphenyl ether (PBDE) congeners in house dust and similar matrices. All of the constituents for which certified, reference, and information values are provided in SRM 2585 were naturally present in the dust material before processing. A unit of SRM 2585 consists of one bottle containing approximately 10 g of house dust.

#### **Company Information**

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200 FAX: 301-948-3730 E-mail: SRMMSDS@nist.gov Website: http://www.nist.gov/srm Emergency Telephone ChemTrec: 1-800-424-9300 (North America) +1-703-527-3887 (International)

### 2. HAZARDS IDENTIFICATION

#### Classification

Physical Hazard:Not classified.Health Hazard:Carcinogenicity – Category 1BReproductive Toxicity – Category 1A

#### Label Elements

#### Symbol:



#### Signal Word: DANGER

### Hazard Statement(s):

Hazaru Stater	licit(5):		
H350	May cause cancer.		
H360	May damage fertility or the unborn child.		
H373	May causes damage to organs through prolonged or repeated exposure.		
Precautionary Statement(s):			
P201	Obtain special instructions before use.		
P202	Do not handle until all safety precautions have been read and understood.		
P260	Do not breathe dust.		
P280	Wear protective gloves, protective clothing, and eye protection.		
P308 + P313	If exposed of concerned: Get medical attention.		
P405	Store locked up.		
P501	Dispose of contents and container in accordance with local regulations.		

STOT, Repeated Exposure - Category 2

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

# 3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Contaminated House Dust

Other Designations: Not applicable.

**Note:** This material is a complex mixture that contains trace amounts of PAHs, PCB congeners, chlorinated pesticides, and PBDE congeners. Components are listed in compliance with OSHA, 29 CFR 1910.1200 for SDS information. For actual concentrations, see the Certificate of Analysis.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)		
Contaminated house dust	not applicable	not applicable	100		
Individual Components in SRM 2585					
Lead	7439-92-1	231-100-4	0.3		

# 4. FIRST AID MEASURES

### **Description of First Aid Measures:**

**Inhalation:** If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Wash skin with soap and water for at least 15 minutes. If necessary, seek medical attention.

Eye Contact: Flush eyes with water for at least 15 minutes. If necessary, seek medical attention.

Ingestion: If a large amount is swallowed, seek medical attention.

**Most Important Symptoms/Effects, Acute and Delayed:** Nausea, vomiting, metallic taste, thirst, a burning sensation in the mouth and throat, salivation, abdominal pain with severe colic. Cancer, birth defects, reproductive effects.

**Indication of any immediate medical attention and special treatment needed, if necessary:** If any of the above symptoms are present, seek medical attention if needed.

# **5.** FIRE FIGHTING MEASURES

**Fire and Explosion Hazards:** Negligible fire hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

**Extinguishing Media:** 

Suitable: Use extinguishing media appropriate for the surrounding area. Unsuitable: None listed.

Specific Hazards Arising from the Chemical: None listed.

**Special Protective Equipment and Precautions for Fire-Fighters:** Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

**NFPA Ratings** (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 1 Fire = 0 Reactivity = 0

# 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment and Emergency Procedures:** Keep unnecessary personnel away. Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection".

Methods and Materials for Containment and Clean up: Notify safety personnel of spills. Collect spilled material in appropriate container for disposal. Isolate hazard area and deny entry.

# 7. HANDLING AND STORAGE

Safe Handling Precautions: See Section 8, "Exposure Controls and Personal Protection".

**Storage:** Store and handling in accordance with all current regulations and standards.

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### **Exposure Limits:**

**Component:** Lead NIOSH REL (TWA): 0.050 mg/m<sup>3</sup> NIOSH REL (IDLH): 100 mg/m<sup>3</sup> ACGIH TLV (TWA): 0.05 mg/m<sup>3</sup> OSHA PEL (TWA): 50 μg/m<sup>3</sup> OSHA PEL (Action Level): 30 μg/m<sup>3</sup> (See 29 CFR 1910.1025)

**Engineering Controls:** Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

**Personal Protection:** In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

**Respiratory Protection:** If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

**Eye/Face Protection:** Wear chemical resistant safety goggles. An eyewash station should be readily available near areas of use.

**Skin and Body Protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

Dust

# 9. PHYSICAL AND CHEMICAL PROPERTIES

**Descriptive Properties:** 

Appearance (physical state, color, etc.):	amorphous powder
Molecular Formula:	not applicable
Molar Mass (g/mol):	not applicable
Odor:	not available
Odor threshold:	not available
pH:	not available
Evaporation rate:	not applicable
Melting point/freezing point (°C):	not applicable
Relative Density (g/L):	not available
Vapor Pressure (mmHg):	not applicable
Vapor Density (air = 1):	not applicable
Viscosity (cP):	not applicable
Solubility(ies):	not available
Partition coefficient (n-octanol/water):	not available
Particle Size	<100 µm

Dust
not available

# **10. STABILITY AND REACTIVITY**

**Reactivity:** Stable at normal temperatures and pressure.

 Stability:
 X
 Stable
 Unstable

Possible Hazardous Reactions: No data available.

Conditions to Avoid: Avoid generating dust.

**Incompatible Materials:** Oxidizing materials, halogens, combustible materials, peroxides, metals, metal carbide, and acids.

Fire/Explosion Information: See Section 5, "Fire Fighting Measures".

Hazardous Decomposition: Oxides of lead.

Hazardous Polymerization: \_\_\_\_\_ Will Occur X Will Not Occur

# **11. TOXICOLOGICAL INFORMATION**

**Route of Exposure:** X Inhalation Skin X Ingestion

**Symptoms Related to the Physical, Chemical and Toxicological Characteristics:** Fatigue, weakness, anorexia, anemia, jaundice, encephalopathy.

### **Potential Health Effects (Acute, Chronic and Delayed):**

**Inhalation:** Exposure to dust may result in respiratory tract irritation. Short term inhalation of lead may cause irritation, nausea, vomiting, kidney damage, liver damage. Prolonged exposure to lead may result in an accumulation in body tissues and exert adverse effects on the blood, nervous system, heart, endocrine and immune systems, kidneys, and reproduction.

**Skin Contact:** Skin exposure to dust may result in mechanical irritation. Prolonged or repeated exposure to lead may cause irritation; exposure to lead powder may cause dermatitis.

Eye Contact: Contact with this material may cause mechanical eye irritation.

**Ingestion:** Ingestion of lead may cause kidney damage or liver damage; chronic ingestion may result in accumulation in body tissues and may also cause cancer.

#### Numerical Measures of Toxicity:

**Acute Toxicity:** Not classified. Pure lead is classified as Category 4 oral and Category 4 inhalation.

Skin Corrosion/Irritation: Not classified; no data available.

Serious Eye damage/ Eye irritation: Not classified; no data available.

Respiratory Sensitization: Not classified; no data available.

Skin Sensitization: Not classified; no data available.

Germ Cell Mutagenicity: Not classified; no data available.

Carcinogenicity: Category 1B

Listed as a Carcinogen/Potential Carcinogen X Yes No Lead is listed as reasonably anticipated to be a human carcinogen per NTP. IARC lists inorganic lead in Group 2A (probably carcinogenic to humans).

**Reproductive Toxicity:** Category 1A; lead crosses the placenta and may affect the fetus causing birth defects, mental retardation, behavioral disorders, and death during the first year of childhood.

Specific Target Organ Toxicity, Single Exposure: Not classified; no data available.

Specific Target Organ Toxicity, Repeated Exposure: Category 2; lead can accumulate in body tissues.

Aspiration Hazard: Not applicable.

### **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity Data:**

Lead Fish Toxicity:

Carp (*Cyprinus carpio*), LC50: 0.44 mg/L (96 hours, semi-static) Trout (*Oncorhynchus mykiss*), LC50: 1.17 mg/L (96 hours, flow-through)

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse effects: No data available.

### **13. DISPOSAL CONSIDERATIONS**

**Waste Disposal:** Dispose of waste in accordance with all applicable federal, state, and local regulations. Lead Hazardous Waste Number(s): D008. Lead subject to U.S. EPA 40 CFR 262 for concentrations at or above the Regulatory level of 5.0 mg/L.

#### 14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: Not regulated by DOT or IATA.

#### **15. REGULATORY INFORMATION**

### U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Lead, 10 lbs final RQ (4.54 kg final RQ).

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Lead, 10 lbs final RQ: 0.1 % Supplier notification limit; 0.1 % de minimis concentration (when contained in stainless steel, brass, or bronze).

OSHA Process Safety (29 CFR 1910.119): Not regulated for this SRM.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH:	Yes.
CHRONIC HEALTH:	Yes.
FIRE:	No.
REACTIVE:	No.
PRESSURE:	No.

#### **State Regulations:**

California Proposition 65:

WARNING! This product contains chemicals (lead) known to the state of California to cause cancer.

WARNING! This product contains a chemical (lead) known to the state of California to cause reproductive/developmental effects.

### U.S. TSCA Inventory: Lead listed.

TSCA 12(b), Export Notification: Not listed.

WHMIS Information: Not provided for this material.

### **16. OTHER INFORMATION**

Issue Date: 19 December 2017

Sources: ChemAdvisor, Inc., MSDS *Lead*, 09 December 2017.

# **Key of Acronyms:**

ACGIH	American Conference of Governmental Industrial	NTP	National Toxicology Program
~ . ~	Hygienists		
CAS	Chemical Abstracts Service	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
CFR	Code of Federal Regulations	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	REL	Recommended Exposure Limit
EINECS	European Inventory of Existing Commercial Chemical	RQ	Reportable Quantity
	Substances		· · ·
EPCRA	Emergency Planning and Community Right-to-Know Act	RTECS	Registry of Toxic Effects of Chemical Substances
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transport Association	SCBA	Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
LC50	Lethal Concentration	STEL	Short Term Exposure Limit
LD50	Median Lethal Dose or Lethal Dose, 50 %	STOT	Specific Target Organ Toxicity
LEL	Lower Explosive Limit	TLV	Threshold Limit Value
MSDS	Material Safety Data Sheet	TPQ	Threshold Planning Quantity
NFPA	National Fire Protection Association	TSCA	Toxic Substances Control Act
NIOSH	National Institute for Occupational Safety and Health	TWA	Time Weighted Average
NIST	National Institute of Standards and Technology	UEL	Upper Explosive Limit
n.o.s.	Not Otherwise Specified	WHMIS	Workplace Hazardous Materials Information System

**Disclaimer:** Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of the material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The certified values for this material are given in the NIST Certificate of Analysis.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srmmsds@nist.gov; or via the Internet at http://www.nist.gov/srm.