NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY
U.S. DEPARTMENT OF COMMERCE

Date of Issue:
25 September 2025

SAFETY DATA SHEET

1. Substance and Source Identification

Product Identifier

SRM Number: 2620a
SRM Name: Carbon Dioxide in Nitrogen (Nominal Amount-of-Substance Fraction 1 % mol/mol)
Other Means of Identification: Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is a primary gas mixture of carbon dioxide in nitrogen supplied in a DOT 3AL specification aluminum (6061 alloy) cylinder with a water volume of 6 L. This SRM is intended for the calibration of instruments used for carbon dioxide determinations and for other applications. Mixtures are shipped with a nominal pressure exceeding 12.4 MPa (1800 psig), which provides the user with 0.73 m^3 (25.8 ft^3) of useable mixture. The cylinder is the property of the purchaser and is equipped with a CGA-580 brass valve, which is the recommended outlet for this carbon dioxide mixture.

Company Information

National Institute of Standards and Technology
Standard Reference Materials Program
100 Bureau Drive, Stop 2300
Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200
E-mail: SRMMSDS@nist.gov
Website: https://www.nist.gov/srm

Emergency Telephone ChemTrec:
1-800-424-9300 (North America)
+1-703-527-3887 (International)

2. Hazards Identification

Classification

Physical Hazard: Compressed Gas.
Health Hazard: Simple Asphyxiant.

Label Elements

Symbol



Signal Word
WARNING

Hazard Statement(s)

H280	Contains gas under pressure; may explode if heated.
------	May displace oxygen and cause rapid suffocation.

Precautionary Statement(s)

P410 + P403	Protect from sunlight. Store in a well-ventilated place.

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

3. Composition and Information on Hazardous Ingredients

Substance: Carbon dioxide in nitrogen, compressed gas

Other Designations:

Carbon Dioxide**:** Carbonic acid gas, carbonic anhydride, CO_2.

Nitrogen**:** Dinitrogen, nitrogen compressed.

Components are listed in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the Certificate of Analysis.

Hazardous Components	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Nitrogen	7727-37-9	231-783-9	99
Carbon Dioxide	124-38-9	204-696-9	1

4. First Aid Measures

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention, if needed.

Eye Contact: Immediately flush eyes, including under the eyelids with copious amounts of water for at least 15 minutes. Seek immediate medical attention.

Ingestion: Ingestion of a gas is unlikely. As this product is a gas, refer to the inhalation section.

Most Important Symptoms/Effects, Acute and Delayed: Harmful if inhaled, blood damage, difficulty breathing, and suffocation.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek immediate medical attention.

5. Fire Fighting Measures

Fire and Explosion Hazards: Negligible fire hazard applicable to the identified NIST cylinder. Cylinders may rupture or explode if exposed to heat. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:
Suitable: Use extinguishing media appropriate to the surrounding fire.
Unsuitable: None listed.

Specific Hazards Arising from the Chemical: Oxides of nitrogen, oxides of carbon.

Special Protective Equipment and Precautions for Fire-Fighters: Move cylinder from fire area if it can be done without personal risk. Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures: Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection". Shut off gas supply if this can be done safely. Isolate area until gas has dispersed.

Methods and Materials for Containment and Clean up: Stop leak if possible without personal risk. Isolate hazard area and deny entry. Stay upwind and keep out of low areas.

7. Handling and Storage

Safe Handling Precautions: Use only with adequate ventilation. Do not puncture or incinerate container. Close valve after each use and when empty. Keep valve protection cap on cylinder when not in use.

Storage: Store and handling in accordance with all current regulations and standards. Secure cylinder to prevent physical damage. Keep separated from incompatible substances (oxidizing materials, halogens, metal oxides, metals, combustible materials, lithium). Store in well-ventilated area. Subject to storage regulations, OSHA 29 CFR 1910.101.

8. Exposure Controls and Personal Protection

Exposure Limits:

Carbon Dioxide

OSHA (PEL):	9 000 mg/m^3 (5 000 ppm) TWA
ACGIH (TLV):	9 000 mg/m^3 (5 000 ppm) TWA
	30 000 ppm STEL
NIOSH (REL):	9 000 mg/m^3 (5 000 ppm) TWA
	54 000 mg/m^3 (30 000 ppm) STEL
	40 000 ppm IDLH

Nitrogen

ACGIH (TLV): Simple asphyxiant.

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29 CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear safety goggles. An eye wash station should be readily available near areas of use.

Skin and Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

9. Physical and Chemical Properties

Descriptive Properties:	
Appearance (physical state, color, etc.):	compressed gas
Molecular Formula:	not applicable
Molar Mass (g/mol):	not applicable
Odor:	not available
Odor threshold:	not available
pH:	not applicable
Evaporation rate:	not applicable
Melting point/freezing point (ºC):	–210 (–346 ºF) (Nitrogen)
Relative Density (g/L):	1.2506 (Nitrogen)
Vapor Pressure (mmHg):	760 at –196 ºC (Nitrogen)
Vapor Density (air = 1):	0.967 (Nitrogen)
Viscosity (cP):	0.01787 at 27 ºC
Solubility(ies):	water, 1.6 % at 20 ºC; liquid ammonia (Nitrogen)
Partition coefficient (n-octanol/water):	not available
Particle Size (if relevant)	not applicable
Thermal Stability Properties:	
Autoignition Temperature:	not applicable
Thermal Decomposition	not applicable
Initial boiling point and boiling range (ºC):	–196 (–321 ºF) (Nitrogen)
Explosive Limits, LEL:	not applicable
Explosive Limits, UEL:	not applicable
Flash Point:	not applicable
Flammability (solid, gas):	not applicable

10. Stability and Reactivity

Reactivity: Not reactive.

Stability: X Stable _____ Unstable

Possible Hazardous Reactions: None listed.

Conditions to Avoid: Minimize contact with material. Containers may rupture or explode if exposed to heat.

Incompatible Materials: Oxidizing materials, halogens, metal oxides, metals, combustible materials, metal salts, halocarbons.

Fire/Explosion Information: See Section 5, "Fire Fighting Measures".

Hazardous Decomposition: Miscellaneous decomposition products.

Hazardous Polymerization: _____ Will Occur __X__ Will Not Occur

11. TOXICOLOGICAL INFORMATION

Route of Exposure: __X__ Inhalation _____ Skin _____ Ingestion

Symptoms Related to the Physical, Chemical and Toxicological Characteristics: Nausea, vomiting, chest pain, difficulty breathing, irregular heartbeat, headache, disorientation, emotional disturbances, pain in extremities, tremors, loss of coordination, hearing loss, visual disturbances.

Potential Health Effects (Acute, Chronic and Delayed):

Inhalation:

Carbon Dioxide: Acute exposure to carbon dioxide at concentrations of 2 % to 10 %, (NIST provided cylinder is 1 %), may cause acidic taste, dyspnea, headache, vertigo, nausea, labored breathing, weakness, drowsiness, mental confusion, and increase in blood pressure. At higher concentrations, visual disturbances, tinnitus, tremors, perspiration, restlessness, discomfort, convulsions, loss of consciousness, coma, and death. In addition, carbon dioxide/nitrogen compressed gas mixture is an asphyxiant. Release in an enclosed space may result in asphyxiation. The symptoms of asphyxia depend on the rapidity with which the oxygen deficiency develops and how long it continues. In sudden acute asphyxia, unconsciousness may be immediate. With slow development, there may be rapid respiration and pulse, air hunger, dizziness, reduced awareness, tightness in the head, tingling sensations, incoordination, faulty judgment, emotional instability, and rapid fatigue. As the asphyxia progresses, nausea, vomiting, collapse, unconsciousness, convulsions, deep coma, and death are possible.

Nitrogen: Nitrogen compressed gas is a simple asphyxiant. Release in an enclosed space may result in asphyxiation. The symptoms of asphyxia depend on the rapidity with which the oxygen deficiency develops and how long it continues. In sudden acute asphyxia, unconsciousness may be immediate. With slow development, there may be rapid respiration and pulse, air hunger, dizziness, reduced awareness, tightness in the head, tingling sensations, incoordination, faulty judgment, emotional instability, and rapid fatigue. As the asphyxia progresses, nausea, vomiting, collapse, unconsciousness, convulsions, deep coma, and death are possible.

Skin Contact: No information on significant adverse effects.

Eye Contact: Carbon dioxide at high concentration in air may cause a stinging sensation of the eyes. Not applicable for exposure to nitrogen.

Ingestion: Ingestion of a gas is unlikely under normal conditions of use (see "Inhalation").

Numerical Measures of Toxicity:

Acute Toxicity: Not classified.
Carbon dioxide: Rat, Inhalation LC50: 470 000 ppm (30 min)
Nitrogen: Simple asphyxiant

Skin Corrosion/Irritation: Not applicable.

Serious Eye damage/ Eye irritation: Not applicable.

Respiratory Sensitization: No data available.

Skin Sensitization: No data available.

Germ Cell Mutagenicity: No data available.

Carcinogenicity: Not classified.

Listed as a Carcinogen/Potential Carcinogen _____ Yes ___X___ No

Nitrogen is not listed by NTP, IARC or OSHA as a carcinogen.

Carbon dioxide is not listed by NTP, IARC or OSHA as a carcinogen.

Reproductive Toxicity: Not classified, effect due mostly to asphyxia.

Carbon dioxide: Rat, Inhalation TCLo: 6 % (24 h, pregnant 10 d).

Specific Target Organ Toxicity, Single Exposure: Not classified.

Specific Target Organ Toxicity, Repeated Exposure: Not classified.

Aspiration Hazard: No data available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Data:

Carbon Dioxide

Rainbow trout (*Oncorhynchus mykiss*), LC50: 35 mg/L (96 h)

Persistence and Degradability: No data available.

Bioaccumulative Potential: No bioaccumulation.

Mobility in Soil: No data available.

Other Adverse effects: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of waste in accordance with all applicable federal, state, and local regulations.

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: UN1956, Compressed gas, n.o.s. (Carbon Dioxide in Nitrogen); Hazard Class 2.2.

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Identified cylinder not regulated.

SARA Title III Section 302 (40 CFR 355.30): Identified cylinder not regulated.

SARA Title III Section 304 (40 CFR 355.40): Identified cylinder not regulated

SARA Title III Section 313 (40 CFR 372.65): Identified cylinder not regulated.

OSHA Process Safety (29 CFR 1910.119): Identified cylinder not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH:	Yes.
CHRONIC HEALTH:	No.
FIRE:	No.
REACTIVE:	No.
PRESSURE:	Yes.

State Regulations:

California Proposition 65: Not listed.

U.S. TSCA Inventory: Carbon dioxide listed. Nitrogen listed.

TSCA 12(b), Export Notification: No components are listed.

Canadian Regulations:

WHMIS Information: Not provided for this material.

16. OTHER INFORMATION

Issue Date: 25 September 2025

Sources: ChemADVISOR, Inc., SDS, *Nitrogen, Compressed Gas*, 09 December 2015.

ChemADVISOR, Inc., SDS, *Carbon Dioxide*, 09 December 2015.

NIOSH RTECS, *Carbon Dioxide, No. FF6400000, CAS No. 124-38-9*; March 2019; available at https://www.cdc.gov/niosh-rtecs/FF61A800.html (accessed Sep 2025).

Pubchem, National Library of Medicine, *Carbon Dioxide*; available at https://pubchem.ncbi.nlm.nih.gov/compound/280 (accessed Sep 2025).

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists	NIST	National Institute of Standards and Technology
ALI	Annual Limit on Intake	NRC	Nuclear Regulatory Commission
CAS	Chemical Abstracts Service	NTP	National Toxicology Program
CEN	European Committee for Standardization	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
CFR	Code of Federal Regulations	RCRA	Resource Conservation and Recovery Act
CPSU	Coal Mine Dust Personal Sample Unit	REL	Recommended Exposure Limit
DOT	Department of Transportation	RM	Reference Material
EC50	Effective Concentration, 50 %	RQ	Reportable Quantity
EINECS	European Inventory of Existing Commercial Chemical Substances	RTECS	Registry of Toxic Effects of Chemical Substances
EPCRA	Emergency Planning and Community Right-to-Know Act	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	SCBA	Self-Contained Breathing Apparatus
IATA	International Air Transport Association	SDS	Safety Data Sheet
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
ISO	International Organization for Standardization	STEL	Short Term Exposure Limit
LC50	Lethal Concentration, 50 %	TDLo	Toxic Dose Low
LD50	Lethal Dose, 50 %	TLV	Threshold Limit Value
LEL	Lower Explosive Limit	TPQ	Threshold Planning Quantity
MSDS	Material Safety Data Sheet	TSCA	Toxic Substances Control Act
MSHA	Mine Safety and Health Administration	TWA	Time Weighted Average
NIOSH	National Institute for Occupational Safety and Health	UEL	Upper Explosive Limit
		WHMIS	Workplace Hazardous Materials Information System

Disclaimer: The NIST SDS information is specific to the NIST product and is believed to be correct, based upon our current knowledge. The SDS may not necessarily be all inclusive and should be used only as a guide. NIST does not guarantee the accuracy or completeness of this information. The only official source for specific values and uncertainties is the certificate or report.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; e-mail srmmsds@nist.gov; or via the Internet at https://www.nist.gov/srm.