

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

SRM Number: 2635a

SRM Name: Carbon Monoxide in Nitrogen (Nominal Amount-of-Substance Fraction 25 µmol/mol)

Other Means of Identification: Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is a primary gas mixture of carbon monoxide in nitrogen supplied in a DOT 3AL-specification aluminum (6061 alloy) cylinder equipped with a CGA-350 brass valve and having a water volume of 6 L. This SRM is intended for the calibration of instruments used for carbon monoxide determinations and for other applications. Mixtures are shipped with a nominal pressure exceeding 12.4 MPa (1800 psig), which provides the user with 0.73 m³ (25.8 ft³) of useable mixture. This SRM should not be used after the internal pressure drops below 0.7 MPa (100 psig).

Company Information

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200 E-mail: SRMMSDS@nist.gov Website: https://www.nist.gov/srm Emergency Telephone ChemTrec: 1-800-424-9300 (North America) +1-703-527-3887 (International)

2. HAZARDS IDENTIFICATION

Classification

Physical Hazard: Compressed Gas. **Health Hazard:** Simple Asphyxiant.

Label Elements Symbol



Signal Word WARNING

Hazard Statement(s)

H280 Contains gas under pressure; may explode if heated.
----- May displace oxygen and cause rapid suffocation.

Precautionary Statement(s)

P410 + P403 Protect from sunlight. Store in a well-ventilated place.

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Carbon monoxide in nitrogen, compressed gas

Other Designations:

Carbon Monoxide: Carbon oxide, CO. Nitrogen: Dinitrogen, nitrogen compressed.

SRM 2635a Page 1 of 6

Components are listed in compliance with OSHA 29 CFR 1910.1200; for the actual values see the Certificate of Analysis.

| Hazardous Components | CAS Number | EC Number (EINECS) | Nominal Mass Concentration (%) |
|----------------------|------------|-----------------------|--------------------------------|
| Nitrogen | 7727-37-9 | 231-783-9 | >99 |
| Carbon Monoxide | 630-08-0 | 211-128-3 | 0.0025 |

4. FIRST AID MEASURES

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention, if needed.

Eye Contact: Immediately flush eyes, including under the eyelids, with copious amounts of water for at least 15 minutes. Seek immediate medical attention.

Ingestion: Ingestion of a gas is unlikely. As this product is a gas, refer to the inhalation section.

Most Important Symptoms/Effects, Acute and Delayed: Harmful if inhaled, blood damage, difficulty breathing, and suffocation.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek immediate medical attention.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Negligible fire hazard applicable to the identified NIST cylinder. Cylinders may rupture or explode if exposed to heat. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:

Suitable: Use extinguishing media appropriate to the surrounding fire.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: Oxides of nitrogen, oxides of carbon.

Special Protective Equipment and Precautions for Fire-Fighters: Move cylinder from fire area if it can be done without personal risk. Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

NFPA Ratings (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 2 Fire = 0 Reactivity = 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection". Shut off gas supply if this can be done safely. Isolate area until gas has dispersed.

Methods and Materials for Containment and Clean up: Stop leak if possible without personal risk. Isolate hazard area and deny entry. Stay upwind and keep out of low areas.

7. HANDLING AND STORAGE

Safe Handling Precautions: Use only with adequate ventilation. Do not puncture or incinerate container. Close valve after each use and when empty. Keep value protection cap on cylinder when not in use.

Storage: Store and handle in accordance with all current regulations and standards. Secure cylinder to prevent physical damage. Keep separated from incompatible substances (see Section 10, "Stability and Reactivity"). Store in well-ventilated area. Subject to storage regulations, OSHA 29 CFR 1910.101.

SRM 2635a Page 2 of 6

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits:

Carbon Monoxide

OSHA (PEL): 55 mg/m³ (50 ppm) TWA ACGIH (TLV): 30 mg/m³ (25 ppm) TWA NIOSH (REL): 40 mg/m³ (35 ppm) TWA 1375 mg/m³ (1200 ppm) IDLH 229 mg/m³ (200 ppm) Ceiling

Nitrogen

ACGIH (TLV): Simple asphyxiant.

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29 CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear safety goggles. An eye wash station should be readily available near areas of use.

Skin and Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

9. PHYSICAL AND CHEMICAL PROPERTIES

Possible Hazardous Reactions: None listed.

Containers may rupture or explode if exposed to heat.

| 9. PHYSICAL AND CHEMICAL PROPERTIES | | | | | |
|--|----------------------------|--|--|--|--|
| Descriptive Properties: | | | | | |
| Appearance (physical state, color, etc.): | colorless compressed gas | | | | |
| Molecular Formula: | not applicable | | | | |
| Molar Mass (g/mol): | not applicable | | | | |
| Odor: | odorless | | | | |
| Odor threshold: | not available | | | | |
| pH: | not applicable | | | | |
| Evaporation rate: | not applicable | | | | |
| Melting point/freezing point (°C): | -210 (-346 °F) (Nitrogen) | | | | |
| Relative Density (g/L): | 1.2506 (Nitrogen) | | | | |
| Vapor Pressure (mmHg): | 760 (–196 °C) (Nitrogen) | | | | |
| Vapor Density (air = 1): | 0.967 (Nitrogen) | | | | |
| Viscosity (cP): | 0.01787 (27 °C) (Nitrogen) | | | | |
| Solubility(ies): | water, 1.6 % (20 °C); | | | | |
| | liquid ammonia (Nitrogen) | | | | |
| Partition coefficient (n-octanol/water): | not available | | | | |
| Particle Size (if relevant) | not applicable | | | | |
| Thermal Stability Properties: | | | | | |
| Autoignition Temperature: | not applicable | | | | |
| Thermal Decomposition | not applicable | | | | |
| Initial boiling point and boiling range (°C): | -196 (-321 °F) (Nitrogen) | | | | |
| Explosive Limits, LEL: | not applicable | | | | |
| Explosive Limits, UEL: | not applicable | | | | |
| Flash Point | not applicable | | | | |
| Flammability (solid, gas): | not applicable | | | | |
| 10. STABILITY AND REACTIVITY | | | | | |
| Reactivity: Stable at normal pressure and temperature. | | | | | |
| Stability: X Stable Uns | table | | | | |

SRM 2635a Page 3 of 6

Conditions to Avoid: Avoid heat, flames, sparks, and other sources of ignition. Minimize contact with material.

| Incompatible Ma | terials: Oxidizing materials, halogens, metal oxides, metal | ls, combustible materials, lithium. |
|--|---|--|
| Fire/Explosion In | formation: See Section 5, "Fire Fighting Measures". | |
| Hazardous Decon | nposition: Miscellaneous decomposition products. | |
| Hazardous Poly | merization: Will Occur X Will Not O | Occur |
| 11. Toxicolo | OGICAL INFORMATION | |
| Route of Exposu | rre: X Inhalation Skin | Ingestion |
| difficulty breathing | ed to the Physical, Chemical and Toxicological Charact g, irregular heartbeat, headache, disorientation, emotional di n, hearing loss, visual disturbances. | |
| Potential Health | Effects (Acute, Chronic and Delayed): | |
| pressure, eye | oxide: Acute and chronic exposure may result in changes damage, suffocation, blood disorders, convulsions, uncon also result in heart damage, nerve damage, birth defects, a | nsciousness, coma, and death. Chronic |
| asphyxiation. how long it co there may be r sensations, inc | itrogen compressed gas is a simple asphyxiant. Releas The symptoms of asphyxia depend on the rapidity with whontinues. In sudden acute asphyxia, unconsciousness may rapid respiration and pulse, air hunger, dizziness, reduced a coordination, faulty judgment, emotional instability, and raping, collapse, unconsciousness, convulsions, deep coma, ar | nich the oxygen deficiency develops and be immediate. With slow development, wareness, tightness in the head, tingling pid fatigue. As the asphyxia progresses, |
| Skin Contact | : No information on significant adverse effects. | |
| Eye Contact: | Exposure may result in irritation, blurred vision. | |
| Ingestion: In inhalation sect | gestion of a gas is unlikely under normal conditions of us tion. | se. As this product is a gas, refer to the |
| Numerical Measu | res of Toxicity: | |
| Carbon mono | ty: Not classified, concentration of carbon monoxide is beliate; Rat, Inhalation LC50: 1807 ppm (4 h) pple asphyxiant | low cut off value of 1 %. |
| Skin Corrosi | on/Irritation: Not applicable. | |
| Serious Eye d | lamage/ Eye irritation: Not applicable. | |
| Respiratory S | Sensitization: No data available. | |
| Skin Sensitiza | ation: No data available. | |
| | utagenicity: Not classified. xide; Mouse: 1500 ppm (10 min) | |
| Listed as a Nitrogen is n | ity: Not classified. Carcinogen/Potential Carcinogen Yes ot listed by NTP, IARC or OSHA as a carcinogen/potential oxide is not listed by NTP, IARC or OSHA as a carcinogen/ | |
| | Toxicity: Not classified, concentration of carbon monoxixide; Rat, Inhalation TCLo: 103 mg/m³ (pregnant, 1 d to 2 | |
| Specific Targ | et Organ Toxicity, Single Exposure: Not classified. | |
| Specific Targ | get Organ Toxicity, Repeated Exposure: Not classified value of 1 %. | d, concentration of carbon monoxide is |

SRM 2635a Page 4 of 6

Aspiration Hazard: No data available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Data:

Carbon Monoxide

Minnows and sunfish species, lethal dose: 1.5 ppm (1 h to 6 h, fresh water)

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse effects: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of waste in accordance with all applicable federal, state, and local regulations. Carbon monoxide subject to disposal regulations, U.S. EPA 40 CFR 262, Hazardous Waste Number: D001.

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: UN1956; Compressed gas, n.o.s. (carbon monoxide in nitrogen); Hazard Class 2.2; Excepted quantity No.

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Identified cylinder not regulated.

SARA Title III Section 302 (40 CFR 355.30): Identified cylinder not regulated.

SARA Title III Section 304 (40 CFR 355.40): Identified cylinder not regulated

SARA Title III Section 313 (40 CFR 372.65): Identified cylinder not regulated.

OSHA Process Safety (29 CFR 1910.119): Identified cylinder not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: Yes.
CHRONIC HEALTH: No.
FIRE: No.
REACTIVE: No.
PRESSURE: Yes.

State Regulations:

California Proposition 65: WARNING! This product contains a chemical (carbon monoxide) known to the state of California to cause reproductive/developmental effects.

U.S. TSCA Inventory: Carbon monoxide listed. Nitrogen listed.

TSCA 12(b), Export Notification: No components are listed.

Canadian Regulations:

WHMIS Information: Not provided for this material.

SRM 2635a Page 5 of 6

16. OTHER INFORMATION

Issue Date: 08 July 2021

Sources: Airgas Inc., MSDS, Non-flammable Gas Mixture: Carbon Monoxide 0.0001 - 12.5 %

Nitrogen 87.5 – 99 %; 30 August 2012.

ChemADVISOR, Inc., SDS, Nitrogen, Compressed Gas, 09 December 2015.

ChemADVISOR, Inc., SDS, Carbon Monoxide, 09 December 2015.

National Oceanic and Atmospheric Agency, CAMEO Chemicals Database, CAS No. 630-08-0, CRIS

Code: CMO; available at https://cameochemicals.noaa.gov/chris/CMO.pdf (accessed Jul 2021)

Key of Acronyms:

| AČGIH | American Conference of Government Industrial | NRC | Nuclear Regulatory Commission |
|--------|---|-------|--|
| | Hygienists | | |
| ALI | Annual Limit on Intake | NTP | National Toxicology Program |
| CAS | Chemical Abstracts Service | OSHA | Occupational Safety and Health Administration |
| CERCLA | Comprehensive Environmental Response, | PEL | Permissible Exposure Level |
| | Compensation, and Liability Act | | |
| CFR | Code of Federal Regulations | RCRA | Resource Conservation and Recovery Act |
| DOT | Department of Transportation | REL | Recommended Exposure Limit |
| EINECS | European Inventory of Existing Commercial | RQ | Reportable Quantity |
| | Chemical Substances | | |
| EPCRA | Emergency Planning and Community Right-to-Know | RTECS | Registry of Toxic Effects of Chemical Substances |
| | Act | | |
| IARC | International Agency for Research on Cancer | SARA | Superfund Amendments and Reauthorization Act |
| IATA | International Air Transport Association | SCBA | Self-Contained Breathing Apparatus |
| IDLH | Immediately Dangerous to Life and Health | SRM | Standard Reference Material |
| LC50 | Lethal Concentration | STEL | Short Term Exposure Level |
| LD50 | Median Lethal Dose or Lethal Dose, 50 % | TLV | Threshold Limit Value |
| LEL | Lower Explosive Limit | TPQ | Threshold Planning Quantity |
| MSDS | Material Safety Data Sheet | TSCA | Toxic Substances Control Act |
| NFPA | National Fire Protection Association | TWA | Time Weighted Average |
| NIOSH | National Institute for Occupational Safety and Health | UEL | Upper Explosive Limit |
| NIST | National Institute of Standards and Technology | WHMIS | Workplace Hazardous Materials Information System |
| n.o.s. | not otherwise specified | | |

Disclaimer: The NIST SDS information is specific to the NIST product and is believed to be correct, based upon our current knowledge. The SDS may not necessarily be all inclusive and should be used only as a guide. NIST does not guarantee the accuracy or completeness of this information. The only official source for specific values and uncertainties is the certificate or report.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; e-mail srmmsds@nist.gov; or via the Internet at https://www.nist.gov/srm.

SRM 2635a Page 6 of 6