

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

SRM Number:2683cSRM Name:Bituminous Coal (Nominal Mass Fraction 2 % Sulfur)Other Means of Identification:Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is intended primarily for use in the evaluation of techniques employed in the determination of sulfur, mercury, and chlorine in coal and materials of a similar matrix. A unit of SRM 2683c consists of 50 g of bituminous coal ground to pass a 250 μ m (60 mesh) sieve, homogenized, packaged in an amber glass bottle under an argon atmosphere, and sealed in an aluminized bag.

Company Information

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200 E-mail: SRMMSDS@nist.gov Website: https://www.nist.gov/srm Emergency Telephone ChemTrec: 1-800-424-9300 (North America) +1-703-527-3887 (International)

2. HAZARDS IDENTIFICATION

Classification

Physical Hazard: Not classified. Health Hazard: Not classified. OSHA Defined Hazard: Combustible dust

Label Elements Symbol No Symbol/Pictogram

Signal Word Warning

Hazard Statement(s): May form combustible dust concentrations in air.

Precautionary Statement(s): Not applicable.

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Coal powder

Other Designations: Not applicable.

Components are listed in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the Certificate of Analysis.

Hazardous Component(s)	CAS Number	EC Number	Nominal Mass Concentration	
		(EINECS)	(%)	
Coal Powder	Not available	Not available	100	

4. FIRST AID MEASURES

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Wash skin with soap and water for at least 15 minutes. Thoroughly clean and dry contaminated clothing before reuse.

Eye Contact: Flush eyes with water for at least 15 minutes. If necessary, seek medical attention.

Ingestion: If adverse effects occur after ingestion, seek medical treatment.

Most Important Symptoms/Effects, Acute and Delayed: May cause irritation.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek medical attention if needed.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Severe fire hazard. Avoid generating dust; sufficient concentrations of fine dust dispersed in air in the presence of an ignition source is a potential hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:

Suitable: Regular dry chemical, dry sand, water, and regular foam. Unsuitable: None listed.

Specific Hazards Arising from the Chemical: None listed.

Special Protective Equipment and Precautions for Fire-Fighters: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

NFPA Ratings (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 1 Fire = 3 Reactivity = 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Any accumulated material on surfaces should be removed and properly disposed of. Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection".

Methods and Materials for Containment and Clean up: Do not touch spilled material. Notify safety personnel of spills. Collect spilled material in appropriate container for disposal. Isolate hazard area and deny entry.

7. HANDLING AND STORAGE

Safe Handling Precautions: Minimize dust generation and accumulation on surfaces. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. See Section 8, "Exposure Controls and Personal Protection".

Storage: Store and handling in accordance with all current regulations and standards. Keep separated from incompatible substances (oxidizing materials).

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits: This material is a particulate matter and adequate inhalation/respiratory protection should be used to minimize exposure.

OSHA (PEL): 2.4 mg/m³ [respirable, < 5 % SiO₂] (TWA) 10 mg/m³/(% SiO₂ + 2) [respirable, > 5 % SiO₂] (TWA) NIOSH (REL): 1 mg/m³ [measured according to MSHA method (CPSU)] (TWA) NIOSH (REL): 0.9 mg/m³ [measured according to ISO/CEN/ACGIH criteria] (TWA)

ACGIH (TLV): No exposure limits available.

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear splash resistant safety goggles with a face shield. An eye wash station should be readily available near areas of use.

Skin and Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

9. PHYSICAL AND CHEMICAL PROPERTIES

Descriptive Properties:	Coal Powder
Appearance (physical state, color, etc.):	Black powder
Molecular Formula:	Not applicable
Molar Mass (g/mol):	Not applicable
Odor:	Not available
Odor threshold:	Not available
рН:	Not available
Evaporation rate:	Not applicable
Melting point/freezing point (°C):	Not available
Relative Density (g/L):	Not available
Vapor Pressure (mmHg):	Not applicable
Vapor Density (air = 1):	Not applicable
Viscosity (cP):	Not applicable
Solubility(ies):	Insoluble in water
Partition coefficient (n-octanol/water):	Not available
Particle Size:	≤250 µm (60 mesh)
Thermal Stability Properties:	
Autoignition Temperature (°C):	Not available
Thermal Decomposition (°C):	Not available
Initial boiling point and boiling range (°C):	Not available
Explosive Limits, LEL (Volume %):	Not available
Explosive Limits, UEL (Volume %):	Not available
Flash Point (°C):	Not available
Flammability (solid, gas):	Not available

10. STABILITY AND REACTIVITY

Reactivity: Stable at normal temperatures and pressure.

Stability: X Stable Unstable

Possible Hazardous Reactions: None listed.

Conditions to Avoid: Avoid generating dust. Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

Incompatible Materials: Oxidizing materials.

Fire/Explosion Information: See Section 5, "Fire Fighting Measures".

Hazardous Decomposition: Thermal decomposition will produce oxides of carbon.

Hazardous Polymerization: Will Occur X Will Not Occur

11. TOXICOLOGICAL INFORMATION

		010011011			
Route of Exposure:	Х	Inhalation	Skin	Ing	gestion
Symptoms Related to t	he Phys	sical, Chemical a	and Toxicological Cha	racteristics:	May cause irritation if inhaled.
Potential Health Effect	s (Acut	e, Chronic and I	Delayed):		
Inhalation: May ca	ause irri	tation, chronic in	halation of coal dust ma	ay cause pneu	moconiosis.
Skin Contact: No	data ava	ulable.			
Eye Contact: No d	ata avai	lable.			
Ingestion: No data	availab	le.			
Numerical Measures of	f Toxici	ty:			
Acute Toxicity: No Rat, Intratrache					
Skin Corrosion/Irr	itation	Not classified;	no data available.		
Serious Eye damag	ge/ Eye	irritation: Not c	classified; no data availa	able.	
Respiratory Sensit	ization:	Not classified;	no data available.		
Skin Sensitization:	Not cl	assified; no data	available.		
Germ Cell Mutage	nicity:	Not classified; n	o data available.		
Carcinogenicity: N	Not class	sified.			
Coal dust is list	ed by IA	gen/Potential Ca ARC as Group 3, ⁻ y NTP or OSHA	"Not classifiable as to it	Yes s carcinogenic	\underline{X} No vity to humans".
Reproductive Toxi	city: N	ot classified; no	data available.		
Specific Target Or	gan To	xicity, Single Ex	posure: Not classified;	; no data availa	able.
Specific Target Or	gan To	xicity, Repeated	Exposure: Not classif	ied; no data av	vailable.
Aspiration Hazard	: Not c	lassified; no data	available.		

12. ECOLOGICAL INFORMATION

Ecotoxicity Data: No data available.

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse effects: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of waste in accordance with all applicable federal, state, and local regulations.

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: Not regulated by DOT or IATA.

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Not regulated.

OSHA Process Safety (29 CFR 1910.119): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

No.
Yes
Yes
No.
No.

State Regulations:

California Proposition 65: Not listed.

U.S. TSCA Inventory: Not listed.

TSCA 12(b), Export Notification: Not listed.

Canadian Regulations:

WHMIS Information: Not provided for this material.

16. OTHER INFORMATION

Issue Date: 22 March 2021

Sources: ChemAdvisor, Inc., SDS Coal Dust, 09 December 2015.

Center for Disease Control and Prevention (CDC) NIOSH Pocket Guide to Chemical Hazards, *Coal Dust*, 30 October 2019; available at https://www.cdc.gov/niosh/npg/npgd0144.html (accessed Mar 2021); see also RTECS *Coal Dust*, 16 November 2018; available at https://www.cdc.gov/niosh-rtecs/GF7E5BA8.html (accessed Mar 2021).

World Health Organization, *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans; Silica, Some Silicates, Coal Dust and Para-Aramid Fibrils*, Vol. 68 (1997); available at https://monographs.iarc.who.int/; see also https://publications.iarc.fr/86 (accessed Mar 2021).

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists	NIOSH	National Institute for Occupational Safety and Health
ALI	Annual Limit on Intake	NIST	National Institute of Standards and Technology
CAS	Chemical Abstracts Service	NRC	Nuclear Regulatory Commission
CEN	European Committee for Standardization	NTP	National Toxicology Program
CERCLA	Comprehensive Environmental Response,	OSHA	Occupational Safety and Health Administration
	Compensation, and Liability Act		1 5
CFR	Code of Federal Regulations	PEL	Permissible Exposure Limit
CPSU	Coal Mine Dust Personal Sample Unit	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	REL	Recommended Exposure Limit
EC50	Effective Concentration, 50 %	RM	Reference Material
EINECS	European Inventory of Existing Commercial	RQ	Reportable Quantity
	Chemical Substances		
EPCRA	Emergency Planning and Community Right-to-Know	RTECS	Registry of Toxic Effects of Chemical Substances
	Act		
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transport Association	SCBA	Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
ISO	International Organization for Standardization	STEL	Short Term Exposure Limit
LC50	Lethal Concentration, 50 %	TDLo	Toxic Dose Low
LD50	Lethal Dose, 50 %	TLV	Threshold Limit Value
LEL	Lower Explosive Limit	TPQ	Threshold Planning Quantity
MSDS	Material Safety Data Sheet	TSCA	Toxic Substances Control Act
NFPA	National Fire Protection Association	TWA	Time Weighted Average
MSHA	Mine Safety and Health Administration	UEL	Upper Explosive Limit
		WHMIS	Workplace Hazardous Materials Information System

Disclaimer: The NIST SDS information is specific to the NIST product and is believed to be correct, based upon our current knowledge. The SDS may not necessarily be all inclusive and should be used only as a guide. NIST does not guarantee the accuracy or completeness of this information. The only official source for specific values and uncertainties is the certificate or report.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; e-mail srmmsds@nist.gov; or via the Internet at https://www.nist.gov/srm.