

## SAFETY DATA SHEET

### 1. SUBSTANCE AND SOURCE IDENTIFICATION

**Product Identifier**

**SRM Number:** 3136  
**SRM Name:** Nickel (Ni) Standard Solution  
**Other Means of Identification:** Not applicable.

**Recommended Use of This Material and Restrictions of Use**

This Standard Reference Material (SRM) is intended for use as a primary calibration standard for the quantitative determination of nickel. A unit of SRM 3136 consists of five 10 mL sealed borosilicate glass ampoules of an acidified aqueous solution prepared gravimetrically to contain a known mass fraction of nickel. The solution contains nitric acid at a volume fraction of approximately 8 %.

**Company Information**

National Institute of Standards and Technology  
 Standard Reference Materials Program  
 100 Bureau Drive, Stop 2300  
 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200  
 FAX: 301-948-3730  
 E-mail: SRMMSDS@nist.gov  
 Website: <http://www.nist.gov/srm>

Emergency Telephone ChemTrec:  
 1-800-424-9300 (North America)  
 +1-703-527-3887 (International)

### 2. HAZARDS IDENTIFICATION

**Classification**

<b>Physical Hazard:</b>	Not classified.	
<b>Health Hazard:</b>	Skin Corrosion/Irritation	Category 1B
	Serious Eye Damage/Eye Irritation	Category 1
	Germ Cell Mutagenic	Category 2
	Carcinogenic	Category 1B
	Reproductive Toxicity	Category 1B

**Label Elements**  
**Symbol**



**Signal Word**  
 DANGER

**Hazard Statement(s)**

H314	Causes severe skin burns and eye damage.
H341	Suspected of causing genetic effects.
H350	May cause cancer <inhalation>.
H360	May damage fertility or the unborn child <inhalation>.

**Precautionary Statement(s)**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe fume, mists, vapors, or spray.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves, protective clothing, and eye protection.

P301 + P330 + P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	If on skin (or hair): Remove immediately all contaminated clothing. Rinse skin with water.
P304 + P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
P308 + P313	If exposed or concerned: Get medical attention.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents and container according to local regulations.

**Hazards Not Otherwise Classified:** Not applicable.

**Ingredients(s) with Unknown Acute Toxicity:** Not applicable.

### 3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

**Substance:** Nickel in nitric acid solution

**Other Designations:**

- Nitric acid (aqua fortis; hydrogen nitrate; azotic acid; engraver's acid)
- Nickel nitrate [nickel salt; nickelous nitrate; nickel (II) nitrate, nickel (2+) salt (2:1)]

**NOTE:** Nickel in nitric acid solution forms a solvated nickel nitrate salt.

Components are listed in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the NIST Certificate of Analysis.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Nitric acid	7697-37-2	231-714-2	8
Nickel nitrate	13138-45-9	236-068-5	3.0
<b>Non-Hazardous Component(s)</b>			
Water	7732-18-5	231-791-2	89

### 4. FIRST AID MEASURES

**Description of First Aid Measures:**

**Inhalation:** If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

**Skin Contact:** Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get immediate medical attention. Thoroughly clean and dry contaminated clothing before reuse. Destroy contaminated shoes.

**Eye Contact:** Immediately flush eyes, including under the eyelids with copious amounts of water for at least 15 minutes. Seek immediate medical attention.

**Ingestion:** Contact a poison control center immediately for instructions. Do not induce vomiting. Give water to rinse out mouth. Never give liquids to a person with reduced awareness or becoming unconscious. If vomiting occurs, keep head lower than hips to prevent aspiration. If not breathing, give artificial respiration by qualified personnel. Seek immediate medical attention.

**Most Important Symptoms/Effects, Acute and Delayed:** Burning pain and severe skin corrosion, eye, mutagenic effects, reproductive effects and cancer.

**Indication of any immediate medical attention and special treatment needed, if necessary:** If any of the above symptoms are present, seek immediate medical attention.

---

## 5. FIRE FIGHTING MEASURES

---

**Fire and Explosion Hazards:** Negligible fire hazard. See Section 9, “Physical and Chemical Properties” for flammability properties.

**Extinguishing Media:**

Suitable: Use extinguishing media appropriate to the surrounding fire.

Unsuitable: None listed.

**Specific Hazards Arising from the Chemical:** Thermal decomposition will form oxides of nitrogen and nickel.

**Special Protective Equipment and Precautions for Fire-Fighters:** Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

**NFPA Ratings** (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 3

Fire = 0

Reactivity = 0

---

## 6. ACCIDENTAL RELEASE MEASURES

---

**Personal Precautions, Protective Equipment and Emergency Procedures:** Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment; see Section 8, “Exposure Controls and Personal Protection”.

**Methods and Materials for Containment and Clean up:** Do not touch spilled material. Notify safety personnel of spills. Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal. Isolate hazard area and deny entry.

---

## 7. HANDLING AND STORAGE

---

**Safe Handling Precautions:** See Section 8, “Exposure Controls and Personal Protection”. Handle glass ampoules with care.

**Storage:** Store and handling in accordance with all current regulations and standards. Keep separated from incompatible substances (See Section 10 “Stability and Reactivity”).

---

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

---

Exposure Limits			
Components	OSHA (PEL)	ACGIH (TLV)	NIOSH (REL)
Nitric acid	TWA: 5 mg/m <sup>3</sup> (2 ppm)	TWA: 5 mg/m <sup>3</sup> (2 ppm) STEL: 10 mg/m <sup>3</sup> (4 ppm)	TWA: 5 mg/m <sup>3</sup> (2 ppm) STEL: 10 mg/m <sup>3</sup> (4 ppm) IDLH: 65 mg/m <sup>3</sup> (25 ppm)
Nickel nitrate (as Ni, related to Nickel compounds)	TWA: 1 mg/m <sup>3</sup> (soluble)	no limits established	TWA: 0.015 mg/m <sup>3</sup> IDLH: 10 mg/m <sup>3</sup>

**Engineering Controls:** Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

**Personal Protection:** In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

**Respiratory Protection:** If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

**Eye/Face Protection:** Wear splash resistant safety goggles with a face shield. An eyewash station should be readily available near areas of use.

**Skin and Body Protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

**NOTE:** The physical and chemical data provided are for the pure components. No physical or chemical data are available for this solution of nickel nitrate and nitric acid. The actual behavior of the solution may differ from the individual components.

<b>Descriptive Properties:</b>	<b>Nitric acid (8 % of this SRM)</b>	<b>Nickel nitrate (3 % of this SRM)</b>
<b>Appearance (physical state, color, etc.)</b>	colorless to yellow liquid	yellow or green solid, hygroscopic
<b>Molecular Formula</b>	HNO <sub>3</sub>	Ni(NO <sub>3</sub> ) <sub>2</sub>
<b>Molar Mass (g/mol)</b>	63.01	182.72
<b>Odor</b>	irritating odor	not available
<b>Odor threshold</b>	not available	not available
<b>pH</b>	1 (1 M)	4.0 aqueous solution
<b>Evaporation rate</b>	not available	not available
<b>Melting point/freezing point</b>	-42 °C (-43 °F)	
<b>Relative Density (g/L) as specific gravity (water = 1)</b>	1.5027 at 25 °C	940 g/L at 20 °C or 2.05 g/cm <sup>3</sup>
<b>Vapor Pressure (mmHg)</b>	47.9 at 20 °C	not available
<b>Vapor Density (air = 1)</b>	3.2	not available
<b>Viscosity (cP)</b>	not available	not available
<b>Solubility(ies)</b>	miscible with water and ether	soluble in water
<b>Partition coefficient (n-octanol/water)</b>	not available	not available
<b>Thermal Stability Properties:</b>		
<b>Autoignition Temperature (°C)</b>	not applicable	not applicable
<b>Thermal Decomposition (°C)</b>	not applicable	not applicable
<b>Initial boiling point and boiling range</b>	83 °C (181 °F)	not applicable
<b>Explosive Limits, LEL (Volume %)</b>	not applicable	not applicable
<b>Explosive Limits, UEL (Volume %)</b>	not applicable	not applicable
<b>Flash Point (°C)</b>	not applicable	not applicable
<b>Flammability (solid, gas)</b>	not applicable	not applicable

---

## 10. STABILITY AND REACTIVITY

---

**Reactivity:** Stable at normal temperatures and pressure.

**Stability:**       X     Stable              Unstable

**Possible Hazardous Reactions:** None listed.

**Conditions to Avoid:** Contact with combustible or incompatible materials.

**Incompatible Materials:** Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, metals, halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.

**Fire/Explosion Information:** See Section 5, "Fire Fighting Measures".

**Hazardous Decomposition:** Thermal decomposition will produce oxides of nitrogen and nickel.

**Hazardous Polymerization:**        Will Occur       X   Will Not Occur

---

## 11. TOXICOLOGICAL INFORMATION

---

**Route of Exposure:**  Inhalation  Skin  Ingestion

**Symptoms Related to the Physical, Chemical and Toxicological Characteristics:** Burning pain and severe skin corrosion, eye, mutagenic effects, reproductive effects and cancer.

**Potential Health Effects (Acute, Chronic and Delayed):**

**Inhalation:** Inhalation of nitric acid can damage the mucous membranes and upper respiratory tract. Short term exposure may cause irritation and inflammation of the upper respiratory tract, coughing, choking, sore throat, shortness of breath, headache, dizziness, and nausea. Long term exposure to acid fumes may cause damage to teeth, bronchial irritation, chronic cough, bronchial pneumonia, and gastrointestinal disturbances. Inhalation of nickel nitrate may cause allergy or asthma symptoms.

**Skin Contact:** Nitric acid can cause severe skin burns. Severity of the damage depends on the concentration and duration of exposure. Effects of acid burns may be delayed. Chronic nickel nitrate exposure may result in allergic skin reaction, cancer, genetic effects, may damage fertility or the unborn child.

**Eye Contact:** Nitric acid and nickel nitrate can cause severe eye irritation, corneal burns, permanent eye damage, or blindness. Severity of the damage depends on the concentration and duration of exposure.

**Ingestion:** Ingestion of this material is unlikely under normal conditions of use. If ingested, nitric acid can cause severe burns and damage to the gastrointestinal tract. Chronic nickel nitrate exposure may result in cancer, genetic effects, and damage fertility or the unborn child.

**Numerical Measures of Toxicity:**

**Acute Toxicity:** Not classified.

Nitric acid, Rat, Inhalation LC50: 130 mg/m<sup>3</sup> (4 h)

Nickel nitrate: no data available.

**Skin Corrosion/Irritation:** This SRM contains >1 % of nitric acid and it is classified as Category 1B.

**Serious Eye damage/Eye irritation:** This SRM contains >1 % nitric acid and it is classified as Category 1.

**Respiratory Sensitization:** Classification not possible.

**Skin Sensitization:** Classification not possible.

Nickel nitrate exposure may cause sensitization, however since this mixture is corrosive, classification is not possible.

**Germ Cell Mutagenicity:** Category 2; Suspected of causing genetic defects.

Nitric acid: no data available.

Nickel nitrate: Mouse, 56 mg/kg

**Carcinogenicity:** Category 1B

**Listed as a Carcinogen/Potential Carcinogen**  Yes  No

Nitric acid is not listed by NTP, IARC or OSHA as a carcinogen.

Nickel compounds are listed by IARC as Group 1 (carcinogenic to humans); NTP as known human carcinogen. Nickel compounds are not listed by OSHA.

**Reproductive Toxicity:** Category 1B; May damage fertility or the unborn child.

Nitric acid, Rat, Oral TDLo: 21 150 mg/kg (pregnant 1 d to 21 d)

Nitric acid, Rat, Oral TDLo: 2345 mg/kg (pregnant 18 d)

Nickel nitrate, Rat, Intratesticular TDLo: 14 618 mg/kg (1 d)

**Specific Target Organ Toxicity, Single Exposure:** Not classified.

**Specific Target Organ Toxicity, Repeated Exposure:** Not classified.

**Aspiration Hazard:** No data available.

---

## 12. ECOLOGICAL INFORMATION

---

### Ecotoxicity Data:

Nitric acid: Starfish (*Asterias rubens*) LC50 [renewal/aerated water]: 100 mg/L to 300 mg/L (48 h)  
Nickel nitrate: L(E)C50: >0.1 mg/L to ≥1 mg/L

**Persistence and Degradability:** No data available.

**Bioaccumulative Potential:** No data available.

**Mobility in Soil:** No data available.

**Other Adverse effects:** Nickel is not readily biodegradable; very toxic to aquatic life with long lasting effects.

---

## 13. DISPOSAL CONSIDERATIONS

---

**Waste Disposal:** Dispose of waste in accordance with all applicable federal, state, and local regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262, Waste Numbers: D001, D002.

---

## 14. TRANSPORTATION INFORMATION

---

**U.S. DOT and IATA:** UN1760, Corrosive liquid, n.o.s. (contains nitric acid), Hazard Class 8, Packing Group II, Excepted Quantities E2.

---

## 15. REGULATORY INFORMATION

---

### U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Nitric acid, 1000 lbs (454 kg) final RQ  
Nickel nitrate, 100 lbs (45.4 kg) final RQ  
SARA Title III Section 302 (40 CFR 355.30): Nitric acid, 1000 lbs (454 kg) final TPQ  
SARA Title III Section 304 (40 CFR 355.40): Nitric acid, 1000 lbs (454 kg) EPCRA RQ  
SARA Title III Section 313 (40 CFR 372.65): Nickel compounds, 0.1 % de minimis  
Nitric acid, 1 % de minimis concentration  
OSHA Process Safety (29 CFR 1910.119): Nitric acid, regulated for 500 lbs TQ (≥94.5 % by weight)  
SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH:	Yes.
CHRONIC HEALTH:	Yes.
FIRE:	No.
REACTIVE:	No.
PRESSURE:	No.

### State Regulations:

California Proposition 65: Warning! This material contains a chemical (nickel) known to the state of California to cause cancer.

**U.S. TSCA Inventory:** Nitric acid and nickel nitrate are listed.

**TSCA 12(b), Export Notification:** Not listed.

**Canadian Regulations:** WHMIS Information is not provided for this material.

---

## 16. OTHER INFORMATION

---

**Issue Date:** 26 March 2014

**Sources:** ChemAdvisor, Inc., MSDS *Nitric Acid*, 07 February 2014.  
ChemAdvisor, Inc., MSDS *Nickel Nitrate* (CAS No. 14216-75-2), 23 December 2013.  
ChemAdvisor, Inc., MSDS *Nickel Nitrate* (CAS No. 13138-45-9), 23 December 2013.

## Key of Acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists	NRC	Nuclear Regulatory Commission
ALI	Annual Limit on Intake	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
CFR	Code of Federal Regulations	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	REL	Recommended Exposure Limit
EC50	Effective Concentration, 50 %	RM	Reference Material
EINECS	European Inventory of Existing Commercial Chemical Substances	RQ	Reportable Quantity
EPCRA	Emergency Planning and Community Right-to-Know Act	RTECS	Registry of Toxic Effects of Chemical Substances
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transportation Agency	SCBA	Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
LC50	Lethal Concentration, 50 %	STEL	Short Term Exposure Limit
LD50	Lethal Dose, 50 %	STOT	Specific Target Organ Toxicity
LEL	Lower Explosive Limit	TLV	Threshold Limit Value
MSDS	Material Safety Data Sheet	TPQ	Threshold Planning Quantity
NFPA	National Fire Protection Association	TSCA	Toxic Substances Control Act
NIOSH	National Institute for Occupational Safety and Health	TWA	Time Weighted Average
NIST	National Institute of Standards and Technology	UEL	Upper Explosive Limit
n.o.s.	Not Otherwise Specified	WHMIS	Workplace Hazardous Materials Information System

**Disclaimer:** Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of the material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The certified values for this material are given in the NIST Certificate of Analysis.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail [srmmsds@nist.gov](mailto:srmmsds@nist.gov); or via the Internet at <http://www.nist.gov/srm>.