

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

SRM Number: 3328

SRM Name: Lead (Pb) Isotopic Solution **Other Means of Identification:** Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is intended primarily as an isotopic reference material for instrument calibration and to correct for mass bias in lead (Pb) isotope ratio measurements on a mass spectrometer. Additionally, this SRM defines the Pb SRM 981 isotope-delta scale (δ^{x} Pb_{SRM981}) for relative isotope ratio measurements of Pb, $R(^{206}$ Pb/ 204 Pb), $R(^{207}$ Pb/ 206 Pb), and $R(^{208}$ Pb/ 206 Pb). A unit of SRM 3328 consists of two 10 mL sealed borosilicate glass ampoules containing a solution of approximately 10 mg/kg Pb. The solution consists of nitric acid at a volume fraction of approximately 2 %, equivalent to an amount-of-substance concentration (molarity) of approximately 0.47 mol/L. SRM 3328 was produced from a portion of SRM 981 Pb wire.

Company Information

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200 Emergency Telephone ChemTrec: E-mail: SRMMSDS@nist.gov 1-800-424-9300 (North America) Website: https://www.nist.gov/srm +1-703-527-3887 (International)

2. HAZARDS IDENTIFICATION

Classification

Physical Hazard: Not classified.

Health Hazard: Skin Corrosion/Irritation Category 1B Serious Eye Damage/Eye Irritation Category 1

Label Elements

Symbol:



Signal Word: DANGER

Hazard Statement(s)

H314 Causes severe skin burns and eye damage.

Precautionary Statement(s)

P260 Do not breathe fumes, mists, vapors, or spray. P264 Wash hands thoroughly after handling.

P280 Wear protective gloves, protective clothing, and eye protection.

P301 + P330 + P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 If on skin (or hair): Remove immediately all contaminated clothing. Rinse skin with

water.

P304 + P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

SRM 3328 Page 1 of 6

P305 + P351 + P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,
	if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents and container according to local regulations.

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Nitric acid solution

Other Designations:

Nitric acid (Aqua fortis; hydrogen nitrate; azotic acid; engraver's acid)

Note: This SRM contains trace amounts of lead. Components are listed in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the Certificate of Analysis.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Nitric acid	7697-37-2	231-714-2	2
Non-Hazardous Component(s)			
Water	7732-18-5	231-791-2	98

4. FIRST AID MEASURES

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get immediate medical attention. Thoroughly clean and dry contaminated clothing before reuse. Destroy contaminated shoes.

Eye Contact: Immediately flush eyes, including under the eyelids with copious amounts of water for at least 15 minutes. Seek immediate medical attention.

Ingestion: Contact a poison control center immediately for instructions. Do not induce vomiting. Give water to rinse out mouth. Never give liquids to a person with reduced awareness or becoming unconscious. If vomiting occurs, keep head lower than hips to prevent aspiration. If not breathing, give artificial respiration by qualified personnel. Seek immediate medical attention.

Most Important Symptoms/Effects, Acute and Delayed: Acid burns to skin, eyes, and lungs.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek medical attention.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Negligible fire hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:

Suitable: Use extinguishing media appropriate for the surrounding area.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: Thermal decomposition will produce oxides of nitrogen.

Special Protective Equipment and Precautions for Fire-Fighters: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

SRM 3328 Page 2 of 6

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Keep unnecessary personnel away. Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection".

Methods and Materials for Containment and Clean up: Notify safety personnel of spills. Collect spilled material in appropriate container for disposal. Isolate hazard area and deny entry. Keep out of water supplies and sewers.

7. HANDLING AND STORAGE

Safe Handling Precautions: See Section 8, "Exposure Controls and Personal Protection". Handle glass ampoules with care.

Storage: Store and handling in accordance with all current regulations and standards. Keep separated from incompatible substances (See Section 10 "Stability and Reactivity").

8. Exposure Controls and Personal Protection

Exposure Limits:

Component: Nitric acid

NIOSH (REL): 5 mg/m³ (2 ppm) TWA

10 mg/m³ (4 ppm) STEL 65 mg/m³ (25 ppm) IDLH

ACGIH (TLV): 5 mg/m³ (2 ppm) TWA

 $10 \text{ mg/m}^3 (4 \text{ ppm}) \text{ STEL}$

OSHA (PEL): $5 \text{ mg/m}^3 (2 \text{ ppm}) \text{ TWA}$

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear chemical resistant safety goggles. An eyewash station should be readily available near areas of use.

Skin and Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

SRM 3328 Page 3 of 6

9. PHYSICAL AND CHEMICAL PROPERTIES

Descriptive Properties:					
Appearance (physical state, color, etc.):	Colorless liquid not applicable				
Molecular Formula:					
Molar Mass (g/mol):	not applicable				
Odor:	Odorless to slightly pungent not available				
Odor threshold:					
pH:	<1				
Evaporation rate:	not applicable				
Melting point/freezing point (°C): Relative Density (g/L):	0°C 1010 (or 1.01 kg/L) not available not applicable				
Vapor Pressure (mmHg):					
Vapor Density (air = 1):					
Viscosity (cP):	not applicable				
Solubility(ies):	Soluble in water not available				
Partition coefficient (n-octanol/water):					
Particle Size	not applicable				
Thermal Stability Properties:					
Autoignition Temperature (°C):	not available				
Thermal Decomposition (°C):	not available not available not available not available not available				
Initial boiling point and boiling range (°C):					
Explosive Limits, LEL (Volume %):					
Explosive Limits, UEL (Volume %):					
Flash Point (°C)					
Flammability (solid, gas):	not available				
10. STABILITY AND REACTIVITY					
Reactivity: Stable at normal temperatures and pressure.					
Stability: X Stable Unstal	ole				
Possible Hazardous Reactions: No data available.					
Conditions to Avoid: Contact with combustible or incom	patible materials. Keep out of water supplies and sewers.				
Incompatible Materials: Acids, combustible materials, halogens, metal salts, metal oxides, reducing agents, perox					
Fire/Explosion Information: See Section 5, "Fire Fighting."	•				
Hazardous Decomposition: Thermal decomposition will	produce oxides of nitrogen.				
Hazardous Polymerization: Will Occur X Will Not Occur					
11. TOXICOLOGICAL INFORMATION					
Route of Exposure: X Inhalation X	Skin X Ingestion				
Symptoms Related to the Physical, Chemical and Toxic					
corrosion, eye and lung damage.					

SRM 3328 Page 4 of 6

Potential Health Effects (Acute, Chronic and Delayed):

Inhalation: Inhalation of nitric acid can damage the mucous membranes and upper respiratory tract. Short term exposure may cause irritation and inflammation of the upper respiratory tract, coughing, choking, sore throat, shortness of breath, headache, dizziness, and nausea. Long term exposure to acid fumes may cause damage to teeth, bronchial irritation, chronic cough, bronchial pneumonia, and gastrointestinal disturbances.

Skin Contact: Nitric acid can cause severe skin burns. Severity of the damage depends on the concentration and duration of exposure. Effects of acid burns may be delayed.

Eye Contact: Nitric acid can cause severe eye irritation, corneal burns, permanent eye damage, or blindness. Severity of the damage depends on the concentration and duration of exposure.

Ingestion: Ingestion of this material is unlikely under normal conditions of use. If ingested, nitric acid can cause severe burns and damage to the gastrointestinal tract.

Numerical Measures of Toxicity:

Acute Toxicity: Not classified

Nitric acid, Rat, Inhalation LC50: 130 mg/m³ (4 h)

Skin Corrosion/Irritation: This SRM contains >1 % of nitric acid and it is classified as Category 1B.

Serious Eye damage/ Eye irritation: This SRM contains > 1 % nitric acid and it is classified as Category 1.

Respiratory Sensitization: Not classified; no data available.

Skin Sensitization: Not classified; no data available.

Germ Cell Mutagenicity: Not classified; no data available.

Carcinogenicity: Not classified

Listed as a Carcinogen/Potential Carcinogen _____

Nitric acid is not listed by NTP, IARC or OSHA as a carcinogen.

Reproductive Toxicity: Not classified; no data available.

Specific Target Organ Toxicity, Single Exposure: Not classified; no data available.

Specific Target Organ Toxicity, Repeated Exposure: Not classified; no data available.

Aspiration Hazard: Not applicable.

12. ECOLOGICAL INFORMATION

Ecotoxicity Data:

Nitric acid: Starfish (Asterias rubens) LC50 [renewal/aerated water]: 100 mg/L to 300 mg/L (48 h)

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse effects: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of waste in accordance with all applicable federal, state, and local regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262, Waste Numbers: D001, D002 (nitric acid).

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: UN1760, Corrosive liquid, n.o.s. (contains nitric acid), Hazard Class 8, Packing Group II, Excepted Quantities E2.

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Nitric acid, 1000 lbs (454 kg) final RQ

SARA Title III Section 302 (40 CFR 355.30): Nitric acid,

Yes

X No

1000 lbs (454 kg) final TPQ

SARA Title III Section 304 (40 CFR 355.40): Nitric acid, 1000 lbs (454 kg) EPCRA RQ

SRM 3328 Page 5 of 6

SARA Title III Section 313 (40 CFR 372.65): Nitric acid, 1 % de minimis concentration

OSHA Process Safety (29 CFR 1910.119): Regulated for nitric acid at higher concentrations

500 lbs TQ (≥94.5 % by weight)

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: Yes. CHRONIC HEALTH: Yes. FIRE: Yes. REACTIVE: No. PRESSURE: No.

State Regulations:

California Proposition 65: Not listed.

U.S. TSCA Inventory: Nitric acid is listed.

TSCA 12(b), Export Notification: Not listed.

Canadian Regulations:

WHMIS Information: Not provided for this material.

16. OTHER INFORMATION

Issue Date: 28 June 2023

Sources: ChemAdvisor, Inc., SDS *Nitric Acid*, 09 December 2015.

PubChem, National Library of Medicine, Nitric Acid; available at h

https://pubchem.ncbi.nlm.nih.gov/compound/944 (accessed Jun 2023).

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial	NTP	National Toxicology Program
CAS	Hygienists Chemical Abstracts Service	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
CFR	Code of Federal Regulations	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	REL	Recommended Exposure Limit
EINECS	European Inventory of Existing Commercial Chemical	RQ	Reportable Quantity
	Substances		
EPCRA	Emergency Planning and Community Right-to-Know Act	RTECS	Registry of Toxic Effects of Chemical Substances
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transportation Agency	SCBA	Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
LC50	Lethal Concentration	STEL	Short Term Exposure Limit
LD50	Median Lethal Dose or Lethal Dose, 50 %	STOT	Specific Target Organ Toxicity
LEL	Lower Explosive Limit	TLV	Threshold Limit Value
MSDS	Material Safety Data Sheet	TPQ	Threshold Planning Quantity
NIOSH	National Institute for Occupational Safety and Health	TSCA	Toxic Substances Control Act
NIST	National Institute of Standards and Technology	TWA	Time Weighted Average
n.o.s.	Not Otherwise Specified	UEL	Upper Explosive Limit
	-	WHMIS	Workplace Hazardous Materials Information System

Disclaimer: The NIST SDS information is specific to the NIST product and is believed to be correct, based upon our current knowledge. The SDS may not necessarily be all inclusive and should be used only as a guide. NIST does not guarantee the accuracy or completeness of this information. The only official source for specific values and uncertainties is the certificate or report.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; e-mail srmmsds@nist.gov; or via the Internet at https://www.nist.gov/srm.

SRM 3328 Page 6 of 6