



DATE: 27 June 2023

Product Identifier

SRM Number: 3949

SRM Name: Folate Vitamers in Frozen Human Serum

Under the U.S. Department of Labor, Occupational Safety and Health Administration (OSHA) 29 CFR 1910.1200, this Standard Reference Material (SRM) is NOT classified as a physical hazard or a health hazard, a simple asphyxiant, combustible dust, pyrophoric gas, or hazard not otherwise classified. There are no hazard pictograms, hazard statements or signal word associated with it. Safety Data Sheet information is not required. This document may be used in conjunction with your hazard communication program.

Exemption: 1910.1200(b)(6)(xii). This SRM is a biological material and should be considered a potential biological hazard.

Description: This SRM is intended for use as a quality assurance control for measurement of folates in human serum. A unit of SRM 3949 consists of three vials (Levels 1 through 3) of frozen serum with different concentration levels of folates. Each vial of SRM 3949 contains approximately 1 mL of serum.

Additional Notes for Biomaterials: SRM 3949 IS INTENDED FOR RESEARCH USE ONLY. THIS IS A HUMAN-SOURCE MATERIAL. HANDLE PRODUCT AS A BIOHAZARDOUS MATERIAL CAPABLE OF TRANSMITTING INFECTIOUS DISEASE. The supplier of the serum has reported that each donor unit of serum used in the preparation of this product has been tested by an FDA-approved method and found non-reactive/negative for hepatitis B surface antigen (HbsAg), human immunodeficiency virus (HIV) 1 and 2 antibodies, and hepatitis C virus (HCV). However, no known test method can offer complete assurance that hepatitis B virus, hepatitis C virus, HIV, or other infectious agents are absent from this material. Accordingly, this human blood-based product should be handled at the Biosafety Level 2 as recommended by the Centers for Disease Control (CDC) and Prevention's Biosafety in Microbiological and Biomedical Laboratories (latest edition) for human-derived blood products where the presence of an infectious agent may be. See Certificate of Analysis for storage and use instructions.

Disposal: SRM 3949 components and derived solutions should be disposed of in accordance with local, state, and federal regulations.

Transport Information: This material is not regulated by the U.S. Department of Transportation (DOT) and/or International Air Transport Association (IATA).

Disclaimer: The NIST information in this document is specific to the NIST product and is believed to be correct, based upon our current knowledge. This document may not necessarily be all inclusive and should be used only as a guide. NIST does not guarantee the accuracy or completeness of this information. The only official source for specific values and uncertainties is the certificate or report.

Users of this SRM should ensure that this document and the corresponding Certificate of Analysis in their possession are current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; e-mail srmmsds@nist.gov; or via the Internet at <https://www.nist.gov/srm>.