

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

SRM Number: 4320b

SRM Name: Curium-244 Radioactivity Standard **Other Means of Identification:** Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is intended primarily for the calibration of instruments that are used to measure radioactivity and for the monitoring of radiochemical procedures. A unit of SRM 4320b consists of 5 mL of a 1 M (6 %) nitric acid solution in which a certified quantity of radioactive curium 244 is dissolved. The solution is contained in a 5 mL flame sealed borosilicate glass ampoule.

Company Information

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200 FAX: 301-948-3730 E-mail: SRMMSDS@nist.gov Website: http://www.nist.gov/srm Emergency Telephone ChemTrec: 1-800-424-9300 (North America) +1-703-527-3887 (International)

2. HAZARDS IDENTIFICATION

Radiological Hazard

Warning: THIS MATERIAL SHOULD ONLY BE USED BY PERSONS QUALIFIED TO HANDLE RADIOACTIVE MATERIAL!

This product contains licensed radioactive material and is therefore subject to the requirements of 10 CFR Part 20 (e.g., public and occupational exposure limits, waste disposal). At a minimum, the basic radiation safety principles of time, distance, and shielding, and appropriate radiation contamination control should be practiced to avoid/minimize any external and/or internal exposure. Consult with your Radiation Safety office for your facility's radiation safety requirements/precautions specific to the radionuclide(s) (including its activity and chemical/physical form) in this Radioactive SRM.

SRM 4320b is a radioactive material, Curium-244, with a massic activity of 35.47 Bq•g⁻¹ in a nitric acid solution. Curium-244 decays by alpha-particle emission to plutonium-240, which also decays by alpha-particle emission. During the decay process X-rays and gamma rays, with energies from 40 keV to 1100 keV are emitted.

Classification.

Physical Hazard: There are no known physical hazards associated with this material.

Health Hazard: Skin Corrosion/Irritation Category 1B Serious Eye Damage/Irritation Category 1

Label Elements Symbol



Signal Word DANGER

SRM 4320b Page 1 of 7

Hazard Statement(s)

H314 Causes severe skin burns and eye damage.

Precautionary Statement(s)

P260 Do not breathe fumes, mists, vapors, or spray. P264 Wash hands thoroughly after handling. Wear protective gloves, protective clothing, and eye protection. P280 If swallowed: Rinse mouth. Do NOT induce vomiting. P301+P330+P331 P303+P361+P353 If on skin (or hair): Remove immediately all contaminated clothing. Rinse skin with P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor. P310 Wash contaminated clothing before reuse. P363

P405 Store locked up.

P501 Dispose of contents and container according to local regulations.

Hazards Not Otherwise Classified: None.

Ingredients(s) with Unknown Acute Toxicity: None.

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Radioactive Curium-244 in 1 M Nitric Acid.

Other Designations:

Nitric Acid: Aqua fortis; hydronitrate; azotic acid; engraver's acid.

Curium-244: Not applicable.

Components are listed in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the NIST Certificate.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Nitric Acid	7697-37-2	231-714-2	6.3
Curium-244	Not applicable	Not applicable	0.00000001
Non-Hazardous Component(s) Water	7732-18-5	231-791-2	>83

4. FIRST AID MEASURES

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Rinse affected area with copious amounts of water followed by washing with soap and water for at least 15 minutes while removing contaminated clothing. Seek medical attention, if needed.

Eye Contact: Immediately flush eyes, including under the eyelids with copious amounts of water for at least 30 minutes. Seek immediate medical attention.

Ingestion: Contact a poison control center immediately for instructions. Wash out mouth with water, but do not induce vomiting. Seek medical aid at once, and bring the container or label.

Most Important Symptoms/Effects, Acute and Delayed: Acid burns to skin and eyes.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek immediate medical attention.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Negligible fire hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

SRM 4320b Page 2 of 7

Extinguishing Media:

Suitable: Use extinguishing media appropriate to the surrounding fire.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: Oxides of nitrogen.

Special Protective Equipment and Precautions for Fire-Fighters: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

NFPA Ratings: (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 3 Fire = 0 Reactivity = 0

6. ACCIDENTAL RELEASE MEASURES

This material is radioactive. DO NOT touch spilled material. Immediately notify safety personnel of a spill.

Personal Precautions, Protective Equipment, Methods and Materials for Containment and Clean up:

Radiological Emergency Procedures:

The following is a guide for first responders. The following actions, including remediation, should be carried out by qualified individuals. In cases where a life-threatening injury occurs concurrent with personal contamination, treat the injury first.

Do not touch damaged packages or spilled material. Handle as a radioactive material spill. In addition to those actions described below, the guidelines in the Emergency Response Guidebook (ERG) provide more specific measures that should be followed.

Spill and Leak Control:

Alert and clear everyone from the area affected by the spill.

Take actions to limit the spread of contamination.

Summon aid.

Damage to the Radioactive Source:

Evacuate the immediate vicinity around the source.

Place a barrier at a safe distance from the source.

Identify area as a radiation hazard.

Suggested Emergency Protective Equipment:

Gloves

Footwear Covers

Outer layer or easily removed protective clothing (as situation requires)

7. HANDLING AND STORAGE

Safe Handling Precautions and Storage: This material is radioactive. Store and handle in accordance with all current regulations and standards. See NRC 10 CFR 20 or state regulations. See Section 8, "Exposure Controls and Personal Protection".

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits:

Curium-244:

ALI_{inh}: 0.01 μCi (370 Bq) (See NRC 10 CFR 20 Appendix B)

ALI_{ing}: $1.0 \,\mu\text{Ci} \,(37 \,\text{kBq})$

OSHA: See OSHA 29 CFR and NRC 10 CFR 20.

ACGIH: See International Commission on Radiological Protection guidelines.

Nitric Acid:

NIOSH (REL): $5 \text{ mg/m}^3 (2 \text{ ppm; TWA})$

 $10 \text{ mg/m}^3 (4 \text{ ppm; STEL})$

65 mg/m³ (25 ppm; IDLH)

ACGIH (TLV): $5 \text{ mg/m}^3 (2 \text{ ppm}; \text{TWA})$

10 mg/m³ (4 ppm; STEL)

OSHA (PEL): 5 mg/m³ (2 ppm; TWA)

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

SRM 4320b Page 3 of 7

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear splash resistant safety goggles with a face shield. An eye wash station should be readily available near areas of use.

Skin and Body Protection: Wear protective clothing to prevent contact with skin. Wear appropriate gloves.

Appearance (physical state, color, etc.): Appearance (physical state, color, etc.): Molecular Formula: Molar Mass (g/mol): Odor: Odor: irritating odor Odor threshold: pH: Evaporation rate: Melting point/freezing point (°C): Relative Density (g/L) as specific gravity (water = 1): Vapor Pressure (mmHg): Vapor Density (air = 1): Viscosity (cP): Solubility(ies): Partition coefficient (n-octanol/water): Thermal Stability Properties: Autoignition Temperature (°C): Thermal Decomposition (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Flash Point (°C): Flammability (solid, gas): Nitric Acid colorless to yellow liquid HNO ₃ 63.01 10 (1 M) not available 10. STABILITY AND REACTIVITY
Molecular Formula: Molar Mass (g/mol): Odor: Odor threshold: pH: Evaporation rate: Melting point/freezing point (°C): Relative Density (g/L) as specific gravity (water = 1): Vapor Pressure (mmHg): Vapor Density (air = 1): Viscosity (cP): Solubility(ies): Partition coefficient (n-octanol/water): Thermal Stability Properties: Autoignition Temperature (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Flash Point (°C): Flammability (solid, gas): HNO3 63.01 irritating odor not available 1 (1 M) 1 (5 M) 1 (5 M) 1 (5 M) 1 (1 M) 1 (5 M) 1 (5 M) 1 (5 M) 1 (5 M) 1 (7 M) 1
Molar Mass (g/mol): Odor: Odor threshold: pH: Evaporation rate: Melting point/freezing point (°C): Relative Density (g/L) as specific gravity (water = 1): Vapor Pressure (mmHg): Viscosity (cP): Solubility(ies): Partition coefficient (n-octanol/water): Thermal Stability Properties: Autoignition Temperature (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Flash Point (°C): Flammability (solid, gas): Molar Mass (g/mol) irritating odor irritating odor not available 1 (1 M)
Odor: Odor threshold: pH: Evaporation rate: Melting point/freezing point (°C): Relative Density (g/L) as specific gravity (water = 1): Vapor Pressure (mmHg): Vapor Density (air = 1): Viscosity (cP): Solubility(ies): Partition coefficient (n-octanol/water): Thermal Stability Properties: Autoignition Temperature (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Flash Point (°C): Flash Point (°C): Flammability (solid, gas): I (1 M) not available 1 (1 M) not available 47.9 at 20 °C 47.9 at 20 °C 3.2 viscosity (cP): not available miscible with water and ether not available not available not applicable
Odor: Odor threshold: pH: Evaporation rate: Melting point/freezing point (°C): Relative Density (g/L) as specific gravity (water = 1): Vapor Pressure (mmHg): Vapor Density (air = 1): Viscosity (cP): Solubility(ies): Partition coefficient (n-octanol/water): Thermal Stability Properties: Autoignition Temperature (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Flash Point (°C): Flash Point (°C): Flammability (solid, gas): I (1 M) not available 1 (1 M) not available 47.9 at 20 °C 47.9 at 20 °C 3.2 viscosity (cP): not available miscible with water and ether not available not available not applicable
Odor threshold: pH:
Evaporation rate: Melting point/freezing point (°C): Relative Density (g/L) as specific gravity (water = 1): Vapor Pressure (mmHg): Vapor Density (air = 1): Viscosity (cP): Solubility(ies): Partition coefficient (n-octanol/water): Thermal Stability Properties: Autoignition Temperature (°C): Inot applicable Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Flash Point (°C): Flammability (solid, gas): not available 1.5027 at 25 °C 47.9 at 20 °C 3.2 Not available miscible with water and ether not available not available not available not available not available miscible with water and ether not available not applicable not applicable not applicable not applicable not applicable not applicable
Evaporation rate: Melting point/freezing point (°C): Relative Density (g/L) as specific gravity (water = 1): Vapor Pressure (mmHg): Vapor Density (air = 1): Viscosity (cP): Solubility(ies): Partition coefficient (n-octanol/water): Thermal Stability Properties: Autoignition Temperature (°C): Inot applicable Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Flash Point (°C): Flammability (solid, gas): not available 1.5027 at 25 °C 47.9 at 20 °C 3.2 Not available miscible with water and ether not available not available not available not available not available miscible with water and ether not available not applicable not applicable not applicable not applicable not applicable not applicable
Melting point/freezing point (°C): Relative Density (g/L) as specific gravity (water = 1): 1.5027 at 25 °C Vapor Pressure (mmHg): 47.9 at 20 °C Vapor Density (air = 1): Viscosity (cP): not available Solubility(ies): miscible with water and ether Partition coefficient (n-octanol/water): Thermal Stability Properties: Autoignition Temperature (°C): Thermal Decomposition (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Flash Point (°C): Inot applicable not applicable
Relative Density (g/L) as specific gravity (water = 1): Vapor Pressure (mmHg): Vapor Density (air = 1): Viscosity (cP): Solubility(ies): Partition coefficient (n-octanol/water): Thermal Stability Properties: Autoignition Temperature (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Flash Point (°C): Flash Point (°C): Flammability (solid, gas): 1.5027 at 25 °C 47.9 at 20 °C 3.2 not available miscible with water and ether not available miscible with water and ether not available miscible with water and ether not available mot applicable not applicable not applicable not applicable not applicable not applicable not applicable
Vapor Pressure (mmHg): Vapor Density (air = 1): Viscosity (cP): Solubility(ies): Partition coefficient (n-octanol/water): Thermal Stability Properties: Autoignition Temperature (°C): Thermal Decomposition (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Flash Point (°C): Flash Point (°C): Flammability (solid, gas): 47.9 at 20 °C 3.2 not available not available not applicable not applicable not applicable not applicable not applicable
Vapor Density (air = 1): Viscosity (cP): Solubility(ies): Partition coefficient (n-octanol/water): Thermal Stability Properties: Autoignition Temperature (°C): Thermal Decomposition (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Flash Point (°C): Flash Point (°C): Flammability (solid, gas): 3.2 not available not applicable not applicable not applicable not applicable not applicable
Viscosity (cP): Solubility(ies): Partition coefficient (n-octanol/water): Thermal Stability Properties: Autoignition Temperature (°C): Thermal Decomposition (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Flash Point (°C): Inot applicable not applicable
Solubility(ies): Partition coefficient (n-octanol/water): Thermal Stability Properties: Autoignition Temperature (°C): Thermal Decomposition (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Flash Point (°C): Flash Point (°C): Flammability (solid, gas): miscible with water and ether not available not applicable not applicable not applicable not applicable not applicable
Partition coefficient (n-octanol/water): Thermal Stability Properties: Autoignition Temperature (°C): Thermal Decomposition (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Flash Point (°C): Flash Point (°C): Inot applicable
(n-octanol/water): Thermal Stability Properties: Autoignition Temperature (°C): Thermal Decomposition (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Flash Point (°C): Flash Point (°C): not applicable not applicable not applicable not applicable not applicable not applicable
Autoignition Temperature (°C): Thermal Decomposition (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Flash Point (°C): Flammability (solid, gas): not applicable not applicable not applicable
Autoignition Temperature (°C): Thermal Decomposition (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Flash Point (°C): Flammability (solid, gas): not applicable not applicable not applicable
Thermal Decomposition (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Flash Point (°C): Flammability (solid, gas): not applicable not applicable not applicable
Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Flash Point (°C): Flammability (solid, gas): 183 (181 °F) not applicable not applicable not applicable
Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Flash Point (°C): Flammability (solid, gas): not applicable not applicable not applicable
Explosive Limits, UEL (Volume %): Flash Point (°C): Flammability (solid, gas): not applicable not applicable
Flash Point (°C): Flammability (solid, gas): not applicable not applicable
Flammability (solid, gas): not applicable
10. STABILITY AND REACTIVITY
Reactivity: Stable at normal temperatures and pressure.
Stability: X Stable Unstable
Possible Hazardous Reactions: None listed.
Conditions to Avoid: Avoid contact with combustible materials and incompatible materials.
Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, n halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.
Fire/Explosion Information: See Section 5, "Fire Fighting Measures".
Hazardous Decomposition: Oxides of nitrogen.
Hazardous Polymerization: Will Occur X Will Not Occur
11. TOXICOLOGICAL INFORMATION
Route of Exposure: X Inhalation X Skin X Ingestion
Symptoms Related to the Physical, Chemical and Toxicological Characteristics: Burning pain and s

SRM 4320b Page 4 of 7

corrosive skin damage. Permanent eye damage including blindness could result.

Potential Health Effects (Acute, Chronic and Delayed):

Inhalation: Nitric acid, if inhaled, can damage the mucous membranes and respiratory tract. Short term exposure may cause irritation and inflammation of the upper respiratory tract, coughing, choking, sore throat, shortness of breath, headache, dizziness, and nausea. Long term exposure to acid fumes may cause damage to teeth, bronchial irritation, chronic cough, bronchial pneumonia, and gastrointestinal disturbances.

Skin Contact: Nitric acid can cause severe skin burns. Severity of the damage depends on the concentration and duration of exposure. Effects of acid burns may be delayed.

Eye Contact: Nitric acid can cause severe eye irritation, corneal burns, permanent eye damage, or blindness. Severity of the damage depends on the concentration and duration of exposure.

Ingestion: Ingestion of this material is unlikely under normal conditions of use. If ingested, nitric acid can cause severe burns and damage to the gastrointestinal tract.

Numerical Measures of Toxicity:

Acute Toxicity: Not classified

Nitric acid, Rat, Inhalation LC50: 130 mg/m³ (4 h)

Skin Corrosion/Irritation: This SRM contains 6 % nitric acid and it is classified as Category 1B.

Serious Eye Damage/Eye Irritation: This SRM contains 6 % nitric acid and it is classified as Category 1.

X No

Respiratory Sensitization: No data available.

Skin Sensitization: No data available.

Germ Cell Mutagenicity: No data available.

Carcinogenicity: No data available.

Listed as a Carcinogen/Potential Carcinogen Yes

Nitric acid is not listed by NTP, IARC or OSHA as a carcinogen.

Radiological Hazard: Curium-244 Ionizing radiation is a known carcinogen.

Reproductive Toxicity: No data available.

Specific Target Organ Toxicity, Single Exposure: No data available.

Specific Target Organ Toxicity, Repeated Exposure: No data available.

Aspiration Hazard: No data available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Data:

Component: Nitric Acid

Fish: Starfish (Asterias rubens), LC50: 100-300 mg/L (48 h, renewal, aerated water)

Component: Curium-244 No ecotoxicity data listed.

Persistence and Degradability: No data available. **Bioaccumulative Potential:** No data available.

Mobility in Soil: No data available.

Other Adverse Effects: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: This material is radioactive. Dispose in accordance with all applicable federal, state, and local regulations for **RADIOACTIVE** materials. See NRC 10 CFR 20 subpart K.

14. Transportation Information

U.S. DOT and IATA:

Primary Risk: Nitric Acid 6%, UN2031, Hazard Class 8, Packing Group II, Excepted Quantity E2. **Subsidiary Risk**: Not radioactive for shipping purposes.

SRM 4320b Page 5 of 7

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Nitric Acid, 1000 lbs; 454 kg RQ.

SARA Title III Section 302 (40 CFR 355.30): Nitric Acid, 1000 lbs TPQ.

SARA Title III Section 304 (40 CFR 355.40): Nitric Acid, 1000 lbs EPCRA RQ.

SARA Title III Section 313 (40 CFR 372.65): Nitric Acid, 1.0 % de minimis concentrations.

OSHA Process Safety (29 CFR 1910.119): Nitric Acid at higher concentrations 500 lbs. TQ (≥94.5 %) is regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: Yes.
CHRONIC HEALTH: No.
FIRE: No.
REACTIVE: No.
PRESSURE: No.

State Regulations:

California Proposition 65: No components are regulated.

U.S. TSCA Inventory: Nitric acid listed.

TSCA 12(b), Export Notification: No components are listed.

Canadian Regulations:

WHMIS Information: Not provided for this material.

16. OTHER INFORMATION

Issue Date: 06 May 2015

Sources: ChemAdvisor, Inc., SDS Nitric Acid, 20 March 2015.

CDC; NIOSH; NIOSH Pocket Guide to Chemical Hazards; Department of Health and Human Services (DHHS), Centers for Disease Control and Prevention (CDC), National Institute for Safety and Health; Nitric Acid, 18 November 2010; available at http://www.cdc.gov/niosh/npg/npgd0447.html (accessed May 2015).

United States National Library of Medicine, Hazardous Substance Database (HSDB), *Nitric Acid*; available at http://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm (accessed May 2015).

OSHA 29 CFR, Subpart Z, Ionizing radiation, 1910.1096.

NRC 10 CFR 20, Standards for Protection Against Radiation.

DOT 49 CFR 173, Shippers General Requirements for Shipments and Packages.

SRM 4320b Page 6 of 7

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial	NIOSH	National Institute for Occupational Safety and	
	Hygienists		Health	
ALI	Annual Limit on Intake	NIST	National Institute of Standards and Technology	
CAS	Chemical Abstracts Service		Nuclear Regulatory Commission	
CEN	European Committee for Standardization	NTP	National Toxicology Program	
CERCLA	Comprehensive Environmental Response,	OSHA	Occupational Safety and Health Administration	
	Compensation, and Liability Act		•	
CFR	Code of Federal Regulations	PEL	Permissible Exposure Limit	
CPSU	Coal Mine Dust Personal Sample Unit	RCRA	Resource Conservation and Recovery Act	
DOT	Department of Transportation	REL	Recommended Exposure Limit	
EC50	Effective Concentration, 50 %	RM	Reference Material	
EINECS	European Inventory of Existing Commercial	RQ	Reportable Quantity	
	Chemical Substances			
EPCRA	Emergency Planning and Community Right-to-Know	RTECS	Registry of Toxic Effects of Chemical Substances	
	Act			
IARC	International Agency for Research on Cancer		Superfund Amendments and Reauthorization Act	
IATA	International Air Transportation Agency	SCBA	Self-Contained Breathing Apparatus	
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material	
ISO	International Organization for Standardization	STEL	Short Term Exposure Limit	
LC50	Lethal Concentration, 50 %	TDLo	Toxic Dose Low	
LD50	Lethal Dose, 50 %	TLV	Threshold Limit Value	
LEL	Lower Explosive Limit	TPQ	Threshold Planning Quantity	
MSDS	Material Safety Data Sheet	TSCA	Toxic Substances Control Act	
NFPA	National Fire Protection Association	TWA	Time Weighted Average	
MSHA	IA Mine Safety and Health Administration		Upper Explosive Limit	
	•	WHMIS	Workplace Hazardous Materials Information System	
			•	

Disclaimer: Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of this material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The certified values for this material are given in the NIST Certificate.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srmmsds@nist.gov; or via the Internet at http://www.nist.gov/srm.

SRM 4320b Page 7 of 7