

# SAFETY DATA SHEET

# 1. SUBSTANCE AND SOURCE IDENTIFICATION

**Product Identifier** 

SRM Number: 4322d

**SRM Name:** Americium-241 Radioactivity Standard **Other Means of Identification:** Not applicable.

#### Recommended Use of This Material and Restrictions of Use

A unit of Standard Reference Material (SRM) 4322d consists of 5 mL of a 1 M (6%) nitric acid solution in which a certified quantity of radioactive Americium-241 is dissolved. It is intended primarily for the calibration of instruments that are used to measure radioactivity and for the monitoring of radiochemical procedures. The solution is contained in a flame sealed, 5 mL, borosilicate glass ampoule.

# **Company Information**

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200 Emergency Telephone ChemTrec: FAX: 301-948-3730 1-800-424-9300 (North America) E-mail: SRMMSDS@nist.gov +1-703-527-3887 (International) Website: https://www.nist.gov/srm

# 2. HAZARDS IDENTIFICATION

## Radiological Hazard

# Warning: THIS MATERIAL SHOULD ONLY BE USED BY PERSONS QUALIFIED TO HANDLE RADIOACTIVE MATERIAL!

This product contains licensed radioactive material and is therefore subject to the requirements of 10 CFR Part 20 (e.g., public and occupational exposure limits, waste disposal). At a minimum, the basic radiation safety principles of time, distance, and shielding, and appropriate radiation contamination control should be practiced to avoid/minimize any external and/or internal exposure. Consult with your Radiation Safety office for your facility's radiation safety requirements/precautions specific to the radionuclide(s) (including its activity and chemical/physical form) in this Radioactive SRM.

SRM 4322d is a radioactive material, americium-241, with a massic activity of approximately 133.7 Bq g<sup>-1</sup> in nitric acid solution. Americium-241 decays by alpha-particle emission to neptunium-237, which decays by alpha particle emission to protactinium-233, which decays by beta-particle emission. During the decay process X-rays and gamma rays with energies from 11 keV to 1014 keV are also emitted.

# Classification

**Physical Hazard:** There are no known physical hazards associated with this material.

Health Hazard: Skin Corrosion/Irritation Category 1
Serious Eye Damage/Irritation Category 1

Label Elements Symbol



Signal Word DANGER

Hazard Statement(s)

H314 Causes severe skin burns and eye damage

SRM 4322d Page 1 of 7

# **Precautionary Statement(s)**

| P260           | Do not breathe fumes, mists, vapors, or spray.   |
|----------------|--|
| P264           | Wash hands thoroughly after handling.  |
| P280           | Wear protective gloves, protective clothing, and eye protection.   |
| P301+P330+P331 | If swallowed: Rinse mouth. Do NOT induce vomiting.   |
| P303+P361+P353 | If on skin (or hair): Remove immediately all contaminated clothing. Rinse skin with water.                                       |
| P304+P340      | If inhaled: Remove person to fresh air and keep comfortable for breathing.   |
| P305+P351+P338 | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310           | Immediately call a doctor.   |
| P363           | Wash contaminated clothing before reuse.   |
| P405           | Store locked up.   |

P501

Dispose of contents and container according to local regulations.

Hazards Not Otherwise Classified: None.

Ingredients(s) with Unknown Acute Toxicity: None.

# 3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Radioactive Americium-241 in 1 M Nitric Acid.

# Other Designations:

Nitric Acid: Aqua fortis; hydronitrate; azotic acid; engraver's acid.

Americium-241: Not applicable.

Components are listed in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the NIST Certificate.

| Hazardous Component(s)     | CAS Number     | EC Number<br>(EINECS) | Nominal Mass Concentration (%) |
|----------------------------|----------------|-----------------------|--------------------------------|
| Nitric Acid                | 7697-37-2      | 231-714-2             | 6                              |
| Americium-241              | Not applicable | Not applicable        | 0.000001                       |
| Non-Hazardous Component(s) |                |                       |                                |
| Water                      | 7732-18-5      | 231-791-2             | >93                            |
|                            |                |                       |                                |

#### 4. FIRST AID MEASURES

## **Description of First Aid Measures:**

**Inhalation:** If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Rinse affected area with copious amounts of water followed by washing with soap and water for at least 15 minutes while removing contaminated clothing. Seek medical attention, if needed.

Eye Contact: Immediately flush eyes, including under the eyelids with copious amounts of water for at least 30 minutes. Seek immediate medical attention.

Ingestion: Contact a poison control center immediately for instructions. Wash out mouth with water, but do not induce vomiting. Seek medical aid at once, and bring the container or label.

Most Important Symptoms/Effects, Acute and Delayed: Acid burns to skin and eyes.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek immediate medical attention.

#### 5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Negligible fire hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

SRM 4322d Page 2 of 7

# **Extinguishing Media:**

Suitable: Use extinguishing media appropriate to the surrounding fire.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: Oxides of nitrogen.

**Special Protective Equipment and Precautions for Fire-Fighters:** Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

**NFPA Ratings:** (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 3 Fire = 0 Reactivity = 0

#### 6. ACCIDENTAL RELEASE MEASURES

This material is radioactive. DO NOT touch spilled material. Immediately notify safety personnel of a spill.

Personal Precautions, Protective Equipment, Methods and Materials for Containment and Clean up:

# **Radiological Emergency Procedures:**

The following is a guide for first responders. The following actions, including remediation, should be carried out by qualified individuals. In cases where a life-threatening injury occurs concurrent with personal contamination, treat the injury first.

Do not touch damaged packages or spilled material. Handle as a radioactive material spill. In addition to those actions described below, the guidelines in the 2012 Emergency Response Guidebook (ERG) provide more specific measures that should be followed.

#### Spill and Leak Control:

Alert and clear everyone from the area affected by the spill.

Take actions to limit the spread of contamination.

Summon aid.

# Damage to the Radioactive Source:

Evacuate the immediate vicinity around the source.

Place a barrier at a safe distance from the source.

Identify area as a radiation hazard.

#### **Suggested Emergency Protective Equipment:**

Gloves

Footwear Covers

Outer layer or easily removed protective clothing (as situation requires)

# 7. HANDLING AND STORAGE

**Safe Handling Precautions and Storage: This material is radioactive.** Store and handle in accordance with all current regulations and standards. See NRC 10 CFR 20 or state regulations. See Section 8, "Exposure Controls and Personal Protection".

#### 8. Exposure Controls and Personal Protection

#### **Exposure Limits:**

# Americium-241:

ALI<sub>inh</sub>: 0.006 μCi or 0.222 kBq (bone surface) (See NRC 10 CFR 20 Appendix B)

ALI<sub>ing</sub>: 0.8 μCi or 29.6 kBq (bone surface)

OSHA: See OSHA 29 CFR and NRC 10 CFR 20.

ACGIH: See International Commission on Radiological Protection guidelines

## Nitric Acid:

NIOSH (REL):  $5 \text{ mg/m}^3 (2 \text{ ppm; TWA})$ 

10 mg/m<sup>3</sup> (4 ppm; STEL)

65 mg/m<sup>3</sup> (25 ppm; IDLH)

ACGIH (TLV):  $5 \text{ mg/m}^3 (2 \text{ ppm; TWA})$ 

10 mg/m<sup>3</sup> (4 ppm; STEL)

OSHA (PEL):  $5 \text{ mg/m}^3 (2 \text{ ppm; TWA})$ 

**Engineering Controls:** Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

SRM 4322d Page 3 of 7

**Personal Protection:** In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

**Respiratory Protection:** If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

**Eye/Face Protection:** Wear splash resistant safety goggles with a face shield. An eye wash station should be readily available near areas of use.

Skin and Body Protection: Wear protective clothing to prevent contact with skin. Wear appropriate gloves.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

| Descriptive Properties:  Appearance (physical state, color, etc.):  Molecular Formula:  Molecular Formula:  Molecular Formula:  Molar Mass (g/mol):  Odor:  Odor Mreshold:  PH:  | 9. PHYSICAL AND CHEMICAL PROPERTIES                           |                                   |
|--|---|-----------------------------------|
| Molecular Formula:  Molar Mass (g/mol):  Odor:  Odor threshold:  PH:  Evaporation rate (Butyl acetate = 1):  Evaporation rate (Butyl acetate = 1):  Vapor Density (air = 1):  Vapor Pressure (mmHg):  Vapor Density (air = 1):  Vapor Density (air = 1):  Vapor Limits, Usic (sic):  Solubility(ies):  Particle Size  Thermal Stability Properties:  Autoignition Temperature (°C):  Initial boiling point and boiling range (°C):  Initial boiling point and boiling range (°C):  Initial boiling point ("C):  Inot applicable  Ino | Descriptive Properties:                                       |                                   |
| Molecular Formula:  Molar Mass (g/mol):  Odor:  Odor threshold:  PH:  Evaporation rate (Butyl acetate = 1):  Evaporation rate (Butyl acetate = 1):  Vapor Density (air = 1):  Vapor Pressure (mmHg):  Vapor Density (air = 1):  Vapor Density (air = 1):  Vapor Limits, Usic (sic):  Solubility(ies):  Particle Size  Thermal Stability Properties:  Autoignition Temperature (°C):  Initial boiling point and boiling range (°C):  Initial boiling point and boiling range (°C):  Initial boiling point ("C):  Inot applicable  Ino | Appearance (physical state, color, etc.):                     | light yellow liquid               |
| Odor: Odor threshold: PH: Cyaporation rate (Butyl acetate = 1): Evaporation rate (Butyl acetate = 1): Melting point/freezing point (°C): Relative Density (g/L) as specific gravity (water = 1): Vapor Density (air = 1): Vap |   |                                   |
| Odor threshold: pH:  | Molar Mass (g/mol):   | not applicable                    |
| Odor threshold: pH:  | ·- ·  | slightly pungent                  |
| pH:     Evaporation rate (Butyl acetate = 1):     Melting point/freezing point (°C):     Relative Density (g/L) as specific gravity (water = 1):     Vapor Pressure (mmHg):     Vapor Pressure (mmHg):     Vapor Density (air = 1):     Solubility(ies):     Solubility(ies):     Partition coefficient     (n-octanol/water):     Partition coefficient     (n-octanol/water):     Partition Temperature (°C):     Thermal Stability Properties:     Autoignition Temperature (°C):     Initial boiling point and boiling range (°C):     Initial boiling point and boiling range (°C):     Initial boiling point and boiling range (°C):     Initial boiling to Limits, UEL (Volume %):     Explosive Limits, UEL (Volume %):     Plash Point (°C):     In applicable  10. STABILITY AND REACTIVITY  Reactivity: This material is stable at normal temperatures and pressure.  Stability:     X  | Odor threshold:   |                                   |
| Melting point/freezing point (°C):  Relative Density (g/L) as specific gravity (water = 1):  1.032 at 20 °C  Vapor Pressure (mmHg):  2.18 (HNO <sub>3</sub> vapor)  Kinematic Viscosity (mm²/s = centiStokes):  Solubility(ies):  Partition coefficient  (n-octanol/water):  Particle Size  Thermal Stability Properties:  Autoignition Temperature (°C):  Thermal Decomposition (°C):  Initial boiling point and boiling range (°C):  Initial point and boiling range (°C):  Explosive Limits, LEL (Volume %):  Explosive Limits, LEL (Volume %):  Flash Point (°C):  Inamability (solid, gas):  10. STABILITY AND REACTIVITY  Reactivity: This material is stable at normal temperatures and pressure.  Stability:  X Stable  Unstable  Possible Hazardous Reactions: None listed.  Conditions to Avoid: Avoid contact with combustible materials and incompatible materials.  Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, metals halogens, metal saths, metal oxides, reducing agents, peroxides, metal carbide, cyanides.  Fire/Explosion Information: See Section 5, "Fire Fighting Measures".  Hazardous Polymerization:  Will Occur  X Will Not Occur   | pH:   |                                   |
| Relative Density (g/L) as specific gravity (water = 1):  Vapor Pressure (mmHg):  Vapor Density (air = 1):  Vapor Density ( | Evaporation rate (Butyl acetate = 1):                         | < 1                               |
| Vapor Pressure (mmHg):  Vapor Density (air = 1):  Vapor Density (air = 1):  Xinematic Viscosity (mm²/s = centiStokes):  Solubility(ies):  Partition coefficient (n-octanol/water):  Particle Size  Thermal Stability Properties:  Autoignition Temperature (°C):  Thermal Decomposition (°C):  Initial boiling point and boiling range (°C):  Explosive Limits, LEL (Volume %):  Flash Point (°C):  Flammability (solid, gas):  10. STABILITY AND REACTIVITY  Reactivity: This material is stable at normal temperatures and pressure.  Stability:  X Stable  Unstable  Possible Hazardous Reactions: None listed.  Conditions to Avoid: Avoid contact with combustible materials and incompatible materials. Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, metals halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.  Fire/Explosion Information: See Section 5, "Fire Fighting Measures".  Hazardous Polymerization:  Will Occur  X Will Not Occur  |   | -4                                |
| Vapor Density (air = 1):  Kinematic Viscosity (mm²/s = centiStokes):  Solubility(ies):  Partition coefficient (n-octanol/water):  Particle Size  Thermal Stability Properties:  Autoignition Temperature (°C): Initial boiling point and boiling range (°C): Initial boiling point and boiling range (°C): Initial boiling point and boiling range (°C): Initial boiling point is, LEL (Volume %): Explosive Limits, LEL (Volume %): Flash Point (°C): Flammability (solid, gas):  10. STABILITY AND REACTIVITY  Reactivity: This material is stable at normal temperatures and pressure.  Stability: X Stable Unstable  Possible Hazardous Reactions: None listed.  Conditions to Avoid: Avoid contact with combustible materials and incompatible materials.  Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.  Fire/Explosion Information: See Section 5, "Fire Fighting Measures".  Hazardous Polymerization: Will Occur X Will Not Occur  | Relative Density $(g/L)$ as specific gravity (water = 1):     | 1.032 at 20 °C                    |
| Kinematic Viscosity (mm²/s = centiStokes): 0.99 at 20 °C Solubility(ies): miscible with water and ethanol Partition coefficient (n-octanol/water): Particle Size not applicable  Thermal Stability Properties: Autoignition Temperature (°C): not applicable Thermal Decomposition (°C): not applicable Initial boiling point and boiling range (°C): 101 Explosive Limits, LEL (Volume %): not applicable Explosive Limits, UEL (Volume %): not applicable Flash Point (°C): not applicable Flash Point (°C): not applicable Inot applicable Flash Point (°C): not applicable Flash Point (°C): not applicable Flash Point (°C): not applicable Possible Hazardous Reactivity  Reactivity: This material is stable at normal temperatures and pressure.  Stability: X Stable Unstable  Possible Hazardous Reactions: None listed.  Conditions to Avoid: Avoid contact with combustible materials and incompatible materials.  Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.  Fire/Explosion Information: See Section 5, "Fire Fighting Measures".  Hazardous Polymerization: Will Occur X Will Not Occur  11. TOXICOLOGICAL INFORMATION   | Vapor Pressure (mmHg):  | 2 kPa (17 mmHg) at 20 °C (total)  |
| Solubility(ies): miscible with water and ethanol not available (n-octanol/water): particle Size not applicable  Thermal Stability Properties:  Autoignition Temperature (°C): not applicable Thermal Decomposition (°C): not applicable Initial boiling point and boiling range (°C): 101 Explosive Limits, LEL (Volume %): not applicable Explosive Limits, UEL (Volume %): not applicable Flash Point (°C): not applicable Flammability (solid, gas): not applicable IO. STABILITY AND REACTIVITY  Reactivity: This material is stable at normal temperatures and pressure.  Stability: X Stable Unstable  Possible Hazardous Reactions: None listed.  Conditions to Avoid: Avoid contact with combustible materials and incompatible materials. Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.  Fire/Explosion Information: See Section 5, "Fire Fighting Measures".  Hazardous Polymerization: Will Occur X Will Not Occur  11. TOXICOLOGICAL INFORMATION   | Vapor Density (air = 1):                                      | 2.18 (HNO <sub>3</sub> vapor)     |
| Partition coefficient (n-octanol/water): Particle Size   | Kinematic Viscosity (mm <sup>2</sup> /s = centiStokes):       | 0.99 at 20 °C                     |
| (n-octanol/water): Particle Size not applicable  Thermal Stability Properties: Autoignition Temperature (°C): not applicable Thermal Decomposition (°C): not applicable Initial boiling point and boiling range (°C): 101 Explosive Limits, LEL (Volume %): not applicable Explosive Limits, UEL (Volume %): not applicable Flash Point (°C): not applicable Flammability (solid, gas): not applicable Flammability (solid, gas): not applicable To. STABILITY AND REACTIVITY  Reactivity: This material is stable at normal temperatures and pressure.  Stability:X Stable Unstable  Possible Hazardous Reactions: None listed.  Conditions to Avoid: Avoid contact with combustible materials and incompatible materials.  Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.  Fire/Explosion Information: See Section 5, "Fire Fighting Measures".  Hazardous Polymerization: Will OccurX Will Not Occur  11. TOXICOLOGICAL INFORMATION  | Solubility(ies):  | miscible with water and ethanol   |
| Particle Size not applicable  Thermal Stability Properties:  Autoignition Temperature (°C): not applicable Thermal Decomposition (°C): not applicable Initial boiling point and boiling range (°C): 101 Explosive Limits, LEL (Volume %): not applicable Explosive Limits, UEL (Volume %): not applicable Flash Point (°C): not applicable Flash Point (°C): not applicable Flammability (solid, gas): not applicable  The properties of t | Partition coefficient   | not available                     |
| Thermal Stability Properties:  Autoignition Temperature (°C): not applicable Thermal Decomposition (°C): not applicable Initial boiling point and boiling range (°C): 101 Explosive Limits, LEL (Volume %): not applicable Explosive Limits, UEL (Volume %): not applicable Flash Point (°C): not applicable Flammability (solid, gas): not applicable Flammability (solid, gas): not applicable  10. STABILITY AND REACTIVITY  Reactivity: This material is stable at normal temperatures and pressure.  Stability: X Stable Unstable  Possible Hazardous Reactions: None listed.  Conditions to Avoid: Avoid contact with combustible materials and incompatible materials.  Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.  Fire/Explosion Information: See Section 5, "Fire Fighting Measures".  Hazardous Polymerization: Will Occur X Will Not Occur  11. TOXICOLOGICAL INFORMATION   | (n-octanol/water):  |                                   |
| Autoignition Temperature (°C): not applicable Thermal Decomposition (°C): not applicable Initial boiling point and boiling range (°C): 101 Explosive Limits, LEL (Volume %): not applicable Explosive Limits, UEL (Volume %): not applicable Flash Point (°C): not applicable Flash Point (°C): not applicable Flammability (solid, gas): not applicable  10. STABILITY AND REACTIVITY  Reactivity: This material is stable at normal temperatures and pressure.  Stability: X Stable Unstable  Possible Hazardous Reactions: None listed.  Conditions to Avoid: Avoid contact with combustible materials and incompatible materials.  Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.  Fire/Explosion Information: See Section 5, "Fire Fighting Measures".  Hazardous Decomposition: Oxides of nitrogen.  Hazardous Polymerization: Will Occur X Will Not Occur   | Particle Size   | not applicable                    |
| Thermal Decomposition (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Explosive Limits, UEL (Volume %): Inot applicable not applicable Inot applicable Not appl | Thermal Stability Properties:                                 |                                   |
| Thermal Decomposition (°C): Initial boiling point and boiling range (°C): Explosive Limits, LEL (Volume %): Explosive Limits, UEL (Volume %): Explosive Limits, UEL (Volume %): Inot applicable Explosive Limits, UEL (Volume %): Inot applicable Inot applica | Autoignition Temperature (°C):                                | not applicable                    |
| Initial boiling point and boiling range (°C):  Explosive Limits, LEL (Volume %):  Explosive Limits, UEL (Volume %):  Flash Point (°C):  Flash Point (°C):  Flammability (solid, gas):  10. STABILITY AND REACTIVITY  Reactivity: This material is stable at normal temperatures and pressure.  Stability:  X Stable  Unstable  Possible Hazardous Reactions: None listed.  Conditions to Avoid: Avoid contact with combustible materials and incompatible materials.  Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.  Fire/Explosion Information: See Section 5, "Fire Fighting Measures".  Hazardous Polymerization:  Will Occur  X Will Not Occur  11. TOXICOLOGICAL INFORMATION  | Thermal Decomposition (°C):                                   |                                   |
| Explosive Limits, LEL (Volume %):  Explosive Limits, UEL (Volume %):  Flash Point (°C):  Flash Point (°C):  Flammability (solid, gas):  10. STABILITY AND REACTIVITY  Reactivity: This material is stable at normal temperatures and pressure.  Stability:  X  Stable  Unstable  Possible Hazardous Reactions: None listed.  Conditions to Avoid: Avoid contact with combustible materials and incompatible materials.  Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.  Fire/Explosion Information: See Section 5, "Fire Fighting Measures".  Hazardous Polymerization:  Will Occur  X  Will Not Occur  |   | **                                |
| Explosive Limits, UEL (Volume %):     Flash Point (°C):     Flammability (solid, gas):  10. STABILITY AND REACTIVITY  Reactivity: This material is stable at normal temperatures and pressure.  Stability:     X     Stable  |   | not applicable                    |
| Flash Point (°C):  |   | not applicable                    |
| This material is stable at normal temperatures and pressure.  Stability:X Stable Unstable  Possible Hazardous Reactions: None listed.  Conditions to Avoid: Avoid contact with combustible materials and incompatible materials.  Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.  Fire/Explosion Information: See Section 5, "Fire Fighting Measures".  Hazardous Decomposition: Oxides of nitrogen.  Hazardous Polymerization: Will OccurX_ Will Not Occur  11. TOXICOLOGICAL INFORMATION  |   |                                   |
| Reactivity: This material is stable at normal temperatures and pressure.  Stability:X _ Stable Unstable  Possible Hazardous Reactions: None listed.  Conditions to Avoid: Avoid contact with combustible materials and incompatible materials.  Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.  Fire/Explosion Information: See Section 5, "Fire Fighting Measures".  Hazardous Decomposition: Oxides of nitrogen.  Hazardous Polymerization: Will OccurX _ Will Not Occur  11. TOXICOLOGICAL INFORMATION   | Flammability (solid, gas):                                    |                                   |
| Possible Hazardous Reactions: None listed.  Conditions to Avoid: Avoid contact with combustible materials and incompatible materials.  Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.  Fire/Explosion Information: See Section 5, "Fire Fighting Measures".  Hazardous Decomposition: Oxides of nitrogen.  Hazardous Polymerization: Will Occur X Will Not Occur  | 10. STABILITY AND REACTIVITY                                  |                                   |
| Possible Hazardous Reactions: None listed.  Conditions to Avoid: Avoid contact with combustible materials and incompatible materials.  Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, metals halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.  Fire/Explosion Information: See Section 5, "Fire Fighting Measures".  Hazardous Decomposition: Oxides of nitrogen.  Hazardous Polymerization: Will Occur X Will Not Occur  11. TOXICOLOGICAL INFORMATION  | Reactivity: This material is stable at normal temperatures ar | nd pressure.                      |
| Conditions to Avoid: Avoid contact with combustible materials and incompatible materials.  Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, metals halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.  Fire/Explosion Information: See Section 5, "Fire Fighting Measures".  Hazardous Decomposition: Oxides of nitrogen.  Hazardous Polymerization: Will Occur X Will Not Occur  11. TOXICOLOGICAL INFORMATION  | Stability: X Stable Unstable                                  | ,                                 |
| Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, metals halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.  Fire/Explosion Information: See Section 5, "Fire Fighting Measures".  Hazardous Decomposition: Oxides of nitrogen.  Hazardous Polymerization: Will Occur X Will Not Occur  11. TOXICOLOGICAL INFORMATION   | Possible Hazardous Reactions: None listed.                    |                                   |
| halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.  Fire/Explosion Information: See Section 5, "Fire Fighting Measures".  Hazardous Decomposition: Oxides of nitrogen.  Hazardous Polymerization: Will Occur X Will Not Occur  11. TOXICOLOGICAL INFORMATION  | Conditions to Avoid: Avoid contact with combustible mate      | rials and incompatible materials. |
| Hazardous Decomposition: Oxides of nitrogen.  Hazardous Polymerization: Will Occur X Will Not Occur  11. TOXICOLOGICAL INFORMATION   | •   |                                   |
| Hazardous Polymerization: Will Occur X Will Not Occur  11. TOXICOLOGICAL INFORMATION   | Fire/Explosion Information: See Section 5, "Fire Fighting     | Measures".                        |
| 11. TOXICOLOGICAL INFORMATION  | Hazardous Decomposition: Oxides of nitrogen.                  |                                   |
|  | Hazardous Polymerization: Will Occur                          | Will Not Occur                    |
| Route of Exposure: X Inhalation X Skin X Ingestion   | 11. TOXICOLOGICAL INFORMATION                                 |                                   |
| The state of Empowers 11 interested 11 okur 11 ingostion   | Route of Exposure: X Inhalation X Ski                         | in X Ingestion                    |
| Symptoms Related to the Physical, Chemical and Toxicological Characteristics: Burning pain and seven   | · <u>——</u>   | <u> </u>                          |

SRM 4322d Page 4 of 7

corrosive skin damage. Permanent eye damage including blindness could result.

#### Potential Health Effects (Acute, Chronic and Delayed):

Inhalation: Nitric acid, if inhaled, can damage the mucous membranes and respiratory tract. Short term exposure may cause irritation and inflammation of the upper respiratory tract, coughing, choking, sore throat, shortness of breath, headache, dizziness, and nausea. Long term exposure to acid fumes may cause damage to teeth, bronchial irritation, chronic cough, bronchial pneumonia, and gastrointestinal disturbances.

Skin Contact: Nitric acid can cause severe skin burns. Severity of the damage depends on the concentration and duration of exposure. Effects of acid burns may be delayed.

Eye Contact: Nitric acid can cause severe eye irritation, corneal burns, permanent eye damage, or blindness. Severity of the damage depends on the concentration and duration of exposure.

Ingestion: Ingestion of this material is unlikely under normal conditions of use. If ingested, nitric acid can cause severe burns and damage to the gastrointestinal tract.

# **Numerical Measures of Toxicity:**

Acute Toxicity:

Nitric acid, Rat, Inhalation LC50: 130 mg/m<sup>3</sup> (4 hours)

Skin Corrosion/Irritation: This SRM contains 6 % nitric acid and it is classified as Category 1.

Serious Eye Damage/Eye Irritation: This SRM contains 6 % nitric acid and it is classified as Category 1.

**Respiratory Sensitization:** No data available.

Skin Sensitization: No data available.

Germ Cell Mutagenicity: No data available.

Carcinogenicity: No data available.

Listed as a Carcinogen/Potential Carcinogen

Yes X No Nitric acid is not listed by NTP, IARC or OSHA as a carcinogen.

Radiological Hazard: Americium-241

While radionuclides have been identified as carcinogens, occupational exposure limits as prescribed by the NRC can only be exceeded with this SRM under prolonged direct exposure.

**Reproductive Toxicity:** No data available.

Specific Target Organ Toxicity, Single Exposure: No data available.

Specific Target Organ Toxicity, Repeated Exposure: No data available.

**Aspiration Hazard:** No data available.

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity Data:**

Component: Nitric Acid

Fish: Starfish (Asterias rubens), LC50: 100-300 mg/L (48 hrs, renewal, /aerated water)

Component: Americium-241 No ecotoxicity data listed.

**Persistence and Degradability:** No data available.

Bioaccumulative Potential: No data available.

**Mobility in Soil:** No data available.

Other Adverse Effects: No data available.

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal: This material is radioactive. Dispose in accordance with all applicable federal, state, and local regulations for **RADIOACTIVE** materials. See NRC 10 CFR 20 subpart K.

SRM 4322d Page 5 of 7

#### 14. TRANSPORTATION INFORMATION

# **U.S. DOT and IATA:**

**Primary Risk:** UN2910, Radioactive Material, Excepted Package, Limited Quantity of Material, Hazard Class 7. **Subsidiary Risk:** Dangerous Goods in Excepted Quantities, Hazard Class 8.

# 15. REGULATORY INFORMATION

## **U.S. Regulations:**

CERCLA Sections 102a/103 (40 CFR 302.4): Nitric Acid, 1000 lbs; 454 kg RQ.

SARA Title III Section 302 (40 CFR 355.30): Nitric Acid, 1000 lbs TPQ.

SARA Title III Section 304 (40 CFR 355.40): Nitric Acid, 1000 lbs EPCRA RQ.

SARA Title III Section 313 (40 CFR 372.65): Nitric Acid, 1.0 % de minimis concentrations.

OSHA Process Safety (29 CFR 1910.119): Nitric Acid at higher concentrations (≥94.5 %) is regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: Yes. CHRONIC HEALTH: Yes. FIRE: No. REACTIVE: No. PRESSURE: No.

#### **State Regulations:**

California Proposition 65: No components are regulated.

U.S. TSCA Inventory: Nitric acid listed.

**TSCA 12(b), Export Notification:** No components are listed.

#### **Canadian Regulations:**

WHMIS Information: Not provided for this material.

## 16. OTHER INFORMATION

**Issue Date:** 17 September 2019

Sources: ChemAdvisor, Inc., MSDS Nitric Acid, 09 December 2015.

CDC; NIOSH; NIOSH Pocket Guide to Chemical Hazards; Department of Health and Human Services (DHHS), Centers for Disease Control and Prevention (CDC), National Institute for Safety and Health; Nitric Acid, 29 November 2018; available at https://www.cdc.gov/niosh/npg/npgd0447.html (accessed Aug 2019).

United States National Library of Medicine, Hazardous Substance Database (HSDB), *Nitric Acid*; available at https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm (accessed Sep 2019).

United States National Library of Medicine, Hazardous Substance Database (HSDB), *Americium Radioactive*; available at https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm (accessed Sep 2019).

OSHA 29 CFR, Subpart Z, Ionizing radiation, 1910.1096.

NRC 10 CFR 20, Standards for Protection Against Radiation.

DOT 49 CFR 173, Shippers General Requirements for Shipments and Packages.

SRM 4322d Page 6 of 7

# **Key of Acronyms:**

| ACGIH  | American Conference of Governmental Industrial Hygienists | NIOSH | National Institute for Occupational Safety and Health |
|--------|---|-------|---|
| ALI    | Annual Limit on Intake                                    | NIST  | National Institute of Standards and Technology        |
| CAS    | Chemical Abstracts Service                                | NRC   | Nuclear Regulatory Commission                         |
| CEN    | European Committee for Standardization                    | NTP   | National Toxicology Program                           |
| CERCLA | Comprehensive Environmental Response,                     |       | Occupational Safety and Health Administration         |
| CERCLA | Compensation, and Liability Act                           | OSHA  | Occupational Safety and Health Administration         |
| CFR    | Code of Federal Regulations                               | PEL   | Permissible Exposure Limit                            |
| CPSU   | e e e e e e e e e e e e e e e e e e e                     | RCRA  |   |
|        | Coal Mine Dust Personal Sample Unit                       |       | Resource Conservation and Recovery Act                |
| DOT    | Department of Transportation                              | REL   | Recommended Exposure Limit                            |
| EC50   | Effective Concentration, 50 %                             | RM    | Reference Material                                    |
| EINECS | European Inventory of Existing Commercial Chemical        | RQ    | Reportable Quantity                                   |
|        | Substances  |       |   |
| EPCRA  | Emergency Planning and Community Right-to-Know            | RTECS | Registry of Toxic Effects of Chemical Substances      |
|        | Act   |       |   |
| IARC   | International Agency for Research on Cancer               | SARA  | Superfund Amendments and Reauthorization Act          |
| IATA   | International Air Transport Association                   | SCBA  | Self-Contained Breathing Apparatus                    |
| IDLH   | Immediately Dangerous to Life and Health                  |       | Standard Reference Material                           |
| ISO    | International Organization for Standardization            | STEL  | Short Term Exposure Limit                             |
| LC50   | Lethal Concentration, 50 %                                | TDLo  | Toxic Dose Low  |
| LD50   | Lethal Dose, 50 %   | TLV   | Threshold Limit Value                                 |
| LEL    | Lower Explosive Limit                                     | TPO   | Threshold Planning Quantity                           |
| MSDS   | Material Safety Data Sheet                                | TSCA  | Toxic Substances Control Act                          |
| NFPA   | National Fire Protection Association                      | TWA   | Time Weighted Average                                 |
| MSHA   | Mine Safety and Health Administration                     | UEL   | Upper Explosive Limit                                 |
|        | , <del>14111111111111111</del>                            | WHMIS | Workplace Hazardous Materials Information System      |
|        |   |       |   |

**Disclaimer:** Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of this material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The certified values for this material are given in the NIST Certificate.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srmmsds@nist.gov; or via the Internet at https://www.nist.gov/srm.

SRM 4322d Page 7 of 7