

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

SRM Number: 4351

SRM Name: Human Lung Environmental Radioactivity Standard

Other Means of Identification: Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is intended for checking the measurement of radionuclides by members of the Transuranium Registry and other laboratories studying the movement and effect of heavy alpha-particle-emitting elements within and upon the human body. A unit of SRM 4351 consists of approximately 45 g of freeze-dried human lung under vacuum in a 125 mL glass bottle.

Company Information

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300 Gaithersburg, Maryland 20899-2300

 Telephone:
 301-975-2200
 Emergency Telephone ChemTrec:

 FAX:
 301-948-3730
 1-800-424-9300
 (North America)

 E-mail:
 SRMMSDS@nist.gov
 +1-703-527-3887
 (International)

Website: http://www.nist.gov/srm

2. HAZARDS IDENTIFICATION

Classification

Physical Hazard: Not classified. **Health Hazard:** Not classified.

Label Elements

Symbol

No Symbol/No Pictogram

Signal WordNo Signal Word

Hazard Statement(s): Not applicable.

Precautionary Statement(s): Not applicable.

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Human lung, powder. **Other Designations:** Not applicable.

Radiological information is provided in this SDS for information for the user. This product contains environmental level quantities of radioactive material. This SRM is designed for use only in a radiochemistry facility experienced in the handling of radioactive materials. All appropriate precautions for the handling of radioactive materials should be in place at all times. At a minimum, the basic radiation safety principles of time, distance, and shielding, and appropriate radiation contamination control should be practiced to avoid/minimize any external and/or internal exposure. Consult with your safety office for your facility's radiation safety requirements/precautions specific to the radionuclide(s) (including its activity and chemical/physical form) in this SRM. This material is a fine powder with a readily respirable particle size.

SRM 4351 Page 1 of 7

SRM 4351 contains several radionuclides with an individual massic activities as high as 0.0011 Bq•g-1.

Component	CAS Registry	EC Number (EINECS)	Nominal Mass Fraction (%)
Human Lung	Not available	Not available	100
Radionuclide	CAS Registry	EC Number (EINECS)	Nominal Mass Fraction (%)
²³² Th	Not applicable	Not applicable	< 0.0001
²³⁴ U	Not applicable	Not applicable	< 0.0001
²³⁸ U	Not applicable	Not applicable	< 0.0001
²³⁹⁺²⁴⁰ Pu	Not applicable	Not applicable	< 0.0001
²³⁸ Pu	Not applicable	Not applicable	< 0.0001
²²⁸ Th	Not applicable	Not applicable	< 0.0001
²³⁰ Th	Not applicable	Not applicable	< 0.0001
²⁴¹ Am	Not applicable	Not applicable	< 0.0001

Note:

4. FIRST AID MEASURES

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Wash skin with soap and water for at least 15 minutes. Thoroughly clean and dry contaminated clothing before reuse.

Eye Contact: Flush eyes with water for at least 15 minutes. If necessary, seek medical attention.

Ingestion: If adverse effects occur after ingestion, seek medical treatment.

Most Important Symptoms/Effects, Acute and Delayed: Skin or eye mechanical irritation.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek medical attention if needed.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Negligible fire hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:

Suitable: Use extinguishing media appropriate for surrounding fire.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: None listed.

Special Protective Equipment and Precautions for Fire-Fighters: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

NFPA Ratings (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe) Health = 1 Fire = 0 Reactivity = 0

SRM 4351 Page 2 of 7

⁽¹⁾ Decay products are present in different stages of equilibrium with their parent nuclide and are not accounted for in the component listing.

6. ACCIDENTAL RELEASE MEASURES

Occupational Release: This product contains environmental level quantities of radioactive material. **DO NOT touch** spilled material. Immediately notify safety personnel of a spill.

Methods and Materials for Containment and Clean up:

Radiological Emergency Procedures

The following is a guide for first responders. The following actions, including remediation, should be carried out by qualified individuals. In cases where a life-threatening injury occurs, concurrent with personal contamination, treat the injury first.

Do not touch damaged packages or spilled material. Handle as a radioactive material spill.

Spill and Leak Control

- · Alert and clear everyone from the area affected by the spill.
- · Take actions to limit the spread of contamination.
- · Summon aid.

Damage to the Radioactive Source

- · Evacuate the immediate vicinity around the source.
- · Place a barrier at a safe distance from the source.
- · Identify area as a radiation hazard.

Suggested Emergency Protective Equipment

- Gloves
- Footwear covers
- · Outer layer or easily removed protective clothing (as situation requires)

7. HANDLING AND STORAGE

Safe Handling Precautions: Handle in accordance with good laboratory practices. This product is intended for use only by people trained in the safety and handling of chemicals, radioactive materials, and laboratory preparations. See Section 8, "Exposure Controls and Personal Protection".

Storage: Store and handle in accordance with all current regulations and standards. Keep separated from incompatible substances.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits: No occupational exposure limits have been established for human lung powder. This material is a particulate matter and adequate inhalation/respiratory protection should be used to minimize exposure. The exposure limits for Particulates Not Otherwise Regulated (PNOR) are applicable.

OSHA (PEL): 15 mg/m³ (TWA, total particulates)

5 mg/m³ (TWA, respirable particulates)

NIOSH (REL): 10 mg/m³ (TWA, total particulates)

5 mg/m³ (TWA, respirable particulates)

Exposure Limits For Radionuclides:

Radionuclide	ALI(ing)	ALI(inh)		
²³² Th	7E-1μCi or 25.9 kBq (Bone surface)	1E-3μCi or 0.037 kBq (Bone surface)		
²³⁴ U	1E+1μCi or 370 kBq (Bone surface)	4E-2μCi or 1.48 kBq		
²³⁸ U	1E+1μCi or 370 kBq (Bone surface)	4E-2μCi or 1.48 kBq		
^{239,240} Pu	8E-1μCi or 29.6 kBq (Bone surface)	6E-3 μCi or 0.222 kBq (Bone surface)		
²³⁸ Pu	9E-1μCi or 33.3 kBq (Bone surface)	7E-3μCi or 0.259 kBq (Bone surface)		
²²⁸ Th	6E+0μCi or 222 kBq (Bone surface)	1E-2μCi or 0.37 kBq (Bone surface)		
²³⁰ Th	4E+0μCi or 148 kBq (Bone surface)	6E-3μCi or 0.222 kBq (Bone surface)		
²⁴¹ Am	8E-1μCi or 29.6 kBq (Bone surface)	6E-3 μCi or 0.222 kBq (Bone surface)		

SRM 4351 Page 3 of 7

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear splash resistant safety goggles with a face shield. An eye wash station should be readily available near areas of use.

Skin and Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

9 PHYSICAL AND CHEMICAL PROPERTIES

Descriptive Properties:					
Appearance	gray amorphous powder				
(physical state, color, etc.):	gray amorphous powder				
Molecular Formula:	not applicable				
Molar Mass (g/mol):	not applicable				
Odor:	not available				
Odor threshold:	not available				
pH:	not available				
Evaporation rate:	not applicable				
Melting point/freezing point (°C):	not available				
Relative Density (g/L):	not available				
Vapor Pressure (mmHg):	not applicable				
Vapor Density (air = 1):	not applicable				
Viscosity (cP):	not applicable				
Solubility(ies):	not available				
Partition coefficient (n-octanol/water):	not available				
Particle Size:	<75 μm (81 %)				
Thermal Stability Properties:					
Autoignition Temperature (°C):	not available				
Thermal Decomposition (°C):	not available				
Initial boiling point and boiling range (°C):	not available				
Explosive Limits, LEL (Volume %):	not available				
Explosive Limits, UEL (Volume %):	not available				
Flash Point (°C):	not available				
Flammability (solid, gas):	not available				
10. STABILITY AND REACTIVITY					
Reactivity: Stable at normal temperatures and pressure	÷.				
Stability: X Stable Unstable					
Possible Hazardous Reactions: None listed.					
Conditions to Avoid: Avoid generating dust.					
Incompatible Materials: None listed.					
Fire/Explosion Information: See Section 5, "Fire Fighting Measures".					
Hazardous Decomposition: Thermal decomposition will produce oxides of carbon.					
Hazardous Polymerization: Will Occur X Will Not Occur					

SRM 4351 Page 4 of 7

11. Toxicologic	CAL IN	FORMATION						_
Route of Exposure:	X	Inhalation	X	Skin		K Inges	tion	
Symptoms Related to irritation.	the P	- Physical, Chemi	cal and	Toxicolog	ical Chara	cteristics:	Skin o	eye mechanical
Potential Health Effec	ts (Acu	te, Chronic and	Delayed	d):				
Inhalation: Acute concentrations of d excursion.								
Skin Contact: Ski	n expos	sure may result i	n mechar	nical irritatio	on.			
Eye Contact: No	data ava	ailable; may caus	se mecha	nical irritati	ion.			
Ingestion: Ingestion	on of th	is material is unl	ikely und	der normal	conditions o	of use.		
Numerical Measures o	f Toxic	city:						
Acute Toxicity: N	ot class	sified; no data av	ailable.					
Skin Corrosion/Ir	ritation	: Not classified	; no data	available.				
Serious Eye Dama	ge/Irri	tation: Not clas	sified; no	o data availa	able.			
Respiratory Sensi	tization	: Not classified	; no data	available.				
Skin Sensitization	: Not c	lassified; no data	a availabl	le.				
Germ Cell Mutage	enicity:	Not classified;	no data a	ıvailable.				
Carcinogenicity:	Not clas	ssified.						
	_	en/Potential Ca ed by NTP, IAR	_			es	<u>X</u>	No
Radiological I Ionizing radiat		: SRM 4351 known carcinoge	en					
Reproductive Tox	icity: 1	Not classified; no	data ava	ailable.				
Specific Target O	rgan To	oxicity, Single E	xposure	: Not class:	ified; no dat	a available	e.	
Specific Target Or	rgan To	oxicity, Repeate	d Expos	ure: Not cl	lassified; no	data avail	able.	
Aspiration Hazard	d: Not	classified; no da	ta availal	ole.				
12. ECOLOGICAL	Infor	RMATION						
Ecotoxicity Data: No	data ava	ailable.						
Persistence and Degra	dability	: No data availa	able.					
Bioaccumulative Poter	ntial: N	lo data available	•					
Mobility in Soil: No da	ata avai	lable.						
Other Adverse effects:	No da	ta available.						
13. DISPOSAL CON	NSIDEI	RATIONS						
Waste Disposal: Dispo	ose of w	vaste in accordar	ice with a	all applicab	le federal, s	tate, and lo	ocal regula	ations.

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: Not regulated by DOT or IATA.

SRM 4351 Page 5 of 7

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Not regulated.

OSHA Process Safety (29 CFR 1910.119): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: No. CHRONIC HEALTH: No. FIRE: No. REACTIVE: No. PRESSURE: No.

State Regulations:

California Proposition 65: Not listed.

U.S. TSCA Inventory: Not listed.

TSCA 12(b), Export Notification: Not listed.

Canadian Regulations:

WHMIS Information: Not provided for this material.

SRM 4351 Page 6 of 7

16. OTHER INFORMATION

Issue Date: 14 August 2015

Sources: 29 CFR Occupational Health and Safety Office (OSHA) 1910.1000, Limits for Air Contaminants,

Table Z-1; available at

 $http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS\&p_id=9992$

(accessed Aug 2015).

Center for Disease Control (CDC) NIOSH Pocket Guide to Chemical Hazards, *Particulates Not Otherwise Regulated*; available at http://www.cdc.gov/niosh/npg/npgd0480.html (accessed Aug 2015).

OSHA 29 CFR, Subpart Z, Ionizing radiation, 1910.1096.

NRC 10 CFR 20, Standards for Protection Against Radiation.

DOT 49 CFR 173, Shippers General Requirements for Shipments and Packages.

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists	NRC	Nuclear Regulatory Commission
ALI CAS	Annual Limit on Intake Chemical Abstracts Service	NTP OSHA	National Toxicology Program Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
CFR DOT	Code of Federal Regulations Department of Transportation	RCRA REL	Resource Conservation and Recovery Act Recommended Exposure Limit
EC50	Effective Concentration, 50 %	RM	Reference Material
EINECS	European Inventory of Existing Commercial Chemical Substances	RQ	Reportable Quantity
EPCRA	Emergency Planning and Community Right-to-Know Act	RTECS	Registry of Toxic Effects of Chemical Substances
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transportation Agency	SCBA	Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
LC50	Lethal Concentration, 50 %	STEL	Short Term Exposure Limit
LD50	Lethal Dose, 50 %	TLV	Threshold Limit Value
LEL	Lower Explosive Limit	TPQ	Threshold Planning Quantity
MSDS	Material Safety Data Sheet	TSCA	Toxic Substances Control Act
NFPA	National Fire Protection Association	TWA	Time Weighted Average
NIOSH	National Institute for Occupational Safety and Health	UEL	Upper Explosive Limit
NIST	National Institute of Standards and Technology	WHMIS	Workplace Hazardous Materials Information System

Disclaimer: Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of the material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The certified values for this material are given in the NIST Certificate.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srmmsds@nist.gov; or via the Internet at http://www.nist.gov/srm.

SRM 4351 Page 7 of 7