

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

SRM Number: 723e

SRM Name: Tris(hydroxymethyl)aminomethane (HOCH₂)₃CNH₂ Acidimetric Standard

Other Means of Identification: Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) consists of highly purified tris(hydroxymethyl)aminomethane (HOCH₂)₃CNH₂ [2-amino-2-(hydroxymethyl)-1,3-propanediol; "Tris"; "THAM"], hereafter referred to as Tris. SRM 723e is intended primarily for use in acidimetric standardization. A unit of SRM 723e consists of 50 g in a clear glass bottle.

Company Information

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200 Emergency Telephone ChemTrec: E-mail: SRMMSDS@nist.gov 1-800-424-9300 (North America) Website: https://www.nist.gov/srm +1-703-527-3887 (International)

2. HAZARDS IDENTIFICATION

Classification

Physical Hazard: Not classified.

Health Hazard: Skin Corrosion/Irritation Category 2

Serious Eye damage/Eye irritation Category 2A STOT - Single Exposure Category 3

Label Elements Symbol



Signal Word

Warning

Hazard Statement(s):

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Precautionary Statement(s):

P261 Avoid breathing dust.

P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P322+P364 Take off contaminated clothing and wash it before reuse. P332+P337+P313 If skin or eye irritation occurs: Get medical attention.

SRM 723e Page 1 of 6

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents and containers in accordance with all applicable regulations.

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Tris(hydroxymethyl)aminomethane

Other Designations: Tris [tris buffering agent; trishydroxymentylaminomethane; tris(methylolamino)methane; 1,1,1 tris(hydroxymethyl)methanamine; tris(hydroxymethyl)methanamine]

Components are listed in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the Certificate of Analysis.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Tris(hydroxymethyl)aminomethane	77-86-1	201-064-4	100

4. FIRST AID MEASURES

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Wash skin with soap and water for at least 15 minutes. Thoroughly clean and dry contaminated clothing before reuse.

Eye Contact: Flush eyes with water for at least 15 minutes. If necessary, seek medical attention.

Ingestion: If a large amount is swallowed, get medical attention.

Most Important Symptoms/Effects, Acute and Delayed: Skin, eye, and possible respiratory irritation.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek medical attention if needed.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Negligible fire hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:

Suitable: Regular dry chemical, dry sand, water, and regular foam.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: None listed.

Special Protective Equipment and Precautions for Fire-Fighters: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection".

Methods and Materials for Containment and Clean up: Keep out of water supplies and sewers. Do not touch spilled material. Notify safety personnel of spills. Collect spilled material in appropriate container for disposal. Isolate hazard area and deny entry.

SRM 723e Page 2 of 6

7. HANDLING AND STORAGE

Safe Handling Precautions: Minimize dust generation. See Section 8, "Exposure Controls and Personal Protection".

Storage: Store and handling in accordance with all current regulations and standards. Keep separated from incompatible substances (acids, bases, metals, oxidizing materials).

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits: No occupational exposure limits have been established. The exposure limits for Particulates Not Otherwise Regulated are applicable.

```
OSHA (PEL): 15 mg/m<sup>3</sup> (TWA, total particulates) 5 mg/m<sup>3</sup> (TWA, respirable particulates)
```

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear splash resistant safety goggles with a face shield. An eye wash station should be readily available near areas of use.

Skin and Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

9. PHYSICAL AND CHEMICAL PROPERTIES

Descriptive Properties:

Appearance (physical state, color, etc.): white crystalline, hygroscopic powder

Molecular Formula: $C_4H_{11}NO_3$ Molar Mass (g/mol):121.1Odor:odorlessOdor threshold:not availablepH (solution):10.4 at 1.2 %Evaporation rate:not applicable

Melting point/freezing point (°C): 171–172 (340–342 °F)

Relative Density (g/L):not availableVapor Pressure (mmHg):not applicableVapor Density (air = 1):not applicableViscosity (cP):not applicable

Solubility(ies): water soluble (55 %); moderately soluble: methanol, ethanol,

ethylene glycol, dimethylformamide; slightly soluble: acetone, ether; very slightly soluble: ethyl acetate, cyclohexane, chloroform, carbon tetrachloride

Partition coefficient (n-octanol/water): $\log \text{Kow} = -1.56$ Particle Size (if relevant) $\log \text{Kow} = -1.56$

Thermal Stability Properties:

Autoignition Temperature (°C): not available Thermal Decomposition (°C): not available

Initial boiling point and boiling range (°C): 219–220 (426–428 °F) at 10 mmHg

Explosive Limits, LEL (Volume %):

Explosive Limits, UEL (Volume %):

Flash Point (°C)

Flammability (solid, gas):

not available
not available

SRM 723e Page 3 of 6

10. STABILITY AND REACTIVITY				
Reactivity: Stable at normal temperatures and pressure.				
Stability: X Stable Unstable				
Possible Hazardous Reactions: None listed.				
Conditions to Avoid: Avoid generating dust and exposure to moisture.				
Incompatible Materials: Acids, bases, metals, and oxidizing materials.				
Fire/Explosion Information: See Section 5, "Fire Fighting Measures".				
Hazardous Decomposition: Thermal decomposition will produce oxides of nitrogen and carbon.				
Hazardous Polymerization: Will Occur X Will Not Occur				
11. TOXICOLOGICAL INFORMATION				
Route of Exposure: X Inhalation Skin Ingestion				
Symptoms Related to the Physical, Chemical and Toxicological Characteristics: Skin, eye, and possible respiratory irritation.				
Potential Health Effects (Acute, Chronic and Delayed): Inhalation: Inhalation may cause irritation of the mucous membranes with tightness and pain in the chest, coughing, and difficulty breathing.				
Skin Contact: Skin exposure may result in irritation with redness, pain, and possibly sensitization. Dermatitis may develop due to irritation or sensitization over time.				
Eye Contact: Eye irritation with redness, pain, and possibly corneal damage may occur. Prolonged or repeated exposure may result in conjunctivitis.				
Ingestion: Ingestion of this material is unlikely under normal conditions of use. If ingested, gastrointestinal irritation and possible burns to the mouth and stomach may result. A large does to laboratory animals caused weakness, collapse, and death.				
Numerical Measures of Toxicity:				
Acute Toxicity: Not classified. Rat, Oral LD50: >3000 mg/kg				
Skin Corrosion/Irritation: Category 2 Rabbit, Dermal: 25 % moderate; 500 mg severe Woman, Dermal: 1 % moderate				
Serious Eye damage/Eye irritation: Category 2A, No data available on effects on the eyes, deemed to be a Category 2A based on skin irritation data.				
Respiratory Sensitization: Not classified; no data available.				
Skin Sensitization: Not classified; no data available.				
Germ Cell Mutagenicity: Not classified; no data available.				
Carcinogenicity: Not classified.				
Listed as a Carcinogen/Potential Carcinogen Yes X No Tris(Hydroxymethyl)Aminomethane is not listed by IARC, NTP or OSHA as a carcinogen.				
Reproductive Toxicity: Not classified. Rat, Oral TDLo: 12 000 mg/kg (prior to copulation 14 d, 4 d, continuous)				
Specific Target Organ Toxicity, Single Exposure: Not classified; no data available.				
Specific Target Organ Toxicity, Repeated Exposure: Category 3; May cause respiratory irritation of the mucous membranes with tightness and pain in the chest, coughing, and difficulty breathing.				

SRM 723e Page 4 of 6

Aspiration Hazard: Not classified; no data available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Data: No data available.

Persistence and Degradability: Biodegradation may be slow in the environment.

Bioaccumulative Potential: Potential for bioconcentration in aquatic organisms is low (estimated BCF equals 3).

Mobility in Soil: Very high mobility in soil. **Other Adverse effects:** No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of waste in accordance with all applicable federal, state, and local regulations.

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: Not regulated by DOT or IATA.

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Not regulated.

OSHA Process Safety (29 CFR 1910.119): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: Yes.
CHRONIC HEALTH: No.
FIRE: No.
REACTIVE: No.
PRESSURE: No.

State Regulations:

California Proposition 65: Not listed.

U.S. TSCA Inventory: Listed.

TSCA 12(b), Export Notification: Not listed.

Canadian Regulations: WHMIS Information: Not provided for this material.

SRM 723e Page 5 of 6

16. OTHER INFORMATION

Issue Date: 02 January 2024

Sources: ChemAdvisor, Inc., SDS *Tris(Hydroxymethyl)Aminomethane*, 09 December 2015.

PubChem, National Library of Medicine, *Tromethamine* CAS# 77-86-1, available at https://pubchem.ncbi.nlm.nih.gov/compound/6503 (accessed Jan 2024).

Center for Disease Control (CDC), NIOSH Pocket Guide to Chemical Hazards, *Particulates Not Otherwise Regulated*, available at https://www.cdc.gov/niosh/npg/npgd0480.html (accessed Jan 2024).

Sigma-Aldrich, Vendor MSDS Trizma® base, 07 November 2017.

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial	NRC	Nuclear Regulatory Commission
	Hygienists		
ALI	Annual Limit on Intake	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OSHA	Occupational Safety and Health Administration
CEN	European Committee for Standardization	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	RCRA	Resource Conservation and Recovery Act
	Compensation, and Liability Act		
CFR	Code of Federal Regulations	REL	Recommended Exposure Limit
CPSU	Coal Mine Dust Personal Sample Unit		Reference Material
DOT	Department of Transportation	RQ	Reportable Quantity
EC50	Effective Concentration, 50 %	RTECS	Registry of Toxic Effects of Chemical Substances
EINECS	European Inventory of Existing Commercial Chemical		Superfund Amendments and Reauthorization Act
	Substances		1
EPCRA	Emergency Planning and Community Right-to-Know		Self-Contained Breathing Apparatus
	Act		5 11
IARC	International Agency for Research on Cancer	SRM	Standard Reference Material
IATA	International Air Transport Association		Short Term Exposure Limit
IDLH	Immediately Dangerous to Life and Health		Toxic Dose Low
ISO	International Organization for Standardization	TLV	Threshold Limit Value
LC50	Lethal Concentration, 50 %	TPO	Threshold Planning Quantity
LD50	Lethal Dose, 50 %	TSCA	Toxic Substances Control Act
LEL	Lower Explosive Limit	TWA	Time Weighted Average
MSDS	Material Safety Data Sheet	UEL	Upper Explosive Limit
MSHA	Mine Safety and Health Administration	WHMIS	Workplace Hazardous Materials Information System
NIOSH	National Institute for Occupational Safety and Health		
NIST	National Institute of Standards and Technology		

Disclaimer: The NIST SDS information is specific to the NIST product and is believed to be correct, based upon our current knowledge. The SDS may not necessarily be all inclusive and should be used only as a guide. NIST does not guarantee the accuracy or completeness of this information. The only official source for specific values and uncertainties is the certificate or report.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; e-mail srmmsds@nist.gov; or via the Internet at https://www.nist.gov/srm.

SRM 723e Page 6 of 6