

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

RM Number: 8182

RM Name: Fatty Acid Methyl Esters in 2,2,4-Trimethylpentane

Other Means of Identification: Not applicable.

Recommended Use of This Material and Restrictions of Use

This Reference Material (RM) is a solution of 26 fatty acid methyl esters (FAMES) in 2,2,4-trimethylpentane. This RM is intended primarily for use in evaluating analytical methods and chromatographic instrumentation used for the determination of FAMES. A unit of RM 8182 consists of five 2-milliliter ampoules, each containing approximately 1.2 mL of solution.

Company Information

National Institute of Standards and Technology
Standard Reference Materials Program
100 Bureau Drive, Stop 2300
Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200

E-mail: SRMMSDS@nist.gov

Website: <https://www.nist.gov/srm>

Emergency Telephone ChemTrec:

1-800-424-9300 (North America)

+1-703-527-3887 (International)

2. HAZARDS IDENTIFICATION

Classification

Physical Hazard:	Flammable Liquid	Category 2
Health Hazard:	Skin Corrosion/Irritation	Category 2
	Eye Irritation	Category 2B
	STOT, Single Exposure	Category 3
	Aspiration Hazard	Category 1

Label Elements

Symbol



Signal Word

DANGER

Hazard Statement(s)

H225	Highly flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H315+H320	Causes skin and eye irritation.
H336	May cause drowsiness or dizziness.

Precautionary Statement(s)

P210	Keep away from heat, sparks, open flames, hot surfaces. — No smoking.
P241	Use explosion-proof electrical, ventilating, and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing mist, vapors, or spray.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves, eye protection, and protective clothing.

P301+P310 P331	If swallowed: Immediately call a doctor. Do NOT induce vomiting.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P337+P313	If skin or eye irritation occurs: Get medical attention.
P304+P340 P312	If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P235+P233 P405	Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
P501	Dispose of contents and container according to local regulations.

Hazards Not Otherwise Classified: None.

Ingredients(s) with Unknown Acute Toxicity: None.

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: 2,2,4-Trimethylpentane solution.

Other Designations: Isooctane solution; isobutyltrimethylmethane solution.

Note: For actual concentrations, see the NIST Report of Investigation.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
2,2,4-Trimethylpentane	540-84-1	208-759-1	<90
Non-Hazardous Component(s)			
Caprylic Acid Methyl Ester	111-11-5	203-835-0	0.73
Capric Acid Methyl Ester	110-42-9	203-766-6	0.75
Lauric Acid Methyl Ester	111-82-0	203-911-3	0.79
Myristic Acid Methyl Ester	124-10-7	204-680-1	0.71
Palmitic Acid Methyl Ester	112-39-0	203-966-3	0.74
Stearic Acid Methyl Ester	112-61-8	203-990-4	0.77
Arachidic Methyl Ester	1120-28-1	214-304-8	0.37
Behenic Acid Methyl Ester	929-77-1	213-207-8	0.43
Lignoceric acid methyl ester	2442-49-1	219-475-2	0.18
Myristoleic Acid Methyl Ester	56219-06-8	628-495-4	0.19
Palmitoleic Acid Methyl Ester	1120-25-8	214-303-2	0.50
Oleic Acid Methyl Ester	112-62-9	203-992-5	0.70
Elaidic Acid Methyl Ester	1937-62-8	217-712-4	0.20
Vaccenic Acid Methyl Ester	1937-63-9	217-714-5	0.23
<i>trans</i> -Vaccenic Acid Methyl Ester	6198-58-9	228-251-3	0.24
Linoleic Acid Methyl Ester	112-63-0	203-993-0	0.73
Linoelaidic Acid Methyl Ester	2566-97-4	219-901-7	0.20
<i>alpha</i> -Linolenic Acid Methyl Ester	301-00-8	206-102-3	0.43
<i>gamma</i> -Linolenic Acid Methyl Ester	16326-32-2	680-551-7	0.18
Gondoic Acid Methyl Ester	2390-09-2	219-226-8	0.19
Arachidonic Acid Methyl Ester	2566-89-4	219-900-1	0.15
EPA Methyl Ester	2734-47-6	688-140-4	0.15
DPA Methyl Ester	108698-02-8	not available	0.14
DHA Methyl Ester	2566-90-7	not available	0.16
Erucic Acid Methyl Ester	1120-34-9	214-305-3	0.22
Nervonic Acid Methyl Ester	2733-88-2	220-352-0	0.17

4. FIRST AID MEASURES

Description of First Aid Measures

Inhalation: If adverse effects occur, remove to well-ventilated (uncontaminated) area. Give artificial respiration if not breathing. Get immediate medical attention.

Skin Contact: Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Thoroughly clean and dry before reuse. Get medical attention, if needed.

Eye Contact: Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

Ingestion: Aspiration hazard. Do not induce vomiting. If vomiting occurs, keep head lower than hips to help prevent aspiration. Get immediate medical attention. Give artificial respiration if not breathing.

Most Important Symptoms/Effects, Acute and Delayed: Respiratory tract irritation, aspiration hazard, central nervous system depression.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek immediate medical attention.

5. Fire Fighting Measures

Fire and Explosion Hazards: Severe fire hazard. The vapor is heavier than air. Vapor/air mixtures are explosive above the flash point. Vapors or gases may ignite at distant ignition sources and flash back. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media

Suitable: Regular dry chemical, carbon dioxide, water, or alcohol-resistant foam.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: Not applicable.

Special Protective Equipment and Precautions for Fire-Fighters: Move container from fire area if it can be done without personal risk. Avoid inhalation of material or combustion by-products. Wear full protective clothing and NIOSH-approved self-contained breathing apparatus (SCBA).

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection". Keep out of waters supplies and sewers.

Methods and Materials for Containment and Clean up: Avoid heat, flames, sparks and other sources of ignition. Stop leak if possible without personal risk, with water spray to reduce vapors. Absorb spilled material with sand or non-combustible material and collect in appropriate container for disposal.

7. HANDLING AND STORAGE

Safe Handling Precautions: See Section 8, "Exposure Controls and Personal Protection".

Storage and Incompatible Materials: Store in a well-ventilated area. Keep separated from incompatible substances (see Section 10, "Stability and Reactivity").

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits: No occupational limits established.

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection Measures: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye Protection: Splash resistant safety goggles and emergency eyewash are recommended.

Skin and Body Protection: Chemical resistant clothing and gloves are recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Descriptive Properties

Molar Mass (g/mol)	not applicable
Molecular Formula	not applicable
Appearance (physical state, color, etc.)	liquid
Odor	gasoline odor (2,2,4 Trimethylpentane)
Odor threshold	not available
pH	not available
Evaporation rate	<1 (ether = 1) (2,2,4 Trimethylpentane)
Melting point/freezing point	-107 °C (-161 °F) (2,2,4 Trimethylpentane)
Relative Density (water = 1)	not available
Density	not available
Vapor Pressure	41 mmHg at 21 °C (2,2,4 Trimethylpentane)
Vapor Density (air = 1)	3.9 (2,2,4 Trimethylpentane)
Viscosity	not available
Solubilities	immiscible with water; soluble in ether, alcohol, acetone, benzene, toluene, chloroform, xylene, carbon disulfide, carbon tetrachloride, dimethylformamide, oils
Partition coefficient (n-octanol/water)	not available

Thermal Stability Properties

Autoignition Temperature	415 °C (779 °F) (2,2,4 Trimethylpentane)
Thermal Decomposition	not available
Initial boiling point and boiling range	99 °C (210 °F) (2,2,4 Trimethylpentane)
Explosive Limits, LEL (Volume %)	1.1 (2,2,4 Trimethylpentane)
Explosive Limits, UEL (Volume %)	6 (2,2,4 Trimethylpentane)
Flash Point (Closed Cup)	-12 °C (10 °F) (2,2,4 Trimethylpentane)
Flammability (solid, gas)	not available

10. STABILITY AND REACTIVITY

Reactivity: Stable at normal temperatures and pressure.

Stability: Stable Unstable

Possible Hazardous Reactions: Not applicable.

Conditions to Avoid: Avoid heat, flames, sparks, and other sources of ignition. Minimize contact with material. Avoid inhalation of material or combustion by-products. Keep out of water supplies and sewers.

Incompatible Materials: Oxidizing materials, reducing agents.

Hazardous Decomposition: Oxides of carbon.

Hazardous Polymerization: Will Occur Will Not Occur

11. TOXICOLOGICAL INFORMATION

Route of Exposure: Inhalation Skin Ingestion

Symptoms Related to the Physical, Chemical and Toxicological Characteristics: Skin irritation, eye irritation, central nervous system depression, and nerve damage.

Potential Health Effects (Acute, Chronic, and Delayed)

Inhalation: Acute exposure may cause irritation of the mucous membranes, rapid breathing, dizziness, fatigue, and headache. Extreme exposure may cause unconsciousness and respiratory arrest. Repeated and prolonged exposure may cause polyneuropathy.

Skin Contact: Short term exposure may cause irritation with redness. If sufficient amounts are absorbed, systemic toxicity may occur. Long-term exposure may cause dermatitis due to defatting action.

Eye Contact: May cause irritation with redness.

Ingestion: Aspiration hazard. Lung damage may occur if aspirated into the lungs and may be fatal. Symptoms may include coughing, difficulty breathing, cyanosis and pulmonary edema. May cause diarrhea, fatigue and slight central nervous system depression.

Numerical Measures of Toxicity

Acute Toxicity: Not classified.

Rat, Oral, LD50: >2500 mg/kg

Rat, Inhalation, LC50: 47.4 mg/L (1 h)

Skin Corrosion/Irritation: Category 2; may cause irritation, redness, and defatting of the skin.

Serious Eye Damage/Eye Irritation: Category 2B; may cause irritation with redness.

Respiratory Sensitization: Not classified; no data available.

Skin Sensitization: Not classified; no data available.

Germ Cell Mutagenicity: Not classified.

Rat: 500 mg/kg

Carcinogenicity: Not classified.

Listed as a Carcinogen/Potential Carcinogen _____ Yes _____ X No

2,2,4-Trimethylpentane is not listed by IARC, NTP, or OSHA as a carcinogen/potential carcinogen.

Reproductive Toxicity: Not classified; no data available.

STOT, Single Exposure: Category 3, has shown to be a central nervous system depressant.

STOT, Repeated Exposure: Not classified; no data available.

Aspiration Hazard: Category 1; aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity Data: No data available.

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse effects: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose in accordance with all applicable federal, state, and local regulations. Subject to hazardous waste regulations US EPA 40 CFR 262: Hazardous waste number D001.

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: UN1262; Octanes; Hazard Class 3; Packing Group II; Excepted Quantity: E2.

15. REGULATORY INFORMATION

U.S. Regulations

CERCLA Sections 102a/103 (40 CFR 302.4): 1000 lbs (454 kg) final RQ.

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Not regulated.

OSHA Process Safety (29 CFR 1910.119): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: Yes

CHRONIC HEALTH: No

FIRE: Yes

REACTIVE: No

PRESSURE: No

State Regulations

California Proposition 65: Not listed.

U.S. TSCA Inventory: 2,2,4-trimethylpentane is listed.

TSCA 12(b), Export Notification: Not listed.

Canadian Regulations: WHMIS Information is not provided for this material.

16. OTHER INFORMATION

Issue Date: 27 July 2023

Sources: ChemADVISOR, Inc., SDS 2,2,4-Trimethylpentane, 09 December 2015.

United States National Library of Medicine; *National Institutes of Health (NIH)*, *PubChem Database*; available at <https://pubchem.ncbi.nlm.nih.gov/> (accessed Jul 2023)

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists	OSHA	Occupational Safety and Health Administration
CAS	Chemical Abstracts Service	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act
CFR	Code of Federal Regulations	REL	Recommended Exposure Limit
DOT	Department of Transportation	RQ	Reportable Quantity
EINECS	European Inventory of Existing Commercial Chemical Substances	RTECS	Registry of Toxic Effects of Chemical Substances
EPCRA	Emergency Planning and Community Right-to-Know Act	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	SCBA	Self-Contained Breathing Apparatus
IATA	International Air Transport Association	SRM	Standard Reference Material
IDLH	Immediately Dangerous to Life and Health	STEL	Short Term Exposure Limit
LC50	Lethal Concentration	STOT	Specific Target Organ Toxicity
LD50	Median Lethal Dose or Lethal Dose, 50 %	TLV	Threshold Limit Value
LEL	Lower Explosive Limit	TPQ	Threshold Planning Quantity
MSDS	Material Safety Data Sheet	TSCA	Toxic Substances Control Act
NIST	National Institute of Standards and Technology	TWA	Time Weighted Average
n.o.s.	Not Otherwise Specified	UEL	Upper Explosive Limit
NTP	National Toxicology Program	WHMIS	Workplace Hazardous Materials Information System

Disclaimer: The NIST SDS information is specific to the NIST product and is believed to be correct, based upon our current knowledge. The SDS may not necessarily be all inclusive and should be used only as a guide. NIST does not guarantee the accuracy or completeness of this information. The only official source for specific values and uncertainties is the certificate or report.

Users of this RM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; e-mail srmmsds@nist.gov; or via the Internet at <https://www.nist.gov/srm>.