

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

RM Number: 8301

RM Name: Boron Isotopes in Marine Carbonate (Simulated Coral and Foraminifera Solutions)

Other Means of Identification: Not applicable.

Recommended Use of This Material and Restrictions of Use

This Reference Material (RM) is intended for use in developing and evaluating methods for measuring relative differences in boron (B) isotope-number ratios in marine carbonate samples. A unit of RM 8301 consists of three vials each of two simulated solutions, labeled as RM 8301 (Coral) and RM 8301 (Foram), each containing approximately 4 mL of solution. The solution contains nitric acid at a mass fraction of approximately 18 %.

Company Information

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300 Gaithersburg, Maryland 20899-2300

 Telephone:
 301-975-2200
 Emergency Telephone ChemTrec:

 FAX:
 301-948-3730
 1-800-424-9300 (North America)

 E-mail:
 SRMMSDS@nist.gov
 +1-703-527-3887 (International)

Website: https://www.nist.gov/srm

2. HAZARDS IDENTIFICATION

Classification

Physical Hazard: Not classified.

Health Hazard: Skin Corrosion/Irritation Category 1B Serious Eye Damage/Eye Irritation Category 1

Label Elements Symbol



Signal Word DANGER

Hazard Statement(s)

H314 Causes severe skin burns and eye damage.

Precautionary Statement(s)

P260 Do not breathe fumes, mists, vapors, or spray. P264 Wash hands thoroughly after handling.

P280 Wear protective gloves, protective clothing, eye protection.

P301 + P330 + P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 If on skin (or hair): Remove immediately all contaminated clothing. Rinse skin with

water.

P304 + P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents and container according to local regulations.

RM 8301 Page 1 of 7

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Calcium carbonate in nitric acid solution

Other Designations:

Nitric acid (aqua fortis; hydrogen nitrate; azotic acid; engraver's acid)

Calcium carbonate (Carbonic acid; calcium salt; calcium monocarbonate; precipitated calcium carbonate; carbonic acid calcium salt; CaCO₃)

This material contains other trace elements. Components are listed in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the Report of Investigation.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Nitric acid	7697-37-2	231-714-2	18
Calcium carbonate	471-34-1	207-439-9	13
Non-Hazardous Component(s)			
Water	7732-18-5	231-791-2	>60

4. FIRST AID MEASURES

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get immediate medical attention. Thoroughly clean and dry contaminated clothing before reuse. Destroy contaminated shoes.

Eye Contact: Immediately flush eyes, including under the eyelids with copious amounts of water for at least 15 minutes. Seek immediate medical attention.

Ingestion: Contact a poison control center immediately for instructions. Do not induce vomiting. Give water to rinse out mouth. Never give liquids to a person with reduced awareness or becoming unconscious. If vomiting occurs, keep head lower than hips to prevent aspiration. If not breathing, give artificial respiration by qualified personnel. Seek immediate medical attention.

Most Important Symptoms/Effects, Acute and Delayed: Acid burns to skin, eyes, and lungs.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek immediate medical attention.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Negligible fire hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:

Suitable: Use extinguishing media appropriate to the surrounding fire.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: Thermal decomposition will form oxides of nitrogen and calcium.

Special Protective Equipment and Precautions for Fire-Fighters: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

NFPA Ratings (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 3 Fire = 0 Reactivity = 0

RM 8301 Page 2 of 7

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection".

Methods and Materials for Containment and Clean up: Do not touch spilled material. Notify safety personnel of spills. Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal. Isolate hazard area and deny entry.

7. HANDLING AND STORAGE

Safe Handling Precautions: See Section 8, "Exposure Controls and Personal Protection". Handle glass ampoules with care.

Storage: Store and handling in accordance with all current regulations and standards. Keep separated from incompatible substances (See Section 10, "Stability and Reactivity").

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits:

Component: Nitric acid

NIOSH (REL): $5 \text{ mg/m}^3 (2 \text{ ppm; TWA})$

10 mg/m³ (4 ppm; STEL)

 $65 \text{ mg/m}^3(25 \text{ ppm; IDLH})$

ACGIH (TLV): $5 \text{ mg/m}^3 (2 \text{ ppm; TWA})$

 $10 \text{ mg/m}^3 (4 \text{ ppm; STEL})$

OSHA (PEL): 5 mg/m³ (2 ppm; TWA)

Component: Calcium carbonate

NIOSH (REL): 10 mg/m³ (TWA, total dust)

5 mg/m³ (TWA, respirable dust)

OSHA (PEL): For Particulates Not Otherwise Regulated

15 mg/m³ (TWA, total particulates)

5 mg/m³ (TWA, respirable particulates)

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear splash resistant safety goggles with a face shield. An eyewash station should be readily available near areas of use.

Skin and Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

RM 8301 Page 3 of 7

9. PHYSICAL AND CHEMICAL PROPERTIES

Descriptive Properties:					
Appearance	not available				
(physical state, color, etc.):					
Molecular Formula:	not applicable				
Molar Mass (g/mol):	not available				
Odor:	not available				
Odor threshold:	not available				
рН:	acidic				
Evaporation rate:	not applicable				
Melting point/freezing point (°C):	not available				
Relative Density (g/L) as specific gravity	not available				
(water = 1):					
Vapor Pressure (mmHg):	not applicable				
Vapor Density (air = 1):	not applicable				
Viscosity (cP):	not applicable				
Solubility(ies):	not available				
Partition coefficient	not available				
(n-octanol/water):					
Thermal Stability Properties					
Autoignition Temperature (°C):	not applicable				
Thermal Decomposition:	not applicable				
Initial boiling point and boiling range (°C):	not applicable				
Explosive Limits, LEL (Volume %):	not applicable				
Explosive Limits, UEL (Volume %):	not applicable				
Flash Point (°C):	not applicable				
Flammability (solid, gas):	not available				
10. Company and Dr. Company					
10. STABILITY AND REACTIVITY					
Reactivity: Stable at normal temperatures and pressure.					
Stability: X Stable Unstable					
Possible Hazardous Reactions: None listed.					
Conditions to Avoid: Contact with combustible or incompatible materials.					
Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, metals, nalogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide and cyanides.					
Fire/Explosion Information: See Section 5, "Fire Fighting Measures".					
Hazardous Decomposition: Thermal decomposition will produce oxides of nitrogen, calcium, and carbon					
Hazardous Polymerization: Will Occur X Will Not Occur					

RM 8301 Page 4 of 7

11. Toxicologic	AL INF	FORMATION				
Route of Exposure:	X	Inhalation	X	Skin	X	_ Ingestion
Symptoms Related to t corrosion.	he Phy	sical, Chemica	l and To	xicological	Characterist	tics: Burning pain and severe s
Potential Health Effect	s (Acut	e, Chronic and	Delayed):		
exposure may cause shortness of breath,	e irritati headac tation,	ion and inflamn he, dizziness, an chronic cough,	nation of nd nausea bronchia	the upper re . Long terr	espiratory tra n exposure to	upper respiratory tract. Short to ct, coughing, choking, sore three c acid fumes may cause damage cointestinal disturbances. Calci
						nage depends on the concentrat rbonate may cause irritation.
	age dep	ends on the con				rmanent eye damage, or blindnere. Contact with calcium carbon
Ingestion: If ingest large amounts of call					_	gastrointestinal tract. Ingestion
Numerical Measures of	Toxici	ity:				
	Inhala	ified. tion LC50: 130 t, Oral LD50: 6				
Skin Corrosion/Irr	itation	: This RM cont	ains >1 %	of nitric ac	eid and it is cl	assified as Category 1B.
Serious Eye Damaş	ge/Irrit	ation: This RM	I contains	>1 % nitric	e acid and it is	s classified as Category 1.
Respiratory Sensit	zation	: Not classified:	; no data a	available.		
Skin Sensitization:	Not cl	assified; no data	available	e.		
Germ Cell Mutage	nicity:	Not classified;	no data a	vailable.		
Carcinogenicity: N	lot clas	sified.				
		gen/Potential C a carbonate are li			Yes or OSHA as a	X No carcinogen/potential carcinogen
	Oral T	lot classified. TDLo: 21 150 m TDLo: 2345 mg			21 d)	
Specific Target Or	gan To	xicity, Single E	xposure:	Not classif	ied.	
Specific Target Or	gan To	xicity, Repeated	d Exposu	re: Not cla	ssified.	
Aspiration Hazard	: No da	ata available.				
12. ECOLOGICAL I	NFOR	MATION				
Ecotoxicity Data:						
•	sh (Aste	erias rubens) LO	C50: 100	mg/L - 300	mg/L (48 h,	renewal/aerated water)

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse effects: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of waste in accordance with all applicable federal, state, and local regulations. Nitric acid is subject to disposal regulations: U.S. EPA 40 CFR 262, Hazardous Waste Numbers: D001, D002.

RM 8301 Page 5 of 7

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: UN1760, Corrosive liquid, n.o.s. (contains nitric acid), Hazard Class 8, Packing Group II, Excepted Quantities E2.

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Nitric acid, 1000 lbs (454 kg) RQ

SARA Title III Section 302 (40 CFR 355.30): Nitric acid, 1000 lbs (454 kg) TPQ

SARA Title III Section 304 (40 CFR 355.40): Nitric acid, 1000 lbs (454 kg) EPCRA RQ

SARA Title III Section 313 (40 CFR 372.65): Nitric acid, 1 % de minimis concentration

OSHA Process Safety (29 CFR 1910.119): Nitric acid, higher concentrations 500 lbs TQ (≥94.5 % by weight)

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: Yes.
CHRONIC HEALTH: No.
FIRE: No.
REACTIVE: No.
PRESSURE: No.

State Regulations:

California Proposition 65: Not listed.

U.S. TSCA Inventory: Nitric acid and calcium carbonate are listed.

TSCA 12(b), Export Notification: Not listed.

Canadian Regulations:

WHMIS Information: Not provided for this material.

16. OTHER INFORMATION

Issue Date: 26 October 2020

Sources: ChemAdvisor, Inc., SDS *Calcium Carbonate*, 09 December 2015.

ChemAdvisor, Inc., SDS Nitric Acid, 22 September 2015.

CDC; NIOSH; NIOSH Pocket Guide to Chemical Hazards; Department of Health and Human Services (DHHS), Centers for Disease Control and Prevention (CDC), National Institute for Safety and Health; Nitric Acid, 30 October 2019; available at https://www.cdc.gov/niosh/npg/npgd0447.html (accessed Oct 2020).

Hazardous Substances Data Bank (HSDB), National Library of Medicine's TOXNET system, *Nitric Acid CAS No. 7697-37-2*; available at https://pubchem.ncbi.nlm.nih.gov/ (accessed Oct 2020).

Center for Disease Control (CDC), NIOSH Pocket Guide to Chemical Hazards, *Particulates Not Otherwise Regulated*, 13 February 2015; available at https://www.cdc.gov/niosh/npg/npgd0480.html (accessed Oct 2020).

CDC NIOSH, CDC Pocket Guide; *Calcium Carbonate*, 30 October 2019; available at https://www.cdc.gov/niosh/npg/npgd0090.html (accessed Oct 2020).

RM 8301 Page 6 of 7

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial	NRC	Nuclear Regulatory Commission
ALI	Hygienists Annual Limit on Intake	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response,	PEL	Permissible Exposure Limit
CLKCLA	Compensation, and Liability Act	ILL	Termissible Exposure Emili
CFR	Code of Federal Regulations	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	REL	Recommended Exposure Limit
EC50	Effective Concentration, 50%	RM	Reference Material
EINECS	European Inventory of Existing Commercial	RQ	Reportable Quantity
Entes	Chemical Substances	nq	reportable Quality
EPCRA	Emergency Planning and Community Right-to-Know	RTECS	Registry of Toxic Effects of Chemical Substances
21 0101	Act	TTLE5	regions of rome zirous of chemical succumes
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transport Association	SCBA	Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
LC50	Lethal Concentration, 50 %	STEL	Short Term Exposure Limit
LD50	Lethal Dose, 50 %	TLV	Threshold Limit Value
LEL	Lower Explosive Limit	TPO	Threshold Planning Quantity
MSDS	Material Safety Data Sheet	TSCA	Toxic Substances Control Act
NFPA	National Fire Protection Association	TWA	Time Weighted Average
NIOSH	National Institute for Occupational Safety and Health	UEL	Upper Explosive Limit
NIST	National Institute of Standards and Technology	WHMIS	Workplace Hazardous Materials Information System
n.o.s.	Not Otherwise Specified		•

Disclaimer: The NIST SDS information is specific to the NIST product and is believed to be correct, based upon our current knowledge. The SDS may not necessarily be all inclusive and should be used only as a guide. NIST does not guarantee the accuracy or completeness of this information. The only official source for specific values and uncertainties is the certificate or report.

Users of this RM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srmmsds@nist.gov; or via the Internet at https://www.nist.gov/srm.

RM 8301 Page 7 of 7