

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

RM Number: 8545
RM Name: LSVEC (Lithium Isotopes in Lithium Carbonate)
Other Means of Identification: Not applicable.

Recommended Use of This Material and Restrictions of Use

This Reference Material (RM) is an international measurement standard [1–2] that defines the δ -scale ($\delta^7\text{Li}_{\text{LSVEC}}$) for relative isotope ratio measurements of lithium (Li). A unit of RM 8545 consists of one bottle containing approximately 0.4 g of lithium carbonate.

Company Information

National Institute of Standards and Technology
 Standard Reference Materials Program
 100 Bureau Drive, Stop 2300
 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200
 E-mail: SRMMSDS@nist.gov
 Website: <https://www.nist.gov/srm>

Emergency Telephone ChemTrec:
 1-800-424-9300 (North America)
 +1-703-527-3887 (International)

2. HAZARDS IDENTIFICATION

Classification

Physical Hazard:	Not classified.	
Health Hazard:	Acute Toxicity, Oral	Category 4
	Eye Irritation	Category 2B

Label Elements

Symbol



Signal Word

WARNING

Hazard Statement(s):

H302 Harmful if swallowed.
 H319 Causes eye irritation.

Precautionary Statement(s):

P264 Wash hands thoroughly after handling.
 P270 Do not eat, drink, or smoke when using this product.
 P280 Wear protective gloves and eye protection.

P301+P312+P330 If swallowed: Call a doctor if you feel unwell. Rinse mouth.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical attention.

P501 Dispose of contents and container according to local regulations.

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Lithium carbonate

Other Designations: Carbonic acid, dilithium salt; dilithium carbonate; lithonate; carbolith.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Lithium carbonate	554-13-2	209-062-5	100

4. FIRST AID MEASURES

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Wash skin with soap and water for at least 15 minutes. Thoroughly clean and dry contaminated clothing before reuse.

Eye Contact: Flush eyes with water for at least 15 minutes. If necessary, seek medical attention.

Ingestion: If swallowed, drink plenty of water, do not induce vomiting. Get immediate medical attention.

Most Important Symptoms/Effects, Acute and Delayed: Nausea, vomiting, diarrhea, irregular or slow heartbeat, blurred vision, staggering, tremors, eye irritation.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms develop after exposure to this material, seek medical attention.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Negligible fire hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:

Suitable: Use extinguishing agents appropriate for the surrounding fire.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: None listed.

Special Protective Equipment and Precautions for Fire-Fighters: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection". Keep out of water supplies and sewers.

Methods and Materials for Containment and Clean up: Collect spilled material in appropriate container for disposal.

7. HANDLING AND STORAGE

Safe Handling Precautions: Minimize dust generation. See Section 8, "Exposure Controls and Personal Protection".

Storage: Store and handle in accordance with all current regulations and standards. Keep separated from incompatible substances (see Section 10 "Stability and Reactivity").

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits: No occupational exposure limits have been established. The exposure limits for Particulates Not Otherwise Regulated are applicable.

OSHA (PEL): 15 mg/m³ (TWA, total particulates)
5 mg/m³ (TWA, respirable particulates)

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear splash resistant safety goggles with a face shield. An eye wash station should be readily available near areas of use.

Skin and Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

9. PHYSICAL AND CHEMICAL PROPERTIES

Descriptive Properties:

Appearance (physical state, color, etc.):	white powder
Molecular Formula:	Li ₂ CO ₃
Molar Mass (g/mol):	73.89
Odor:	not available
Odor threshold:	not available
pH (solution):	11.2 (1 %)
Evaporation rate:	not applicable
Melting point/freezing point (°C):	723 (1333.4 °F)
Specific Gravity (water = 1):	2.11
Vapor Pressure (mmHg):	not applicable
Vapor Density (air = 1):	not applicable
Viscosity (cP):	not applicable
Solubility(ies):	water solubility 1.54 % at 0 °C; insoluble in alcohol, ammonia, and acetone
Partition coefficient (n-octanol/water):	not available
Particle Size (if relevant):	not available

Thermal Stability Properties:

Autoignition Temperature (°C):	not applicable
Thermal Decomposition (°C):	not available
Initial boiling point and boiling range:	not available
Explosive Limits, LEL (Volume %):	not applicable
Explosive Limits, UEL (Volume %):	not applicable
Flash Point (°C):	not applicable
Flammability (solid, gas):	not available

10. STABILITY AND REACTIVITY

Reactivity: Stable at normal temperatures and pressure.

Stability: X Stable _____ Unstable

Possible Hazardous Reactions: May react violently with strong acids.

Conditions to Avoid: Avoid heat, flames, sparks and other sources of ignition. Avoid generating dust. Keep out of water supplies and sewers.

Incompatible Materials: Acids, metals, halogens.

Fire/Explosion Information: See Section 5, "Fire Fighting Measures".

Hazardous Decomposition: Thermal decomposition will produce oxides of lithium and carbon.

Hazardous Polymerization: _____ Will Occur X Will Not Occur

11. TOXICOLOGICAL INFORMATION

Route of Exposure: X Inhalation X Skin X Ingestion

Symptoms Related to the Physical, Chemical and Toxicological Characteristics: Gastrointestinal upset, irregular or slow heartbeat, neurological affects, eye irritation.

Potential Health Effects (Acute, Chronic and Delayed):

Inhalation: Acute exposure to dusts may cause coughing, sore throat and irritation. No data available for chronic inhalation.

Skin Contact: Acute exposure of to the skin may cause mild irritation and redness. No data available for chronic exposure.

Eye Contact: Acute exposure may cause irritation, with redness and pain. Repeated and prolonged exposure to irritants in general may cause conjunctivitis.

Ingestion:

Acute exposure: Ingestion of large amounts may cause severe gastroenteritis, affect the central nervous system, renal function and fluid electrolyte balance, and cardiac function. Major symptoms, some of which may be delayed, include: nausea, vomiting, diarrhea, blurred vision, drowsiness, tremor, bradycardia (slow heartbeat), renal failure and coma. Overdose survivors have suffered permanent neurological effects such as Parkinsonism.

Chronic exposure: Repeated ingestion of large doses may result in symptoms similar to those listed under “acute exposure”, as well as changes in vision (including blindness), cardiac arrhythmias, leukocytosis, hyperthyroidism, transitory nephrotic syndrome, and osteoporosis. Studies of women who have been treated medically with lithium carbonate have shown that lithium readily crosses the placental barrier during pregnancy, and is excreted in breast milk.

Numerical Measures of Toxicity:

Acute Toxicity: Oral Category 4.

Rat, Oral LD50: 640 mg/kg

Rat, Inhalation, TCLo: >2.17 mg/L (4 h)

Skin Corrosion/Irritation: Not classified.

Rabbit, Dermal (mild): 500 mg (4 h)

Serious Eye Damage/Eye Irritation: Category 2B.

Rabbit, Eyes (mild): 100 mg

Animal studies have reported mild irritation that was fully reversible within between four and seven days.

Respiratory Sensitization: Not classified; no data available.

Skin Sensitization: Not classified; no data available.

Germ Cell Mutagenicity: Not classified.

Rat: 420 g/kg 12 weeks (continuous)

Carcinogenicity: Not classified.

Listed as a Carcinogen/Potential Carcinogen _____ Yes X No

Lithium carbonate is not listed by IARC, NTP or OSHA as a carcinogen/potential carcinogen.

Tumorigenic:

Woman, Oral TDLo: 3600 mg/kg (21 week)

Reproductive Toxicity: Not classified.

Rat, Oral TDLo: 600 mg/kg (pregnant 9 to 14 d)

Woman, Oral TDLo: 3072 mg/kg (pregnant 1 to 37 week)

Specific Target Organ Toxicity, Single Exposure: Not classified; no data available.

Specific Target Organ Toxicity, Repeated Exposure: Not classified; no data available.

Aspiration Hazard: Not classified; no data available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Data: No data available.

Persistence and Degradability: No data available.

Bioaccumulative Potential: No bioaccumulation expected.

Mobility in Soil: No data available.

Other Adverse effects: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of waste in accordance with all applicable federal, state, and local regulations.

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: Not regulated by DOT or IATA.

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Regulated 1 % de minimis concentration.

OSHA Process Safety (29 CFR 1910.119): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: Yes.

CHRONIC HEALTH: Yes.

FIRE: No.

REACTIVE: No.

PRESSURE: No.

State Regulations:

California Proposition 65: WARNING! This product contains a chemical (lithium carbonate) known to the State of California to cause developmental effects.

U.S. TSCA Inventory: Listed.

TSCA 12(b), Export Notification: Not listed.

Canadian Regulations:

WHMIS Information: Not provided for this material.

16. OTHER INFORMATION

Issue Date: 25 October 2022

Sources: ChemAdvisor, Inc., SDS *Lithium Carbonate*, 10 September 2014.

PubChem, National Library of Medicine's National Center for Biotechnology Information, *Lithium Carbonate* CAS# 554-13-2, Full Record, available at <https://pubchem.ncbi.nlm.nih.gov/compound/11125> (accessed Oct 2022).

Center for Disease Control (CDC), NIOSH Pocket Guide to Chemical Hazards, *Particulates Not Otherwise Regulated*, 30 October 2019, available at <https://www.cdc.gov/niosh/npg/npgd0480.html> (accessed Oct 2022).

European Chemical Agency, Registered substances, *Lithium Carbonate*, CAS No. 554-13-2, available at <https://echa.europa.eu/substance-information/-/substanceinfo/100.008.239> (accessed Oct 2022).

Environmental Protection Agency (EPA), ECOTOX database, *Lithium Carbonate*, CAS No. 554-13-2, available at <https://cfpub.epa.gov/ecotox/> (accessed Oct 2022).

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists	NIST	National Institute of Standards and Technology
ALI	Annual Limit on Intake	NRC	Nuclear Regulatory Commission
CAS	Chemical Abstracts Service	NTP	National Toxicology Program
CEN	European Committee for Standardization	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
CFR	Code of Federal Regulations	RCRA	Resource Conservation and Recovery Act
CPSU	Coal Mine Dust Personal Sample Unit	REL	Recommended Exposure Limit
DOT	Department of Transportation	RM	Reference Material
EC50	Effective Concentration, 50 %	RQ	Reportable Quantity
EINECS	European Inventory of Existing Commercial Chemical Substances	RTECS	Registry of Toxic Effects of Chemical Substances
EPCRA	Emergency Planning and Community Right-to-Know Act	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	SCBA	Self-Contained Breathing Apparatus
IATA	International Air Transportation Agency	SRM	Standard Reference Material
IDLH	Immediately Dangerous to Life and Health	STEL	Short Term Exposure Limit
ISO	International Organization for Standardization	TDL _o	Toxic Dose Low
LC50	Lethal Concentration, 50 %	TLV	Threshold Limit Value
LD50	Lethal Dose, 50 %	TPQ	Threshold Planning Quantity
LEL	Lower Explosive Limit	TSCA	Toxic Substances Control Act
MSDS	Material Safety Data Sheet	TWA	Time Weighted Average
MSHA	Mine Safety and Health Administration	UEL	Upper Explosive Limit
NIOSH	National Institute for Occupational Safety and Health	WHMIS	Workplace Hazardous Materials Information System

Disclaimer: The NIST SDS information is specific to the NIST product and is believed to be correct, based upon our current knowledge. The SDS may not necessarily be all inclusive and should be used only as a guide. NIST does not guarantee the accuracy or completeness of this information. The only official source for specific values and uncertainties is the certificate or report.

Users of this RM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; e-mail srmmsds@nist.gov; or via the Internet at <https://www.nist.gov/srm>.